

May 26, 2009

Corporate Headquarters

1500 North Mantua Street

P.O. Box 5193

Kent, OH 44240-5193

330•673•5685

Toll Free 1•800•828•8312

FAX: 330•673•0860

Josh Behounek

3902 Snow Leopard Drive

Columbia, MO 65202

573•673•7530

FAX: 573•442•2318

Kerry Gray

City of Ann Arbor

100 N. Fifth Avenue

P.O. Box 8647

Ann Arbor, Michigan 48107-8647

Greetings Kerry:

Enclosed you will find a CD-ROM with the final Geodatabase, 1 electronic copy (PDF) of the *Tree Inventory Analysis Report*, and a Microsoft $\operatorname{Excel}^{\text{TM}}$ spreadsheet containing several customized inventory data tables, graphs, and charts for your use. Also enclosed is 1 bound color copy of the *Tree Inventory Analysis Report*.

Please contact Josh Behounek at 573-673-7530 or me at 260-479-0733 if you have any comments about our findings or questions regarding the included data. It has been our distinct pleasure working in Ann Arbor on this very important project, and we look forward to a continued relationship with the City of Ann Arbor. We wish you and the forestry program luck in the future.

Sincerely,

Kasey Krouse Project Manager

Certified Arborist IN-3243A

Josh Behounek

for 1 Box

Business Developer

Certified Arborist IL-4282A

Tree Inventory Analysis Report

Ann Arbor, MI May, 2009





Executive Summary

The City of Ann Arbor, Michigan combines a rich history with beautiful neighborhoods, recreation facilities, and green space to create an attractive community and a great place to live, work, and play. The economic health of Ann Arbor, as with many communities, is closely related to the ability of the municipal government to supply its citizens with efficient services, safe public spaces, and properly maintained infrastructure. Trees are an integral component of this urban environment. Their shade and beauty contribute to the community's quality of life and soften the hard appearance of concrete and brick structures and streets. They help stabilize the soil by controlling wind and water erosion. Trees also help reduce noise levels, cleanse atmospheric pollutants, produce oxygen and absorb carbon dioxide, and provide habitat for wildlife.



Trees are an integral component of an urban environment, where their shade and beauty contribute to a community's quality of life.

Trees also provide significant economic benefits, including increased real estate values and more attractive settings in which to locate commercial businesses. Trees provide shade and act as windbreaks, helping to decrease residential energy consumption. Unlike other components of the City's infrastructure, the tree population, with proper care, will actually continue to increase in value with each passing year. When properly maintained, trees return overall benefits and value to the community far in excess of the time and money invested in them for planting, pruning, protection, and removal.

Managing natural resources in urban areas is challenging at best. For many communities, finding suitable space for trees among roads, buildings, sewers, and utility lines is difficult. Frequently, a greater concern is providing adequate maintenance within budget constraints. A successful urban forestry program requires a combination of organized leadership, comprehensive information about the tree population, dedicated personnel, and effective public relations. A tree inventory is a primary step in order to begin balancing these components and managing a city's urban forest.

Ann Arbor, Michigan Public Tree Population

Davey Resource Group performed a public tree inventory for the City of Ann Arbor from February–April, 2009. Data concerning these trees have been collected and analyzed, providing information about species composition, condition, and maintenance requirements. This report summarizes the public tree resource composition and general health, providing the basis for a long-term planning strategy and management plan.

The major findings of the City of Ann Arbor's Street and Park Tree Inventory include the following:

- ➤ Davey Resource Group inventoried 57,055 total sites in Ann Arbor. Of these, 40,749 (71.42%) are street trees, 822 (1.44%) are stumps along streets, and 8,853 (15.51%) are vacant planting spaces along streets. Within the City parks, 6,610 (11.58%) trees and 21 (0.04%) stumps were inventoried.
- Ann Arbor's public tree population is comprised of 176 species representing 57 genera.
- ➤ The genus *Acer* (maple) comprises 38.22% of the overall population, followed by *Gleditsia* (honeylocust) 7.75%, *Quercus* (oak) 6.63%, *Malus* (apple/crabapple) 6.44%, and *Tilia* (linden) contributing 5.15%. All other genera comprise less than 5% of the total population.
- The public tree population has high percentages, 32.92% and 59.69% respectively, of small- and medium-sized trees. Small trees, which are 6 inches and less in diameter at breast height (dbh), represent 30.74% of the street tree population and 46.40% of the park/public space trees. Medium-sized trees (7 to 24 inches dbh) comprise 61.45% of the street trees and 48.80% of the park/public space trees. Finally, 7.80% of the street trees and 4.80% of the park/public space trees are large-sized (25 inches and greater dbh).
- ➤ There are 538 (1.14%) trees in Very Good condition, 15,448 (32.62%) in Good condition, 25,608 (54.07%) in Fair condition, 4,896 (10.34%) in Poor condition, and 332 (0.7%) in Critical condition. There are 537 trees (1.13%) rated as Dead.
- ➤ There are 2,412 trees (5.00%) recommended for removal. Of these, 743 (1.54%) are recommended for Priority 1 Removal, 825 (1.71%) are recommended for Priority 2 Removal, and 844 (1.75%) are recommended for Priority 3 Removal. There are 843 (1.75%) stumps in need of grinding.



Proper, proactive management of an urban forest can be a good investment, helping sustain the benefits provided by public trees such as energy savings and increased property value.

- ➤ There are 1,151 (2.39%) trees recommended for Priority 1 Prune and 2,563 (5.32%) recommended for Priority 2 Prune. Large Tree Routine Prune is recommended for 27,725 (57.52%) trees, Small Tree Routine Prune is recommended for 3,733 (7.74%) trees, and Training Prune is recommended for 9,775 (20.28%) trees.
- ➤ The streets of Ann Arbor are 84.25% stocked with trees. There are 8,853 (15.75%) recommended planting spaces along street property. Of these, 3,279 (37.04%) were recommended as large vacant sites, 2,672 (30.18%) were recommended as medium vacant sites, and 2,902 (32.78%) were recommended as large vacant sites.

Urban Forestry Tree Management Recommendations

Based on the results of this tree inventory, Davey Resource Group makes the following recommendations for planning and managing the inventoried trees along Ann Arbor's streets and within its parks.

- ➤ Perform all recommended tree removals and priority pruning as soon as possible beginning in 2009.
- ➤ Implement a continual routine maintenance cycle for the tree population to ensure the pruning of all trees at least every seven years.
- > Implement a Training Pruning Program for the large number of younger trees.
- Expand the City's public relations and educational campaign to gain increased citizen interest and City support for the urban forestry program.
- > Through the City's municipal tree planting program, continue to expand the mix of species that currently comprises Ann Arbor's public tree resource. The planting of maples should be limited due to their higher percentages in the overall population.
- Continue to educate all City personnel concerning proper mulching, pruning, general arboricultural treatments and techniques, and about preventing mechanical damage to trees with lawn mowing equipment and string trimmers. It is imperative to emphasize proper arboricultural and horticultural techniques and practices for newly hired personnel and seasonal employees.
- Present an educational program to highlight the findings of this inventory and to prepare all personnel and operations budget administrators for inevitable removals, the importance of healthy trees, and the need for continual preventive maintenance and planting.




There are a large percentage of newly planted trees, as a result of Emerald Ash Borer that has devastated the City's ash population. The City should continue to expand the mix of species to protect against the threat of future exotic pests.

Protect valuable mature trees and all young trees from construction damage and unnecessary removal, especially large specimen trees that are in good condition. Implement a tree preservation program in conjunction with all building and infrastructure construction and renovation projects.

This summary provides an overview of the City of Ann Arbor's Street and Park Tree Inventory. It summarizes the current tree population and its maintenance needs. In addition to this summary, several reports are included to illustrate the inventory findings. These reports include:

- A breakdown of different inventory attributes, such as species, genus, diameter class, height class, maintenance, condition, utilities, potential sawlogs, and location.
- A comparative analysis of attributes along streets, and within parks.
- A comparative analysis of attributes within the entire public tree population of Ann Arbor.
- A breakdown of the size, age, and condition of Ann Arbor's public trees.

In conclusion, the management of trees in a municipality is challenging, to say the least. Balancing the recommendations of experts, the wishes of elected officials, the needs of citizens, the pressures of local economics, the concerns for liability issues, the physical aspects of trees, the forces of nature and severe weather events, and the desires for all of these factors to be met simultaneously is quite a daunting task. The City of Ann Arbor must continue to carefully consider each specific issue and balance these pressures with a knowledgeable understanding of trees and their needs. If balance is achieved, the City's beauty will flourish, the health and safety of its trees will be maintained, and the benefits afforded to the community will be sustained.





Ann Arbor, MI

Quantity Report: Common

Common	Total	Percentage of Entire Population
maple, Norway	6264	13.00%
maple, sugar	5359	11.12%
honeylocust, thornless	3612	7.49%
maple, red	3273	6.79%
crabapple, flowering	2997	6.22%
maple, silver	2194	4.55%
linden, littleleaf	1959	4.06%
planetree, London	1541	3.20%
oak, northern red	1125	2.33%
pear, callery	1114	2.31%
spruce, Colorado	992	2.06%
pine, Austrian	965	2.00%
stump	843	1.75%
walnut, black	822	1.71%
elm, American	702	1.46%
elm, Siberian	525	1.09%
zelkova, Japanese	524	1.09%
pine, eastern white	520	1.08%
oak, swamp white	516	1.07%
oak, white	510	1.06%
spruce, Norway	472	0.98%
linden, American	451	0.94%
redbud, eastern	441	0.91%
spruce, white	414	0.86%
arborvitae, eastern	414	0.86%
cherry/plum, spp.	396	0.82%
hickory, shagbark	374	0.78%
oak, bur	358	0.74%
serviceberry, spp.	355	0.74%
hackberry, common	319	0.66%
tuliptree	296	0.61%
pine, Scotch	287	0.60%
hawthorn, spp.	268	0.56%
locust, black	255	0.53%
cottonwood, eastern	254	0.53%

Tuesday, May 19, 2009 Page 1 of 6

Common	Total	Percentage of Entire Population
cherry, black	245	0.51%
boxelder	235	0.49%
ginkgo	222	0.46%
maple, Freeman	218	0.45%
catalpa, northern	218	0.45%
oak, pin	216	0.45%
Japanese pagodatree	205	0.43%
oak, English	197	0.41%
douglas-fir	182	0.38%
maple, hedge	179	0.37%
mulberry, white	171	0.35%
sweetgum, American	166	0.34%
redcedar, eastern	161	0.33%
sycamore, American	155	0.32%
lilac, Japanese tree	143	0.30%
birch, river	131	0.27%
Kentucky coffeetree	123	0.26%
hornbeam, European	119	0.25%
ash, spp.	108	0.22%
hemlock, eastern	104	0.22%
horsechestnut	101	0.21%
ash, white	97	0.20%
oak, black	93	0.19%
maple, Amur	88	0.18%
fir, white	88	0.18%
oak, shingle	86	0.18%
maple, Japanese	86	0.18%
hickory, pignut	78	0.16%
hornbeam, American	74	0.15%
yellowwood, American	73	0.15%
hawthorn, Washington	72	0.15%
Amur corktree	72	0.15%
fir, balsam	66	0.14%
goldenraintree	64	0.13%
tree-of-heaven	61	0.13%
unknown	59	0.12%
honeylocust	58	0.12%
dogwood, flowering	57	0.12%

Tuesday, May 19, 2009 Page 2 of 6

Common	Total	Percentage of Entire Population
Amur maackia	56	0.12%
buckthorn, common	54	0.11%
pine, red	53	0.11%
apple, common	53	0.11%
maple, striped	52	0.11%
katsuratree	46	0.10%
fringetree, white	46	0.10%
willow, weeping	45	0.09%
juniper, spp.	44	0.09%
hardy rubbertree	44	0.09%
maple, Miyabei	42	0.09%
elm, hybrid	42	0.09%
willow, black	41	0.09%
dawn redwood	39	0.08%
blackgum	36	0.07%
hickory, bitternut	34	0.07%
elm, slippery	33	0.07%
dogwood, Kousa	32	0.07%
maple, paperbark	30	0.06%
hickory, mockernut	30	0.06%
Persian parrotia	28	0.06%
magnolia, saucer	28	0.06%
ash, green	28	0.06%
linden, silver	27	0.06%
elm, spp.	26	0.05%
maple, Tatarian	23	0.05%
dogwood, pagoda	23	0.05%
smoketree, common	22	0.05%
pine, jack	22	0.05%
oak, sawtooth	19	0.04%
maple, sycamore	19	0.04%
maple, spp.	19	0.04%
elm, smoothleaf	19	0.04%
birch, paper	19	0.04%
magnolia, star	18	0.04%
alder, common	18	0.04%
hophornbeam, American	17	0.04%
beech, American	16	0.03%

Tuesday, May 19, 2009 Page 3 of 6

Common	Total	Percentage of Entire Population
magnolia, spp.	15	0.03%
horsechestnut, red	15	0.03%
lilac, common	13	0.03%
willow, corkscrew	12	0.02%
pear, common	12	0.02%
cherry, Sargent	12	0.02%
walnut, English	11	0.02%
spruce, spp.	11	0.02%
filbert, Turkish	11	0.02%
spruce, Serbian	10	0.02%
pine, mugo	10	0.02%
aspen, bigtooth	10	0.02%
sassafras	9	0.02%
osage-orange	9	0.02%
filbert, American	9	0.02%
baldcypress, common	9	0.02%
yew, spp.	8	0.02%
maple, three-flower	8	0.02%
cypress, Leyland	8	0.02%
birch, gray	8	0.02%
oak, spp.	7	0.01%
oak, Shumard	7	0.01%
maple, trident	7	0.01%
goldenchain tree	7	0.01%
beech, European	7	0.01%
viburnum, spp.	6	0.01%
poplar, white	6	0.01%
pine, Japanese white	6	0.01%
peach, common	6	0.01%
cherry, sweet	6	0.01%
buckeye, yellow	6	0.01%
aspen, quaking	6	0.01%
smoketree, American	5	0.01%
Russian-olive	5	0.01%
mountainash, European	5	0.01%
butternut	5	0.01%
willow, pussy	4	0.01%
maple, black	4	0.01%

Tuesday, May 19, 2009 Page 4 of 6

Common	Total	Percentage of Entire Population
buckeye, Ohio	4	0.01%
willow, spp.	3	0.01%
Tamarix spp.	3	0.01%
pine, Ponderosa	3	0.01%
pawpaw, common	2	0.00%
paulownia	2	0.00%
oak, scarlet	2	0.00%
mulberry, red	2	0.00%
mountainash, American	2	0.00%
maple, western sugar	2	0.00%
magnolia, sweetbay	2	0.00%
linden, caucasian	2	0.00%
larch, European	2	0.00%
filbert, European	2	0.00%
falsecypress, Nootka	2	0.00%
chestnut, Chinese	2	0.00%
cherry, pin	2	0.00%
yellowhorn	1	0.00%
witchhazel, common	1	0.00%
silverbell, Carolina	1	0.00%
serviceberry, Allegheny	1	0.00%
plum, cherry	1	0.00%
pine, spp.	1	0.00%
pine, Japanese black	1	0.00%
persimmon, common	1	0.00%
oak, willow	1	0.00%
oak, northern pin	1	0.00%
oak, chinkapin	1	0.00%
oak, chestnut	1	0.00%
locust, bristly	1	0.00%
larch, American	1	0.00%
holly, spp.	1	0.00%
hawthorn, cockspur	1	0.00%
falsecypress, Hinoki	1	0.00%
dogwood, gray	1	0.00%
dogwood, corneliancherry	1	0.00%
devils-walkingstick	1	0.00%
birch, European white	1	0.00%

Tuesday, May 19, 2009 Page 5 of 6

Common	Total	Percentage of Entire Population
ash, blue	1	0.00%
alder, tag	1	0.00%
Grand Total	48202	100%

Tuesday, May 19, 2009 Page 6 of 6



Ann Arbor, M

Quantity Report: Botanical

Botanical	Total	Percentage of Entire Population
Acer platanoides	6264	13.00%
Acer saccharum	5359	11.12%
Gleditsia triacanthos inermis	3612	7.49%
Acer rubrum	3273	6.79%
Malus spp.	2997	6.22%
Acer saccharinum	2194	4.55%
Tilia cordata	1959	4.06%
Platanus x acerifolia	1541	3.20%
Quercus rubra	1125	2.33%
Pyrus calleryana	1114	2.31%
Picea pungens	992	2.06%
Pinus nigra	965	2.00%
stump	843	1.75%
Juglans nigra	822	1.71%
Ulmus americana	702	1.46%
Ulmus pumila	525	1.09%
Zelkova serrata	524	1.09%
Pinus strobus	520	1.08%
Quercus bicolor	516	1.07%
Quercus alba	510	1.06%
Picea abies	472	0.98%
Tilia americana	451	0.94%
Cercis canadensis	441	0.91%
Thuja occidentalis	414	0.86%
Picea glauca	414	0.86%
Prunus spp.	396	0.82%
Carya ovata	374	0.78%
Quercus macrocarpa	358	0.74%
Amelanchier spp.	355	0.74%
Celtis occidentalis	319	0.66%
Liriodendron tulipifera	296	0.61%
Pinus sylvestris	287	0.60%
Crataegus spp.	268	0.56%
Robinia pseudoacacia	255	0.53%
Populus deltoides	254	0.53%

Tuesday, May 19, 2009 Page 1 of 6

Botanical	Total	Percentage of Entire Population
Prunus serotina	245	0.51%
Acer negundo	235	0.49%
Ginkgo biloba	222	0.46%
Catalpa speciosa	218	0.45%
Acer x freemanii	218	0.45%
Quercus palustris	216	0.45%
Styphnolobium japonicum	205	0.43%
Quercus robur	197	0.41%
Pseudotsuga menziesii	182	0.38%
Acer campestre	179	0.37%
Morus alba	171	0.35%
Liquidambar styraciflua	166	0.34%
Juniperus virginiana	161	0.339
Platanus occidentalis	155	0.329
Syringa reticulata	143	0.309
Betula nigra	131	0.279
Gymnocladus dioica	123	0.269
Carpinus betulus	119	0.25
Fraxinus spp.	108	0.229
Tsuga candensis	104	0.229
Aesculus hippocastanum	101	0.219
Fraxinus americana	97	0.209
Quercus velutina	93	0.19
Acer tataricum ginnala	88	0.189
Abies concolor	88	0.189
Quercus imbricaria	86	0.189
Acer palmatum	86	0.189
Carya glabra	78	0.169
Carpinus caroliniana	74	0.15
Cladrastis kentukea	73	0.15
Phellodendron amurense	72	0.15
Crataegus phaenopyrum	72	0.15
Abies balsamea	66	0.14
Koelreuteria paniculata	64	0.13
Ailanthus altissima	61	0.13
unknown	59	0.129
Gleditsia triacanthos	58	0.129
Cornus florida	57	0.12%

Tuesday, May 19, 2009 Page 2 of 6

Botanical	Total	Percentage of Entire Population
Maackia amurensis	56	0.12%
Rhamnus cathartica	54	0.11%
Pinus resinosa	53	0.11%
Malus pumila	53	0.11%
Acer pensylvanicum	52	0.11%
Chionanthus virginicus	46	0.10%
Cercidiphyllum japonicum	46	0.10%
Salix babylonica	45	0.09%
Juniperus spp.	44	0.09%
Eucommia ulmoides	44	0.09%
Ulmus x	42	0.09%
Acer miyabei	42	0.09%
Salix nigra	41	0.09%
Metasequoia glyptostroboides	39	0.08%
Nyssa sylvatica	36	0.07%
Carya cordiformis	34	0.07%
Ulmus rubra	33	0.07%
Cornus kousa	32	0.07%
Carya tomentosa	30	0.06%
Acer griseum	30	0.06%
Parrotia persica	28	0.06%
Magnolia x soulangiana	28	0.06%
Fraxinus pennsylvanica	28	0.06%
Tilia tomentosa	27	0.06%
Ulmus spp.	26	0.05%
Cornus alternifolia	23	0.05%
Acer tataricum	23	0.05%
Pinus banksiana	22	0.05%
Cotinus coggygria	22	0.05%
Ulmus carpinifolia	19	0.04%
Quercus acutissima	19	0.04%
Betula papyrifera	19	0.04%
Acer spp.	19	0.04%
Acer pseudoplatanus	19	0.04%
Magnolia stellata	18	0.04%
Alnus glutinosa	18	0.04%
Ostrya virginiana	17	0.04%
Fagus grandifolia	16	0.03%

Tuesday, May 19, 2009 Page 3 of 6

Botanical	Total	Percentage of Entire Population
Magnolia spp.	15	0.03%
Aesculus x carnea	15	0.03%
Syringa vulgaris	13	0.03%
Salix matsudana	12	0.02%
Pyrus communis	12	0.02%
Prunus sargentii	12	0.02%
Picea spp.	11	0.02%
Juglans regia	11	0.029
Corylus colurna	11	0.029
Populus grandidentata	10	0.029
Pinus mugo	10	0.029
Picea omorika	10	0.029
Taxodium distichum	9	0.029
Sassafras albidum	9	0.029
Maclura pomifera	9	0.029
Corylus americana	9	0.029
X Cupressocyparis leylandii	8	0.029
Taxus spp.	8	0.029
Betula populifolia	8	0.029
Acer triflorum	8	0.029
Quercus spp.	7	0.01
Quercus shumardii	7	0.01
Laburnum x watereri	7	0.01
Fagus sylvatica	7	0.019
Acer buergerianum	7	0.019
Viburnum spp.	6	0.019
Prunus persica	6	0.019
Prunus avium	6	0.019
Populus tremuloides	6	0.019
Populus alba	6	0.019
Pinus parviflora	6	0.019
Aesculus flava	6	0.01
Sorbus aucuparia	5	0.019
Juglans cinerea	5	0.019
Elaeagnus angustifolia	5	0.01
Cotinus obovatus	5	0.01
Salix discolor	4	0.019
Aesculus glabra	4	0.019

Tuesday, May 19, 2009 Page 4 of 6

Botanical	Total	Percentage of Entire Population
Acer nigrum	4	0.01%
Tamarix spp.	3	0.01%
Salix spp.	3	0.01%
Pinus ponderosa	3	0.01%
Tilia X euchlora	2	0.00%
Sorbus americana	2	0.00%
Quercus coccinea	2	0.00%
Prunus pensylvanica	2	0.00%
Paulownia tomentosa	2	0.00%
Morus rubra	2	0.00%
Magnolia virginiana	2	0.00%
Larix decidua	2	0.00%
Corylus avellana	2	0.00%
Chamaecyparis nootkatensis	2	0.00%
Castanea mollissima	2	0.00%
Asimina triloba	2	0.00%
Acer grandidentatum	2	0.00%
Xanthoceras sorbifolium	1	0.00%
Robinia hispida	1	0.00%
Quercus phellos	1	0.00%
Quercus muehlenbergii	1	0.00%
Quercus montana	1	0.00%
Quercus ellipsoidalis	1	0.00%
Prunus cerasifera	1	0.00%
Pinus thunbergii	1	0.00%
Pinus spp.	1	0.00%
Larix laricina	1	0.00%
llex spp.	1	0.00%
Hamamelis virginiana	1	0.00%
Halesia caroliniana	1	0.00%
Fraxinus quadrangulata	1	0.00%
Diospyros virginiana	1	0.00%
Crataegus crusgalli	1	0.00%
Cornus racemosa	1	0.00%
Cornus mas	1	0.00%
Chamaecyparis obtusa	1	0.00%
Betula pendula	1	0.00%
Aralia spinosa	1	0.00%

Tuesday, May 19, 2009 Page 5 of 6

Botanical	Total	Percentage of Entire Population
Amelanchier laevis	1	0.00%
Alnus serrulata	1	0.00%
Grand Total	48202	100%

Tuesday, May 19, 2009 Page 6 of 6



Ann Arbor, MI

Quantity Report: Genus

Genus	Total	Percentage of Entire Population
Acer	18102	38.22%
Gleditsia	3670	7.75%
Quercus	3140	6.63%
Malus	3050	6.44%
Tilia	2439	5.15%
Picea	1899	4.01%
Pinus	1868	3.94%
Platanus	1696	3.58%
Ulmus	1347	2.84%
Pyrus	1126	2.38%
Juglans	838	1.77%
Prunus	668	1.41%
Zelkova	524	1.11%
Carya	516	1.09%
Cercis	441	0.93%
Thuja	414	0.87%
Amelanchier	356	0.75%
Crataegus	341	0.72%
Celtis	319	0.67%
Liriodendron	296	0.63%
Populus	276	0.58%
Robinia	256	0.54%
Fraxinus	234	0.49%
Ginkgo	222	0.47%
Catalpa	218	0.46%
Styphnolobium	205	0.43%
Juniperus	205	0.43%
Carpinus	193	0.41%
Pseudotsuga	182	0.38%
Morus	173	0.37%
Liquidambar	166	0.35%
Betula	159	0.34%
Syringa	156	0.33%
Abies	154	0.33%
Aesculus	126	0.27%

Tuesday, May 19, 2009 Page 1 of 3

Genus	Total	Percentage of Entire Population
Gymnocladus	123	0.26%
Cornus	114	0.24%
Salix	105	0.22%
Tsuga	104	0.22%
Cladrastis	73	0.15%
Phellodendron	72	0.15%
Koelreuteria	64	0.149
Magnolia	63	0.139
Ailanthus	61	0.139
unknown	59	0.129
Maackia	56	0.129
Rhamnus	54	0.119
Chionanthus	46	0.10
Cercidiphyllum	46	0.10
Eucommia	44	0.09
Metasequoia	39	0.08
Nyssa	36	0.08
Parrotia	28	0.06
Cotinus	27	0.06
Fagus	23	0.05
Corylus	22	0.05
Alnus	19	0.04
Ostrya	17	0.04
Taxodium	9	0.02
Sassafras	9	0.02
Maclura	9	0.02
X Cupressocyparis	8	0.02
Taxus	8	0.02
Sorbus	7	0.01
Laburnum	7	0.01
Viburnum	6	0.01
Elaeagnus	5	0.01
Tamarix	3	0.01
Larix	3	0.01
Chamaecyparis	3	0.01
Paulownia	2	0.00
Castanea	2	0.00
Asimina	2	0.00

Tuesday, May 19, 2009 Page 2 of 3

		Percentage of Entire
Genus	Total	Population
Xanthoceras	1	0.00%
llex	1	0.00%
Hamamelis	1	0.00%
Halesia	1	0.00%
Diospyros	1	0.00%
Aralia	1	0.00%
Grand Total	47359	100%

Tuesday, May 19, 2009 Page 3 of 3



Ann Arbor, M

Quantity Report: Maintenance

		Percentage of Entire
Maintenance	Total	Population
Large Tree Routine Prune	27725	48.59%
Training Prune	9775	17.13%
Plant Tree	8853	15.52%
Small Tree Routine Prune	3733	6.54%
Priority 2 Prune	2563	4.49%
Priority 1 Prune	1151	2.02%
Priority 3 Removal	844	1.48%
Stump Removal	843	1.48%
Priority 2 Removal	825	1.45%
Priority 1 Removal	743	1.30%
Grand Total	57055	100%

Tuesday, May 19, 2009 Page 1 of 1



Ann Arbor, MI Species/Maintenance Frequency Report

	opeoics/maintenance i requen											
Common Name	Priority 1 Removal	Priority 2 Removal	Priority 3 Removal	Priority 1 Prune	Priority 2 Prune	Large Tree Routine Prune	Small Tree Routine Prune	Training Prune	Stump Removal	Plant Tree	Other - see	TOTAL
alder, common						1		17				18
alder, tag								1				1
Amur corktree	1		1		2	54		14				72
Amur maackia								56				56
apple, common		1	1	1			40	10				53
arborvitae, eastern	1	3	16			40	354					414
ash, blue								1				1
ash, green	2	2	8			6		10				28
ash, spp.	73	26	9									108
ash, white	7	16	40			15		19				97
aspen, bigtooth						10						10
aspen, quaking		1				5						6
baldcypress, common						4		5				9
beech, American						5		11				16
beech, European						4		3				7
birch, European white								1				1
birch, gray			1			5		2				8
birch, paper						11		8				19

Tuesday, May 19, 2009

Page 1 of 10

Common Name	Priority 1 Removal	Priority 2 Removal	Priority 3 Removal	Priority 1 Prune	Priority 2 Prune	Large Tree Routine Prune	Small Tree Routine Prune	Training Prune	Stump Removal	Plant Tree	Other - see	TOTAL
birch, river			3			24		104				131
blackgum						5		31				36
boxelder	36	29	14	20	18	99		19				235
buckeye, Ohio								4				4
buckeye, yellow						2		4				6
buckthorn, common		1	34				18	1				54
butternut						4		1				5
catalpa, northern	25	11	1	25	29	97		30				218
cherry, black	23	10		15	24	166		7				245
cherry, pin								2				2
cherry, Sargent			1					11				12
cherry, sweet		1				5						6
cherry/plum, spp.	2	1	10	1	2	3	129	248				396
chestnut, Chinese						2						2
cottonwood, eastern	4	3	2	15	23	204		3				254
crabapple, flowering	11	76	65	11	39		2078	717				2997
cypress, Leyland						8						8
dawn redwood						27		12				39
devils-walkingstick								1				1
dogwood, corneliancherry								1				1

Common Name	Priority 1 Removal	Priority 2 Removal	Priority 3 Removal	Priority 1 Prune	Priority 2 Prune	Large Tree Routine Prune	Small Tree Routine Prune	Training Prune	Stump Removal	Plant Tree	Other - see	TOTAL
dogwood, flowering			6				16	35				57
dogwood, gray								1				1
dogwood, Kousa			1				13	18				32
dogwood, pagoda			8				14	1				23
douglas-fir	1				2	177		2				182
elm, American	68	14	12	36	86	409		77				702
elm, hybrid						6		36				42
elm, Siberian	8	19	36	54	130	264		14				525
elm, slippery				2	4	26		1				33
elm, smoothleaf						16		3				19
elm, spp.	22	3	1									26
falsecypress, Hinoki						1						1
falsecypress, Nootka							2					2
filbert, American							4	5				9
filbert, European								2				2
filbert, Turkish						2		9				11
fir, balsam			1			62		3				66
fir, white					1	87						88
fringetree, white							17	29				46
ginkgo			2			53		167				222

Common Name	Priority 1 Removal	Priority 2 Removal	Priority 3 Removal	Priority 1 Prune	Priority 2 Prune	Large Tree Routine Prune	Small Tree Routine Prune	Training Prune	Stump Removal	Plant Tree	Other - see	TOTAL
goldenchain tree							5	2				7
goldenraintree		1				8		55				64
hackberry, common			5			30		284				319
hardy rubbertree			1					43				44
hawthorn, cockspur							1					1
hawthorn, spp.		1	6		2	2	113	144				268
hawthorn, Washington							52	20				72
hemlock, eastern			3			98		3				104
hickory, bitternut	1	2		3	3	18		7				34
hickory, mockernut	1	2			2	24		1				30
hickory, pignut	2	2		2	6	65		1				78
hickory, shagbark	10	5	4	6	16	312		21				374
holly, spp.								1				1
honeylocust		2	1	2	4	44		5				58
honeylocust, thornless		3	16	16	189	2891		497				3612
hophornbeam, American		1				7	1	8				17
hornbeam, American			3			5	3	63				74
hornbeam, European			2			16	7	94				119
horsechestnut	1	2	2	6	6	54		30				101
horsechestnut, red						2		13				15

Tuesday, May 19, 2009

Page 4 of 10

Common Name	Priority 1 Removal	Priority 2 Removal		Priority 1 Prune	Priority 2 Prune	Large Tree Routine Prune	Small Tree Routine Prune	Training Prune	Stump Removal	Plant Tree	Other - see	TOTAL
Japanese pagodatree	1	6	1	2	22	153		20				205
juniper, spp.						9	35					44
katsuratree						7		39				46
Kentucky coffeetree		1		2	1	76		43				123
larch, American						1						1
larch, European						2						2
lilac, common								13				13
lilac, Japanese tree			1				57	85				143
linden, American	18	20		17	30	349		17				451
linden, caucasian								2				2
linden, littleleaf	7	28	25	7	34	1522		336				1959
linden, silver						9		18				27
locust, black	30	9	3	14	18	167		14				255
locust, bristly			1									1
magnolia, saucer					1		14	13				28
magnolia, spp.							6	9				15
magnolia, star							9	9				18
magnolia, sweetbay								2				2
maple, Amur		9	4	1	2	1	25	46				88
maple, black						4						4

Common Name	Priority 1 Removal	Priority 2 Removal	Priority 3 Removal	Priority 1 Prune	Priority 2 Prune	Large Tree Routine Prune	Small Tree Routine Prune	Training Prune	Stump Removal	Plant Tree	Other - see	TOTAL
maple, Freeman		1			3	123		91				218
maple, hedge		1	3			14	29	132				179
maple, Japanese			2				32	52				86
maple, Miyabei						1	2	39				42
maple, Norway	59	152	51	100	367	4906		629				6264
maple, paperbark							2	28				30
maple, red	8	29	112	7	41	1512		1564				3273
maple, silver	86	63	5	199	303	1430		108				2194
maple, spp.	1		18									19
maple, striped			3				6	43				52
maple, sugar	98	109	29	331	695	3728		369				5359
maple, sycamore	2	3		1	1	12						19
maple, Tatarian			1				3	19				23
maple, three-flower						3		5				8
maple, trident			1			1		5				7
maple, western sugar								2				2
mountainash, American		1					1					2
mountainash, European							4	1				5
mulberry, red						2						2
mulberry, white	4	9	26	3	10	98	2	19				171

Common Name	Priority 1 Removal	Priority 2 Removal	Priority 3 Removal	Priority 1 Prune	Priority 2 Prune	Large Tree Routine Prune	Small Tree Routine Prune	Training Prune	Stump Removal	Plant Tree	Other - see	TOTAL
oak, black	4		2	17	26	34		10				93
oak, bur	2	4	5	24	22	229		72				358
oak, chestnut						1						1
oak, chinkapin					1							1
oak, English			1	1	6	147		42				197
oak, northern pin								1				1
oak, northern red	12	10	31	49	70	535		418				1125
oak, pin	1	1	7	6	3	162		36				216
oak, sawtooth			1			1		17				19
oak, scarlet					1			1				2
oak, shingle			3			12		71				86
oak, Shumard						7						7
oak, spp.	3		4									7
oak, swamp white			18	3	3	69		423				516
oak, white	19	11	1	69	78	318		14				510
oak, willow								1				1
osage-orange		1	1		2	5						9
paulownia						2						2
pawpaw, common							2					2
peach, common			1					5				6

Common Name	Priority 1 Removal	Priority 2 Removal	Priority 3 Removal	Priority 1 Prune	Priority 2 Prune	Large Tree Routine Prune	Small Tree Routine Prune	Training Prune	Stump Removal	Plant Tree	Other - see	TOTAL
pear, callery	2	3	10	1	1	174	305	618				1114
pear, common					4	1	5	2				12
Persian parrotia							1	27				28
persimmon, common						1						1
pine, Austrian	6	34	7		2	913		3				965
pine, eastern white	1	2	7			501		9				520
pine, jack					1	21						22
pine, Japanese black			1									1
pine, Japanese white							6					6
pine, mugo							10					10
pine, Ponderosa						3						3
pine, red					1	52						53
pine, Scotch	15	4	3		2	262	1					287
pine, spp.			1									1
planetree, London	10	15	7	12	36	1280		181				1541
plum, cherry							1					1
poplar, white	1			1	2	2						6
redbud, eastern		2	8		3		174	254				441
redcedar, eastern		1	5		1	151		3				161
Russian-olive			1				4					5

Common Name	Priority 1 Removal	Priority 2 Removal		Priority 1 Prune	Priority 2 Prune	Large Tree Routine Prune	Small Tree Routine Prune	Training Prune	Stump Removal	Plant Tree	Other - see	TOTAL
sassafras	1	5				3						9
serviceberry, Allegheny							1					1
serviceberry, spp.			18				109	228				355
silverbell, Carolina								1				1
smoketree, American			2				1	2				5
smoketree, common			1				4	17				22
spruce, Colorado	1	6	9			974		2				992
spruce, Norway	1	5	5		5	456						472
spruce, Serbian						10						10
spruce, spp.	3	1	7									11
spruce, white	1	3	8		2	395		5				414
stump									843			843
sweetgum, American			4			64		98				166
sycamore, American	1	1			7	142		4				155
Tamarix spp.							3					3
tree-of-heaven	1	3	9	3	6	34		5				61
tuliptree		6	9	5	22	114		140				296
unknown	27	6	26									59
vacant site, large										3279		3279
vacant site, medium										2672		2672

Common Name	Priority 1 Removal	Priority 2 Removal	Priority 3 Removal	Priority 1 Prune	Priority 2 Prune	Large Tree Routine Prune	Small Tree Routine Prune	Training Prune	Stump Removal	Plant Tree	Other - see	TOTAL
vacant site, small										2902		2902
viburnum, spp.							1	5				6
walnut, black	10	10	11	40	99	625		27				822
walnut, English						11						11
willow, black	3	2		9	6	21						41
willow, corkscrew		1				2		9				12
willow, pussy			1				2	1				4
willow, spp.			3									3
willow, weeping	2	6		9	6	17		5				45
witchhazel, common								1				1
yellowhorn								1				1
yellowwood, American		1	2	1	1	4	1	63				73
yew, spp.							8					8
zelkova, Japanese	3	2	2	2	28	355		132				524
Grand Total	743	825	844	1151	2563	27725	3733	9775	843	8853		57055



Ann Arbor, MI

Species/Diameter Frequency Matrix

Species	N/A	1 - 3	4 - 6	7 - 12	13 - 18	19 - 24	25 - 30	31 - 36 37 - 42	43 +	TOTAL
alder, common		17	1							18
alder, tag		1								1
Amur corktree		9	9	42	11	1				72
Amur maackia		56								56
apple, common		13	21	13	5	1				53
arborvitae, eastern		311	60	31	11	1				414
ash, blue		1								1
ash, green		16		6	6					28
ash, spp.		6	28	40	26	8				108
ash, white		30	38	23	4	1	1			97
aspen, bigtooth				3	1	5	1			10
aspen, quaking				5	1					6
baldcypress, common		7	2							9
beech, American		9	3	1	2			1		16
beech, European		2	2	1	2					7
birch, European white		1								1
birch, gray		2	2	3	1					8
birch, paper		6	3	6	4					19
birch, river		101	13	15	2					131
blackgum		24	7	5						36
boxelder		22	28	80	67	29	5	2	2	235
buckeye, Ohio		4								4

Tuesday, May 19, 2009 Page 1 of 9

Species	N/A	1-3	4 - 6	7 - 12	13 - 18	19 - 24	25 - 30	31 - 36	37 - 42	43 +	TOTAL
buckeye, yellow		4		1	1						6
buckthorn, common		21	26	7							54
butternut		1	2	2							5
catalpa, northern		29	6	17	32	63	48	17	4	2	218
cherry, black		6	17	84	76	35	17	6	4		245
cherry, pin		1	1								2
cherry, Sargent		12									12
cherry, sweet			1	3	2						6
cherry/plum, spp.		278	54	54	8	1	1				396
chestnut, Chinese				1	1						2
cottonwood, eastern		4	10	39	64	63	44	22	2	6	254
crabapple, flowering		640	887	1340	125	5					2997
cypress, Leyland		4		3	1						8
dawn redwood		22	9	4		3	1				39
devils-walkingstick		1									1
dogwood, corneliancherry		1									1
dogwood, flowering		45	11	1							57
dogwood, gray		1									1
dogwood, Kousa		30	2								32
dogwood, pagoda		22	1								23
douglas-fir		36	48	62	29	6	1				182
elm, American		71	48	170	137	112	75	60	20	9	702
elm, hybrid		34	1	5	1	1					42
elm, Siberian		27	49	115	119	94	66	34	14	7	525

Tuesday, May 19, 2009 Page 2 of 9

Species	N/A	1 - 3	4 - 6	7 - 12	13 - 18	19 - 24	25 - 30	31 - 36 37 - 42	43 +	TOTAL
elm, slippery		1	2	8	12	7	1	1	1	33
elm, smoothleaf		2	6	6	3	1	1			19
elm, spp.		1	8	13	4					26
falsecypress, Hinoki				1						1
falsecypress, Nootka		2								2
filbert, American		9								9
filbert, European		1	1							2
filbert, Turkish		9		2						11
fir, balsam		55	4	5	2					66
fir, white		42	11	20	12	3				88
fringetree, white		45	1							46
ginkgo		152	27	19	13	6	5			222
goldenchain tree		6		1						7
goldenraintree		47	8	3	6					64
hackberry, common		269	23	12	6	8	1			319
hardy rubbertree		44								44
hawthorn, cockspur		1								1
hawthorn, spp.		131	86	51						268
hawthorn, Washington		39	23	10						72
hemlock, eastern		86	12	6						104
hickory, bitternut		6	3	3	5	9	6	2		34
hickory, mockernut		1	2	15	5	6	1			30
hickory, pignut		2	1	8	28	27	8	4		78
hickory, shagbark		22	37	128	117	54	11	5		374

Tuesday, May 19, 2009 Page 3 of 9

Species	N/A	1 - 3	4 - 6	7 - 12	13 - 18	19 - 24	25 - 30	31 - 36	37 - 42	43 +	TOTAL
holly, spp.		1									1
honeylocust		6	4	19	14	9	2	2	2		58
honeylocust, thornless		330	365	1322	1262	272	49	12			3612
hophornbeam, American		7	1	7	2						17
hornbeam, American		66	2	6							74
hornbeam, European		93	9	13	4						119
horsechestnut		23	10	26	18	13	10	1			101
horsechestnut, red		12	3								15
Japanese pagodatree		16	14	84	78	13					205
juniper, spp.		33	3	8							44
katsuratree		38	3	4	1						46
Kentucky coffeetree		39	6	56	12	4	4	1	1		123
larch, American				1							1
larch, European			1			1					2
lilac, common		12	1								13
lilac, Japanese tree		116	23	4							143
linden, American		10	11	46	121	150	93	16	3	1	451
linden, caucasian		2									2
linden, littleleaf		250	147	733	635	159	31	4			1959
linden, silver		17	1	6	3						27
locust, black		13	17	66	76	56	22	3	1	1	255
locust, bristly				1							1
magnolia, saucer		15	9	2	2						28
magnolia, spp.		10	2	3							15

Species	N/A	1 - 3	4 - 6	7 - 12	13 - 18	19 - 24	25 - 30	31 - 36	37 - 42	43 +	TOTAL
magnolia, star		16	2								18
magnolia, sweetbay		2									2
maple, Amur		41	20	23	3	1					88
maple, black				2	2						4
maple, Freeman		39	61	73	45						218
maple, hedge		94	58	23	4						179
maple, Japanese		57	19	10							86
maple, Miyabei		40	2								42
maple, Norway		364	517	1956	2339	850	210	24	3	1	6264
maple, paperbark		27	3								30
maple, red		990	1022	900	266	60	20	11	3	1	3273
maple, silver		79	58	193	361	591	489	280	102	41	2194
maple, spp.		17	1	1							19
maple, striped		51	1								52
maple, sugar		283	185	757	2117	1468	453	79	14	3	5359
maple, sycamore				8	10	1					19
maple, Tatarian		20	1	2							23
maple, three-flower		5	1	2							8
maple, trident		5		2							7
maple, western sugar		2									2
mountainash, American				2							2
mountainash, European		1	1	3							5
mulberry, red						1		1			2
mulberry, white		35	22	57	32	13	4	5	3		171

Species	N/A	1 - 3	4 - 6	7 - 12	13 - 18	19 - 24	25 - 30	31 - 36	37 - 42	43 +	TOTAL
oak, black		12	4	12	13	22	18	8	3	1	93
oak, bur		61	36	49	39	50	42	30	17	34	358
oak, chestnut					1						1
oak, chinkapin									1		1
oak, English		23	44	81	37	12					197
oak, northern pin			1								1
oak, northern red		329	199	227	139	121	66	27	13	4	1125
oak, pin		32	17	98	39	18	6	4		2	216
oak, sawtooth		13	5	1							19
oak, scarlet			1				1				2
oak, shingle		63	21	1	1						86
oak, Shumard				7							7
oak, spp.		4		1		2					7
oak, swamp white		374	103	23	9	3	2	1	1		516
oak, white		12	7	29	114	153	96	54	25	20	510
oak, willow		1									1
osage-orange				4	1	3	1				9
paulownia				2							2
pawpaw, common		2									2
peach, common		6									6
pear, callery		384	353	275	94	7				1	1114
pear, common		1	1	7	3						12
Persian parrotia		27	1								28
persimmon, common						1					1

Species	N/A	1 - 3	4 - 6	7 - 12	13 - 18	19 - 24	25 - 30	31 - 36	37 - 42	43 +	TOTAL
pine, Austrian		46	95	519	279	25	1				965
pine, eastern white		125	125	196	55	15	4				520
pine, jack		5		15	2						22
pine, Japanese black			1								1
pine, Japanese white		4	2								6
pine, mugo		9		1							10
pine, Ponderosa					2	1					3
pine, red		3	4	24	20	2					53
pine, Scotch		11	36	143	83	14					287
pine, spp.		1									1
planetree, London		160	53	309	538	329	127	24	1		1541
plum, cherry			1								1
poplar, white						6					6
redbud, eastern		298	80	62	1						441
redcedar, eastern		66	34	44	16	1					161
Russian-olive			1	3	1						5
sassafras			2	5	2						9
serviceberry, Allegheny				1							1
serviceberry, spp.		319	33	3							355
silverbell, Carolina		1									1
smoketree, American		5									5
smoketree, common		19	3								22
spruce, Colorado		214	209	398	159	11	1				992
spruce, Norway		78	60	139	114	56	18	6	1		472

Species	N/A	1 - 3	4 - 6	7 - 12	<i>13 - 18</i>	<i>19 - 24</i>	25 - 30	31 - 36	37 - 42	43 +	TOTAL
spruce, Serbian		9		1							10
spruce, spp.		3	4	3			1				11
spruce, white		147	101	130	33	2	1				414
stump		15	87	190	202	139	92	57	36	25	843
sweetgum, American		74	48	40	3	1					166
sycamore, American		1	6	21	46	42	32	5	1	1	155
Tamarix spp.		2			1						3
tree-of-heaven		8	12	12	11	12	4	1	1		61
tuliptree		129	34	32	42	42	16	1			296
unknown		25	4	19	9	1	1				59
vacant site, large	3279										3279
vacant site, medium	2672										2672
vacant site, small	2902										2902
viburnum, spp.		6									6
walnut, black		20	36	154	207	207	125	46	20	7	822
walnut, English				6	4		1				11
willow, black			2	4	7	13	8	4	2	1	41
willow, corkscrew		9		2	1						12
willow, pussy		2	1	1							4
willow, spp.		3									3
willow, weeping		3	2	5	4	5	3	10	6	7	45
witchhazel, common		1									1
yellowhorn		1									1
yellowwood, American		65	1	3	2		2				73

Species	N/A	1 - 3	4 - 6	7 - 12	13 - 18	19 - 24	25 - 30	31 - 36	37 - 42	43 +	TOTAL
yew, spp.		5	3								8
zelkova, Japanese		98	59	178	151	34	4				524
Grand Total	8853	9512	6183	12394	10844	5562	2354	871	304	178	57055



Ann Arbor, MI Species/Condition Frequency Matrix

Common Name	Excellent	Very Good	Good	Fair	Poor	Critical	Dead	N/A	TOTAL
alder, common		1	6	11					18
alder, tag				1					1
Amur corktree			15	48	8	1			72
Amur maackia		1	15	39	1				56
apple, common		2	9	34	8				53
arborvitae, eastern		20	208	160	10	4	12		414
ash, blue				1					1
ash, green				13	8	7			28
ash, spp.							108		108
ash, white				27	56	14			97
aspen, bigtooth			6	4					10
aspen, quaking			1	4	1				6
baldcypress, common			3	4	2				9
beech, American			3	13					16
beech, European			2	5					7
birch, European white			1						1
birch, gray				7		1			8
birch, paper			7	12					19
birch, river		4	52	67	7		1		131
blackgum			9	22	5				36
boxelder			3	119	96	11	6		235
buckeye, Ohio			3	1					4
buckeye, yellow			4	2					6
buckthorn, common			1	43	9	1			54
butternut				4	1				5
catalpa, northern		3	19	129	60	6	1		218

Common Name	Excellent	Very Good	Good	Fair	Poor	Critical	Dead	N/A	TOTAL
cherry, black			51	127	52	2	13		245
cherry, pin			1	1					2
cherry, Sargent				11		1			12
cherry, sweet			1	3	2				6
cherry/plum, spp.		3	83	261	39	5	5		396
chestnut, Chinese			1	1					2
cottonwood, eastern			67	162	20	1	4		254
crabapple, flowering		23	1032	1588	304	24	26		2997
cypress, Leyland		3	2	3					8
dawn redwood			25	12	2				39
devils-walkingstick				1					1
dogwood, corneliancherry			1						1
dogwood, flowering			13	31	10	1	2		57
dogwood, gray			1						1
dogwood, Kousa		2	4	23	3				32
dogwood, pagoda			1	6	4	6	6		23
douglas-fir		18	75	81	7		1		182
elm, American			140	448	50	12	52		702
elm, hybrid			13	24	5				42
elm, Siberian		1	27	337	155	3	2		525
elm, slippery			10	19	4				33
elm, smoothleaf		1	11	7					19
elm, spp.							26		26
falsecypress, Hinoki				1					1
falsecypress, Nootka				2					2
filbert, American			1	7	1				9
filbert, European				2					2
filbert, Turkish			6	5					11
fir, balsam		1	35	26	4				66
fir, white		7	46	30	5				88

Common Name	Excellent	Very Good	Good	Fair	Poor	Critical	Dead	N/A	TOTAL
fringetree, white			22	23	1				46
ginkgo		4	80	117	20		1		222
goldenchain tree			2	4	1				7
goldenraintree		3	21	35	5				64
hackberry, common			89	193	32	3	2		319
hardy rubbertree		1	1	33	9				44
hawthorn, cockspur				1					1
hawthorn, spp.			19	221	26		2		268
hawthorn, Washington			22	48	2				72
hemlock, eastern			48	50	4		2		104
hickory, bitternut			9	21	4				34
hickory, mockernut			8	18	4				30
hickory, pignut			28	42	6	2			78
hickory, shagbark		3	143	191	30	4	3		374
holly, spp.			1						1
honeylocust			15	37	6				58
honeylocust, thornless		54	1914	1499	142	2	1		3612
hophornbeam, American			2	14	1				17
hornbeam, American			11	56	6		1		74
hornbeam, European		2	24	74	16	3			119
horsechestnut			21	63	16	1			101
horsechestnut, red			2	13					15
Japanese pagodatree		1	78	109	17				205
juniper, spp.		1	13	27	3				44
katsuratree			9	31	6				46
Kentucky coffeetree			68	53	2				123
larch, American				1					1
larch, European			1	1					2
lilac, common			1	11	1				13
lilac, Japanese tree		4	58	80		1			143

Common Name	Excellent	Very Good	Good	Fair	Poor	Critical	Dead	N/A	TOTAL
linden, American		1	100	268	77	2	3		451
linden, caucasian			2						2
linden, littleleaf		15	655	1104	178	5	2		1959
linden, silver			13	14					27
locust, black		1	20	165	46	9	14		255
locust, bristly					1				1
magnolia, saucer		1	8	18	1				28
magnolia, spp.			4	11					15
magnolia, star		1	7	10					18
magnolia, sweetbay			1	1					2
maple, Amur			1	58	28	1			88
maple, black		1		3					4
maple, Freeman		6	109	94	9				218
maple, hedge		1	81	87	10				179
maple, Japanese		3	23	54	5		1		86
maple, Miyabei			18	23	1				42
maple, Norway		13	1708	3841	663	26	13		6264
maple, paperbark			6	24					30
maple, red		43	1314	1568	316	16	16		3273
maple, silver		4	377	1335	462	13	3		2194
maple, spp.							19		19
maple, striped			4	37	9	2			52
maple, sugar		12	1552	2966	784	35	10		5359
maple, sycamore				10	8	1			19
maple, Tatarian			7	9	7				23
maple, three-flower			6	2					8
maple, trident			3	3	1				7
maple, western sugar				2					2
mountainash, American				1	1				2
mountainash, European				3	2				5

Common Name	Excellent	Very Good	Good	Fair	Poor	Critical	Dead	N/A	TOTAL
mulberry, red				2					2
mulberry, white			7	119	45				171
oak, black			17	60	12	4			93
oak, bur		5	119	204	23	4	3		358
oak, chestnut			1						1
oak, chinkapin				1					1
oak, English		8	96	85	8				197
oak, northern pin		1							1
oak, northern red		9	376	589	127	16	8		1125
oak, pin		14	114	67	16	2	3		216
oak, sawtooth		1	2	13	3				19
oak, scarlet				1	1				2
oak, shingle		1	22	48	14	1			86
oak, Shumard			3	3	1				7
oak, spp.							7		7
oak, swamp white		12	139	301	51	10	3		516
oak, white		1	102	337	62	4	4		510
oak, willow				1					1
osage-orange				6	3				9
paulownia				2					2
pawpaw, common				1	1				2
peach, common				5	1				6
pear, callery		13	280	744	76	1			1114
pear, common			2	8	2				12
Persian parrotia			8	17	3				28
persimmon, common			1						1
pine, Austrian		4	246	595	79	18	23		965
pine, eastern white		4	235	252	23	2	4		520
pine, jack			6	16					22
pine, Japanese black					1				1

Common Name	Excellent	Very Good	Good	Fair	Poor	Critical	Dead	N/A	TOTAL
pine, Japanese white			1	4	1				6
pine, mugo		1	3	6					10
pine, Ponderosa			1	2					3
pine, red			13	35	5				53
pine, Scotch		2	90	160	13	4	18		287
pine, spp.							1		1
planetree, London		52	918	497	68	3	3		1541
plum, cherry			1						1
poplar, white				5	1				6
redbud, eastern		3	120	274	40	3	1		441
redcedar, eastern		4	50	97	9		1		161
Russian-olive				3	2				5
sassafras				3	5	1			9
serviceberry, Allegheny				1					1
serviceberry, spp.		8	121	197	23	3	3		355
silverbell, Carolina			1						1
smoketree, American			1	1		3			5
smoketree, common			7	12	3				22
spruce, Colorado		49	460	439	36	2	6		992
spruce, Norway		31	230	185	17	4	5		472
spruce, Serbian			8	2					10
spruce, spp.							11		11
spruce, white		24	204	147	28	5	6		414
stump								843	843
sweetgum, American		3	90	58	10	4	1		166
sycamore, American		3	60	83	9				155
Tamarix spp.				3					3
tree-of-heaven			3	46	10		2		61
tuliptree		12	120	131	30	1	2		296
unknown							59		59

Common Name	Excellent	Very Good	Good	Fair	Poor	Critical	Dead	N/A	TOTAL
vacant site, large								3279	3279
vacant site, medium								2672	2672
vacant site, small								2902	2902
viburnum, spp.				6					6
walnut, black		6	224	516	69	4	3		822
walnut, English			2	9					11
willow, black			1	22	17	1			41
willow, corkscrew			2	9	1				12
willow, pussy				3	1				4
willow, spp.				3					3
willow, weeping			10	18	15		2		45
witchhazel, common			1						1
yellowhorn				1					1
yellowwood, American		1	28	36	6	2			73
yew, spp.			1	7					8
zelkova, Japanese		1	158	344	17	4			524
Grand Total:		538	15448	25608	4896	332	537	9696	57055




Ann Arbor, MI Maintenance/DBH Class Matrix Report

Maintenance	N/A	1 - 3	4 - 6	7 - 12	13 - 18	19 - 24	25 - 30	31 - 36	37 - 42	43 +	TOTAL
Large Tree Routine Prune		894	2324	9463	9044	3945	1420	435	131	69	27725
Plant Tree	8853										8853
Priority 1 Prune				46	213	347	286	146	68	45	1151
Priority 1 Removal			27	220	204	152	75	46	11	8	743
Priority 2 Prune			13	238	803	831	423	176	49	30	2563
Priority 2 Removal		6	82	302	218	140	56	11	9	1	825
Priority 3 Removal		518	230	94	1		1				844
Small Tree Routine Prune		859	1144	1564	157	8	1				3733
Stump Removal		15	87	190	202	139	92	57	36	25	843
Training Prune		7220	2276	277	2						9775
Grand Total	8853	9512	6183	12394	10844	5562	2354	871	304	178	57055



Quantity Report: Location Type

Location Type	Total	Percentage of Entire Population
Street	49374	86.54%
Park or Public Space	6631	11.62%
Borderline	1050	1.84%
Grand Total	57055	100%





Quantity Report: Common (Street Sites)

Common	Total	Percentage of Entire Population
vacant site, large	3279	37.04%
vacant site, small	2902	32.78%
vacant site, medium	2672	30.18%
Grand Total	8853	100%



Quantity Report: Common (Street Sites)

Common	Total	Percentage of Entire Population
maple, Norway	6049	14.55%
maple, sugar	5083	12.23%
honeylocust, thornless	3355	8.07%
maple, red	2906	6.99%
crabapple, flowering	2494	6.00%
maple, silver	2130	5.12%
linden, littleleaf	1780	4.28%
planetree, London	1443	3.47%
pear, callery	1094	2.63%
stump	822	1.98%
oak, northern red	815	1.96%
spruce, Colorado	695	1.67%
elm, American	622	1.50%
walnut, black	598	1.44%
elm, Siberian	486	1.17%
pine, Austrian	483	1.16%
zelkova, Japanese	424	1.02%
linden, American	412	0.99%
spruce, Norway	384	0.92%
oak, white	364	0.88%
arborvitae, eastern	363	0.87%
spruce, white	359	0.86%
pine, eastern white	338	0.81%
oak, swamp white	337	0.81%
redbud, eastern	318	0.76%
cherry/plum, spp.	290	0.70%
hickory, shagbark	281	0.68%
locust, black	243	0.58%
oak, bur	236	0.57%
serviceberry, spp.	235	0.57%
tuliptree	223	0.54%
maple, Freeman	210	0.51%
catalpa, northern	208	0.50%
cottonwood, eastern	206	0.50%
ginkgo	200	0.48%

Common	Total	Percentage of Entire Population
Japanese pagodatree	196	0.47%
oak, English	190	0.46%
hackberry, common	189	0.45%
cherry, black	180	0.43%
boxelder	176	0.42%
maple, hedge	161	0.39%
oak, pin	159	0.38%
pine, Scotch	151	0.36%
sycamore, American	143	0.34%
mulberry, white	137	0.33%
sweetgum, American	136	0.33%
redcedar, eastern	132	0.32%
lilac, Japanese tree	128	0.31%
hawthorn, spp.	116	0.28%
douglas-fir	116	0.28%
hornbeam, European	106	0.25%
hemlock, eastern	103	0.25%
Kentucky coffeetree	93	0.22%
ash, white	90	0.22%
oak, black	88	0.21%
birch, river	88	0.21%
ash, spp.	85	0.20%
maple, Japanese	81	0.19%
horsechestnut	79	0.19%
Amur corktree	72	0.17%
hickory, pignut	68	0.16%
oak, shingle	66	0.16%
goldenraintree	61	0.15%
maple, Amur	56	0.13%
yellowwood, American	54	0.13%
buckthorn, common	54	0.13%
pine, red	53	0.13%
honeylocust	53	0.13%
dogwood, flowering	53	0.13%
hawthorn, Washington	50	0.12%
unknown	48	0.12%
tree-of-heaven	47	0.11%
fringetree, white	46	0.11%

Common	Total	Percentage of Entire Population
Amur maackia	41	0.10%
apple, common	38	0.09%
maple, Miyabei	36	0.09%
hornbeam, American	36	0.09%
elm, hybrid	35	0.08%
katsuratree	32	0.08%
elm, slippery	32	0.08%
fir, white	31	0.07%
hickory, mockernut	30	0.07%
fir, balsam	30	0.07%
maple, striped	29	0.07%
Persian parrotia	28	0.07%
ash, green	27	0.06%
linden, silver	26	0.06%
juniper, spp.	26	0.06%
hickory, bitternut	26	0.06%
elm, spp.	26	0.06%
dogwood, Kousa	26	0.06%
magnolia, saucer	25	0.06%
dawn redwood	25	0.06%
willow, black	24	0.06%
maple, paperbark	23	0.06%
smoketree, common	22	0.05%
hardy rubbertree	22	0.05%
maple, spp.	19	0.05%
elm, smoothleaf	19	0.05%
birch, paper	19	0.05%
willow, weeping	18	0.04%
maple, Tatarian	17	0.04%
maple, sycamore	17	0.04%
hophornbeam, American	16	0.04%
magnolia, star	15	0.04%
blackgum	15	0.04%
alder, common	14	0.03%
lilac, common	13	0.03%
willow, corkscrew	12	0.03%
cherry, Sargent	12	0.03%
pine, mugo	10	0.02%

magnolia, spp. 10 0.02% aspen, bigtooth 10 0.02% sassafras 9 0.02% osage-orange 9 0.02% spruce, spp. 8 0.02% spruce, spp. 8 0.02% maple, three-flower 8 0.02% cypress, Leyland 8 0.02% walnut, English 7 0.02% maple, trident 7 0.02% maple, trident 7 0.02% goldenchain tree 7 0.02% filbert, Turkish 7 0.02% beech, European 7 0.02% viburrum, spp. 6 0.01% pine, Japanese white 6 0.01% peach, common 6 0.01% horse-bestnut, red 6 0.01% birch, gray 6 0.01% birch, gray 6 0.01% brech, American 5 0.01% smokertee, American 5 0.01%	Common	Total	Percentage of Entire Population
aspen, bigtoth 10 0.02% sassafras 9 0.02% cosago-orange 9 0.02% yew, spp. 8 0.02% spruce, spp. 8 0.02% maple, three-flower 8 0.02% cypress, Leyland 8 0.02% walnut, English 7 0.02% maple, trident 7 0.02% maple, trident 7 0.02% goldenchain tree 7 0.02% goldenchain tree 7 0.02% goldench, Lurdish 7 0.02% beech, European 7 0.02% beech, European 6 0.01% pine, Japanese white 6 0.01% peach, common 6 0.01% breschestnut, red 6	pear, common	10	0.02%
sassafras 9 0.02% osage-orange 9 0.02% yew, spp. 8 0.02% spruce, spp. 8 0.02% maple, three-flower 8 0.02% cypress, Leyland 8 0.02% walnut, English 7 0.02% oak, Shumard 7 0.02% maple, trident 7 0.02% goldenchain tree 7 0.02% filbert, Turkish 7 0.02% beech, European 7 0.02% viburnum, spp. 6 0.01% pine, Japanese white 6 0.01% peach, common 6 0.01% brosechesthut, red 6 0.01% filbert, American 6 0.01% buckeye, yellow 6 0.01% birch, gray 6 0.01% aspen, quaking 6 0.01% beech, American 5 0.01% beech, American 5 0.01%	magnolia, spp.	10	0.02%
osage-orange 9 0.02% yew, spp. 8 0.02% spruce, spp. 8 0.02% maple, three-flower 8 0.02% cypress, Leylard 8 0.02% wahut, English 7 0.02% oak, Shumard 7 0.02% maple, trident 7 0.02% goldenchain tree 7 0.02% filbert, Turkish 7 0.02% beech, European 7 0.02% viburnum, spp. 6 0.01% pine, Japaness white 6 0.01% peach, common 6 0.01% horsechestnut, red 6 0.01% filbert, American 6 0.01% buckeye, yellow 6 0.01% sppn, quaking 6 0.01% sppn, quaking 6 0.01% sppn, quaking 6 0.01% spruce, Serbian 7 0.02% peech, American 5 0.01%<	aspen, bigtooth	10	0.02%
yew, spp. 8 0.02% spruce, spp. 8 0.02% maple, three-flower 8 0.02% cypress, Leyland 8 0.02% valuut, English 7 0.02% oak, Shumard 7 0.02% maple, Irident 7 0.02% goldenchain tree 7 0.02% filbert, Turkish 7 0.02% beech, European 7 0.02% ribburnum, spp. 6 0.01% pine, Japanses white 6 0.01% peach, common 6 0.01% horsechestnut, red 6 0.01% flibert, American 6 0.01% buckey, yellow 6 0.01% sppen, quaking 6 0.01% sppen, Quaking 6 0.01% spech, American 5 0.01% beech, American 5 0.01% pruce, Serbian 4 0.01% buckeye, Chio 4 0	sassafras	9	0.02%
spruce, spp. 8 0.02% maple, three-flower 8 0.02% cypress, Leyland 8 0.02% walnut, English 7 0.02% oak, Shumard 7 0.02% goldenchain tree 7 0.02% goldenchain tree 7 0.02% flibert, Turkish 7 0.02% beech, European 7 0.02% viburnum, spp. 6 0.01% pine, Japanese white 6 0.01% peach, common 6 0.01% preschestnut, red 6 0.01% flibert, American 6 0.01% buckeye, yellow 6 0.01% spen, quaking 6 0.01% aspen, quaking 6 0.01% smoketree, American 5 0.01% oak, spp. 5 0.01% beech, American 5 0.01% smoketree, American 5 0.01% spruce, Serbian 4	osage-orange	9	0.02%
maple, three-flower 8 0.02% cypress, Leyland 8 0.02% walnut, English 7 0.02% oak, Shumard 7 0.02% maple, trident 7 0.02% maple, trident 7 0.02% flibert, Turkish 7 0.02% beech, European 7 0.02% viburnum, spp. 6 0.01% piece, Leylopean 6 0.01% piece, European 7 0.02% viburnum, spp. 6 0.01% piece, Leyloy 6 0.01% porsectestrut, red 6 0.01% flibert, American 6 0.01% buckeye, yellow 6 0.01% spen, quaking 6 0.01% smoketree, American 5 0.01% smoketree, American 5 0.01% beech, American 5 0.01% beech, American 5 0.01% beech, American 4	yew, spp.	8	0.02%
cypress, Leyland 8 0.02% walnut, English 7 0.02% oak, Shumard 7 0.02% maple, trident 7 0.02% goldenchain tree 7 0.02% gilbert, Turkish 7 0.02% beech, European 7 0.02% viburnum, spp. 6 0.01% pine, Japanese white 6 0.01% peach, common 6 0.01% horsechestrut, red 6 0.01% filbert, American 6 0.01% buckey, yellow 6 0.01% birch, gray 6 0.01% aspen, quaking 6 0.01% aspen, quaking 5 0.01% mountainash, European 5 0.01% beech, American 5 0.01% spruce, Serbian 4 0.01% Russian-olive 4 0.01% maple, black 4 0.01% buckeye, Ohio 4 <th< td=""><td>spruce, spp.</td><td>8</td><td>0.02%</td></th<>	spruce, spp.	8	0.02%
walnut, English 7 0.02% oak, Shumard 7 0.02% maple, trident 7 0.02% goldenchain tree 7 0.02% filbert, Turkish 7 0.02% beech, European 7 0.02% viburnum, spp. 6 0.01% pine, Japanese white 6 0.01% peach, common 6 0.01% horsechestrut, red 6 0.01% filbert, American 6 0.01% buckeye, yellow 6 0.01% birch, gray 6 0.01% aspen, quaking 6 0.01% aspen, quaking 6 0.01% aspen, quaking 6 0.01% oak, spp. 5 0.01% mountainash, European 5 0.01% beech, American 5 0.01% spruce, Serbian 4 0.01% Russian-olive 4 0.01% maple, black 4 0.01	maple, three-flower	8	0.02%
oak, Shumard 7 0.02% maple, trident 7 0.02% goldenchain tree 7 0.02% filbert, Turkish 7 0.02% beech, European 7 0.02% viburnum, spp. 6 0.01% pine, Japanese white 6 0.01% peach, common 6 0.01% horsechestnut, red 6 0.01% filbert, American 6 0.01% buckeye, yellow 6 0.01% birch, gray 6 0.01% aspen, quaking 6 0.01% smoketree, American 5 0.01% oak, spp. 5 0.01% mountainash, European 5 0.01% beech, American 5 0.01% spruce, Serbian 4 0.01% maple, black 4 0.01% buckeye, Ohio 4 0.01% willow, spp. 3 0.01% willow, pussy 3 0.0	cypress, Leyland	8	0.02%
maple, trident 7 0.02% goldenchain tree 7 0.02% filbert, Turkish 7 0.02% beech, European 7 0.02% viburnum, spp. 6 0.01% pine, Japanese white 6 0.01% peach, common 6 0.01% horsechestrut, red 6 0.01% filibert, American 6 0.01% buckeye, yellow 6 0.01% birch, gray 6 0.01% aspen, quaking 6 0.01% smoketree, American 5 0.01% oak, spp. 5 0.01% beech, American 5 0.01% spruce, Serbian 4 0.01% Russian-olive 4 0.01% maple, black 4 0.01% buckeye, Ohio 4 0.01% willow, spp. 3 0.01% willow, pussy 3 0.01% dogwood, pagoda 3 0.01% </td <td>walnut, English</td> <td>7</td> <td>0.02%</td>	walnut, English	7	0.02%
goldenchain tree 7 0.02% filbert, Turkish 7 0.02% beech, European 7 0.02% viburnum, spp. 6 0.01% pine, Japanese white 6 0.01% peach, common 6 0.01% horsechestnut, red 6 0.01% filbert, American 6 0.01% buckeye, yellow 6 0.01% birch, gray 6 0.01% aspen, quaking 6 0.01% smoketree, American 5 0.01% oak, spp. 5 0.01% mountainash, European 5 0.01% spruce, Serbian 4 0.01% Russian-olive 4 0.01% maple, black 4 0.01% buckeye, Ohio 4 0.01% willow, spp. 3 0.01% willow, pussy 3 0.01% dogwood, pagoda 3 0.01% bldckypress, common 3 <	oak, Shumard	7	0.02%
filbert, Turkish 7 0.02% beech, European 7 0.02% viburnum, spp. 6 0.01% pine, Japanese white 6 0.01% peach, common 6 0.01% horsechestnut, red 6 0.01% filbert, American 6 0.01% buckeye, yellow 6 0.01% birch, gray 6 0.01% aspen, quaking 6 0.01% smoketree, American 5 0.01% oak, spp. 5 0.01% mountainash, European 5 0.01% beech, American 5 0.01% spruce, Serbian 4 0.01% maple, black 4 0.01% buckeye, Ohio 4 0.01% willow, spp. 3 0.01% willow, pussy 3 0.01% dogwood, pagoda 3 0.01% baldcypress, common 3 0.01% pine, Ponderosa 2	maple, trident	7	0.02%
beech, European 7 0.02% viburnum, spp. 6 0.01% pine, Japanese white 6 0.01% peach, common 6 0.01% horsechestnut, red 6 0.01% filbert, American 6 0.01% buckeye, yellow 6 0.01% birch, gray 6 0.01% aspen, quaking 6 0.01% smoketree, American 5 0.01% oak, spp. 5 0.01% mountainash, European 5 0.01% spruce, Serbian 4 0.01% spruce, Serbian 4 0.01% maple, black 4 0.01% buckeye, Ohio 4 0.01% willow, spp. 3 0.01% willow, pussy 3 0.01% dogwood, pagoda 3 0.01% baldcypress, common 3 0.01% pine, Ponderosa 2 0.00% pine, jack 2 0.	goldenchain tree	7	0.02%
viburnum, spp. 6 0.01% pine, Japanese white 6 0.01% peach, common 6 0.01% horsechestnut, red 6 0.01% filbert, American 6 0.01% buckeye, yellow 6 0.01% birch, gray 6 0.01% aspen, quaking 6 0.01% smoketree, American 5 0.01% oak, spp. 5 0.01% mountainash, European 5 0.01% beech, American 5 0.01% spruce, Serbian 4 0.01% spruce, Serbian 4 0.01% maple, black 4 0.01% buckeye, Ohio 4 0.01% willow, spp. 3 0.01% willow, pussy 3 0.01% dogwood, pagoda 3 0.01% baldcypress, common 3 0.01% pine, Ponderosa 2 0.00% pine, jack 2 0.	filbert, Turkish	7	0.02%
pine, Japanese white 6 0.01% peach, common 6 0.01% horsechestnut, red 6 0.01% filbert, American 6 0.01% buckeye, yellow 6 0.01% birch, gray 6 0.01% aspen, quaking 6 0.01% smoketree, American 5 0.01% oak, spp. 5 0.01% mountainash, European 5 0.01% beech, American 5 0.01% spruce, Serbian 4 0.01% Russian-olive 4 0.01% maple, black 4 0.01% buckeye, Ohio 4 0.01% willow, spp. 3 0.01% willow, pussy 3 0.01% dogwood, pagoda 3 0.01% baldcypress, common 3 0.01% pine, Ponderosa 2 0.00% pine, jack 2 0.00%	beech, European	7	0.02%
peach, common 6 0.01% horsechestnut, red 6 0.01% filbert, American 6 0.01% buckeye, yellow 6 0.01% birch, gray 6 0.01% aspen, quaking 6 0.01% smoketree, American 5 0.01% oak, spp. 5 0.01% mountainash, European 5 0.01% beech, American 5 0.01% spruce, Serbian 4 0.01% maple, black 4 0.01% buckeye, Ohio 4 0.01% willow, pussy 3 0.01% willow, pussy 3 0.01% dogwood, pagoda 3 0.01% baldcypress, common 3 0.01% pine, Ponderosa 2 0.00% pine, jack 2 0.00%	viburnum, spp.	6	0.01%
horsechestnut, red 6 0.01% filbert, American 6 0.01% buckeye, yellow 6 0.01% buckeye, yellow 6 0.01% aspen, quaking 6 0.01% aspen, quaking 6 0.01% aspen, quaking 6 0.01% aspen, quaking 7 0.01% aspen, quaking 7 0.01% aspen, quaking 7 0.01% aspen, quaking 8 0.01% aspen, quaking 9 0.01% aspen, quakin	pine, Japanese white	6	0.01%
filbert, American 6 0.01% buckeye, yellow 6 0.01% birch, gray 6 0.01% aspen, quaking 6 0.01% smoketree, American 5 0.01% oak, spp. 5 0.01% mountainash, European 5 0.01% beech, American 5 0.01% spruce, Serbian 4 0.01% Russian-olive 4 0.01% maple, black 4 0.01% buckeye, Ohio 4 0.01% willow, spp. 3 0.01% willow, pussy 3 0.01% dogwood, pagoda 3 0.01% baldcypress, common 3 0.01% pine, Ponderosa 2 0.00% pine, jack 2 0.00%	peach, common	6	0.01%
buckeye, yellow 6 0.01% birch, gray 6 0.01% aspen, quaking 6 0.01% smoketree, American 5 0.01% oak, spp. 5 0.01% mountainash, European 5 0.01% beech, American 5 0.01% spruce, Serbian 4 0.01% Russian-olive 4 0.01% maple, black 4 0.01% buckeye, Ohio 4 0.01% willow, spp. 3 0.01% willow, pussy 3 0.01% dogwood, pagoda 3 0.01% baldcypress, common 3 0.01% pine, Ponderosa 2 0.00% pine, jack 2 0.00%	horsechestnut, red	6	0.01%
birch, gray 6 0.01% aspen, quaking 6 0.01% smoketree, American 5 0.01% oak, spp. 5 0.01% mountainash, European 5 0.01% beech, American 5 0.01% spruce, Serbian 4 0.01% Russian-olive 4 0.01% maple, black 4 0.01% willow, spp. 3 0.01% willow, pussy 3 0.01% dogwood, pagoda 3 0.01% baldcypress, common 3 0.01% pine, Ponderosa 2 0.00% pine, jack 2 0.00%	filbert, American	6	0.01%
aspen, quaking 6 0.01% smoketree, American 5 0.01% oak, spp. 6 0.01% oak, spp. 6 0.01% oak, spp. 7 0.0	buckeye, yellow	6	0.01%
smoketree, American 5 0.01% oak, spp. 5 0.01% mountainash, European 5 0.01% beech, American 5 0.01% spruce, Serbian 4 0.01% Russian-olive 4 0.01% maple, black 4 0.01% buckeye, Ohio 4 0.01% willow, spp. 3 0.01% willow, pussy 3 0.01% dogwood, pagoda 3 0.01% baldcypress, common 3 0.01% pine, Ponderosa 2 0.00% pine, jack 2 0.00%	birch, gray	6	0.01%
oak, spp. 5 0.01% mountainash, European 5 0.01% beech, American 5 0.01% spruce, Serbian 4 0.01% Russian-olive 4 0.01% maple, black 4 0.01% buckeye, Ohio 4 0.01% willow, spp. 3 0.01% willow, pussy 3 0.01% dogwood, pagoda 3 0.01% baldcypress, common 3 0.01% pine, Ponderosa 2 0.00% pine, jack 2 0.00%	aspen, quaking	6	0.01%
mountainash, European 5 0.01% beech, American 5 0.01% spruce, Serbian 4 0.01% Russian-olive 4 0.01% maple, black 4 0.01% buckeye, Ohio 4 0.01% willow, spp. 3 0.01% willow, pussy 3 0.01% dogwood, pagoda 3 0.01% baldcypress, common 3 0.01% pine, Ponderosa 2 0.00% pine, jack 2 0.00%	smoketree, American	5	0.01%
beech, American 5 0.01% spruce, Serbian 4 0.01% Russian-olive 4 0.01% maple, black 4 0.01% buckeye, Ohio 4 0.01% willow, spp. 3 0.01% willow, pussy 3 0.01% dogwood, pagoda 3 0.01% baldcypress, common 3 0.01% pine, Ponderosa 2 0.00% pine, jack 2 0.00%	oak, spp.	5	0.01%
spruce, Serbian 4 0.01% Russian-olive 4 0.01% maple, black 4 0.01% buckeye, Ohio 4 0.01% willow, spp. 3 0.01% willow, pussy 3 0.01% dogwood, pagoda 3 0.01% baldcypress, common 3 0.01% pine, Ponderosa 2 0.00% pine, jack 2 0.00%	mountainash, European	5	0.01%
Russian-olive 4 0.01% maple, black 4 0.01% buckeye, Ohio 4 0.01% willow, spp. 3 0.01% willow, pussy 3 0.01% dogwood, pagoda 3 0.01% baldcypress, common 3 0.01% pine, Ponderosa 2 0.00% pine, jack 2 0.00%	beech, American	5	0.01%
maple, black 4 0.01% buckeye, Ohio 4 0.01% willow, spp. 3 0.01% willow, pussy 3 0.01% dogwood, pagoda 3 0.01% baldcypress, common 3 0.01% pine, Ponderosa 2 0.00% pine, jack 2 0.00%	spruce, Serbian	4	0.01%
buckeye, Ohio 4 0.01% willow, spp. 3 0.01% willow, pussy 3 0.01% dogwood, pagoda 3 0.01% baldcypress, common 3 0.01% pine, Ponderosa 2 0.00% pine, jack 2 0.00%	Russian-olive	4	0.01%
willow, spp. 3 0.01% willow, pussy 3 0.01% dogwood, pagoda 3 0.01% baldcypress, common 3 0.01% pine, Ponderosa 2 0.00% pine, jack 2 0.00%	maple, black	4	0.01%
willow, pussy 3 0.01% dogwood, pagoda 3 0.01% baldcypress, common 3 0.01% pine, Ponderosa 2 0.00% pine, jack 2 0.00%	buckeye, Ohio	4	0.01%
dogwood, pagoda 3 0.01% baldcypress, common 3 0.01% pine, Ponderosa 2 0.00% pine, jack 2 0.00%	willow, spp.	3	0.01%
baldcypress, common 3 0.01% pine, Ponderosa 2 0.00% pine, jack 2 0.00%	willow, pussy	3	0.01%
pine, Ponderosa 2 0.00% pine, jack 2 0.00%	dogwood, pagoda	3	0.01%
pine, jack 2 0.00%	baldcypress, common	3	0.01%
	pine, Ponderosa	2	0.00%
paulownia 2 0.00%	pine, jack	2	0.00%
	paulownia	2	0.00%

Common	Total	Percentage of Entire Population
oak, scarlet	2	0.00%
mulberry, red	2	0.00%
mountainash, American	2	0.00%
maple, western sugar	2	0.00%
magnolia, sweetbay	2	0.00%
linden, caucasian	2	0.00%
larch, European	2	0.00%
filbert, European	2	0.00%
falsecypress, Nootka	2	0.00%
cherry, pin	2	0.00%
yellowhorn	1	0.00%
witchhazel, common	1	0.00%
silverbell, Carolina	1	0.00%
serviceberry, Allegheny	1	0.00%
plum, cherry	1	0.00%
pine, Japanese black	1	0.00%
persimmon, common	1	0.00%
pawpaw, common	1	0.00%
oak, willow	1	0.00%
oak, sawtooth	1	0.00%
oak, northern pin	1	0.00%
oak, chinkapin	1	0.00%
oak, chestnut	1	0.00%
locust, bristly	1	0.00%
holly, spp.	1	0.00%
hawthorn, cockspur	1	0.00%
falsecypress, Hinoki	1	0.00%
dogwood, gray	1	0.00%
dogwood, corneliancherry	1	0.00%
devils-walkingstick	1	0.00%
cherry, sweet	1	0.00%
butternut	1	0.00%
birch, European white	1	0.00%
ash, blue	1	0.00%
alder, tag	1	0.00%
Grand Total	41571	100%



Quantity Report: Botanical (Street Sites)

Botanical	Total	Percentage of Entire Population
Acer platanoides	6049	14.55%
Acer saccharum	5083	12.23%
Gleditsia triacanthos inermis	3355	8.07%
Acer rubrum	2906	6.99%
Malus spp.	2494	6.00%
Acer saccharinum	2130	5.12%
Tilia cordata	1780	4.28%
Platanus x acerifolia	1443	3.47%
Pyrus calleryana	1094	2.63%
stump	822	1.98%
Quercus rubra	815	1.96%
Picea pungens	695	1.67%
Ulmus americana	622	1.50%
Juglans nigra	598	1.44%
Ulmus pumila	486	1.17%
Pinus nigra	483	1.16%
Zelkova serrata	424	1.02%
Tilia americana	412	0.99%
Picea abies	384	0.92%
Quercus alba	364	0.88%
Thuja occidentalis	363	0.87%
Picea glauca	359	0.86%
Pinus strobus	338	0.81%
Quercus bicolor	337	0.81%
Cercis canadensis	318	0.76%
Prunus spp.	290	0.70%
Carya ovata	281	0.68%
Robinia pseudoacacia	243	0.58%
Quercus macrocarpa	236	0.57%
Amelanchier spp.	235	0.57%
Liriodendron tulipifera	223	0.54%
Acer x freemanii	210	0.51%
Catalpa speciosa	208	0.50%
Populus deltoides	206	0.50%
Ginkgo biloba	200	0.48%

Botanical	Total	Percentage of Entire Population
Styphnolobium japonicum	196	0.47%
Quercus robur	190	0.46%
Celtis occidentalis	189	0.45%
Prunus serotina	180	0.43%
Acer negundo	176	0.42%
Acer campestre	161	0.39%
Quercus palustris	159	0.38%
Pinus sylvestris	151	0.36%
Platanus occidentalis	143	0.34%
Morus alba	137	0.33%
Liquidambar styraciflua	136	0.33%
Juniperus virginiana	132	0.32%
Syringa reticulata	128	0.31%
Pseudotsuga menziesii	116	0.28%
Crataegus spp.	116	0.28%
Carpinus betulus	106	0.25%
Tsuga candensis	103	0.25%
Gymnocladus dioica	93	0.22%
Fraxinus americana	90	0.22%
Quercus velutina	88	0.21%
Betula nigra	88	0.21%
Fraxinus spp.	85	0.20%
Acer palmatum	81	0.19%
Aesculus hippocastanum	79	0.19%
Phellodendron amurense	72	0.17%
Carya glabra	68	0.16%
Quercus imbricaria	66	0.16%
Koelreuteria paniculata	61	0.15%
Acer tataricum ginnala	56	0.13%
Rhamnus cathartica	54	0.13%
Cladrastis kentukea	54	0.13%
Pinus resinosa	53	0.13%
Gleditsia triacanthos	53	0.13%
Cornus florida	53	0.13%
Crataegus phaenopyrum	50	0.12%
unknown	48	0.12%
Ailanthus altissima	47	0.11%
Chionanthus virginicus	46	0.11%

Botanical	Total	Percentage of Entire Population
Maackia amurensis	41	0.10%
Malus pumila	38	0.09%
Carpinus caroliniana	36	0.09%
Acer miyabei	36	0.09%
Ulmus x	35	0.08%
Ulmus rubra	32	0.08%
Cercidiphyllum japonicum	32	0.08%
Abies concolor	31	0.07%
Carya tomentosa	30	0.07%
Abies balsamea	30	0.07%
Acer pensylvanicum	29	0.07%
Parrotia persica	28	0.07%
Fraxinus pennsylvanica	27	0.06%
Ulmus spp.	26	0.06%
Tilia tomentosa	26	0.06%
Juniperus spp.	26	0.06%
Cornus kousa	26	0.06%
Carya cordiformis	26	0.06%
Metasequoia glyptostroboides	25	0.06%
Magnolia x soulangiana	25	0.06%
Salix nigra	24	0.06%
Acer griseum	23	0.06%
Eucommia ulmoides	22	0.05%
Cotinus coggygria	22	0.05%
Ulmus carpinifolia	19	0.05%
Betula papyrifera	19	0.05%
Acer spp.	19	0.05%
Salix babylonica	18	0.04%
Acer tataricum	17	0.04%
Acer pseudoplatanus	17	0.04%
Ostrya virginiana	16	0.04%
Nyssa sylvatica	15	0.04%
Magnolia stellata	15	0.04%
Alnus glutinosa	14	0.03%
Syringa vulgaris	13	0.03%
Salix matsudana	12	0.03%
Prunus sargentii	12	0.03%
Pyrus communis	10	0.02%

Botanical	Total	Percentage of Entire Population
Populus grandidentata	10	0.02%
Pinus mugo	10	0.02%
Magnolia spp.	10	0.02%
Sassafras albidum	9	0.02%
Maclura pomifera	9	0.02%
X Cupressocyparis leylandii	8	0.02%
Taxus spp.	8	0.02%
Picea spp.	8	0.02%
Acer triflorum	8	0.02%
Quercus shumardii	7	0.02%
Laburnum x watereri	7	0.02%
Juglans regia	7	0.02%
Fagus sylvatica	7	0.02%
Corylus colurna	7	0.02%
Acer buergerianum	7	0.02%
Viburnum spp.	6	0.019
Prunus persica	6	0.019
Populus tremuloides	6	0.019
Pinus parviflora	6	0.019
Corylus americana	6	0.019
Betula populifolia	6	0.019
Aesculus x carnea	6	0.019
Aesculus flava	6	0.019
Sorbus aucuparia	5	0.019
Quercus spp.	5	0.019
Fagus grandifolia	5	0.019
Cotinus obovatus	5	0.019
Picea omorika	4	0.019
Elaeagnus angustifolia	4	0.019
Aesculus glabra	4	0.019
Acer nigrum	4	0.019
Taxodium distichum	3	0.019
Salix spp.	3	0.019
Salix discolor	3	0.019
Cornus alternifolia	3	0.019
Tilia X euchlora	2	0.00°
Sorbus americana	2	0.009
Quercus coccinea	2	0.00%

Botanical	Total	Percentage of Entire Population
Prunus pensylvanica	2	0.00%
Pinus ponderosa	2	0.00%
Pinus banksiana	2	0.00%
Paulownia tomentosa	2	0.00%
Morus rubra	2	0.00%
Magnolia virginiana	2	0.00%
Larix decidua	2	0.00%
Corylus avellana	2	0.00%
Chamaecyparis nootkatensis	2	0.00%
Acer grandidentatum	2	0.00%
Xanthoceras sorbifolium	1	0.00%
Robinia hispida	1	0.00%
Quercus phellos	1	0.00%
Quercus muehlenbergii	1	0.00%
Quercus montana	1	0.00%
Quercus ellipsoidalis	1	0.00%
Quercus acutissima	1	0.00%
Prunus cerasifera	1	0.00%
Prunus avium	1	0.00%
Pinus thunbergii	1	0.00%
Juglans cinerea	1	0.00%
llex spp.	1	0.00%
Hamamelis virginiana	1	0.00%
Halesia caroliniana	1	0.00%
Fraxinus quadrangulata	1	0.00%
Diospyros virginiana	1	0.00%
Crataegus crusgalli	1	0.00%
Cornus racemosa	1	0.00%
Cornus mas	1	0.00%
Chamaecyparis obtusa	1	0.00%
Betula pendula	1	0.00%
Asimina triloba	1	0.00%
Aralia spinosa	1	0.00%
Amelanchier laevis	1	0.00%
Alnus serrulata	1	0.00%
Grand Total	41571	100%



Quantity Report: Genus (Street Sites)

Genus	Total	Percentage of Entire Population
Acer	17014	41.75%
Gleditsia	3408	8.36%
Malus	2532	6.21%
Quercus	2274	5.58%
Tilia	2220	5.45%
Platanus	1586	3.89%
Picea	1450	3.56%
Ulmus	1220	2.99%
Pyrus	1104	2.71%
Pinus	1046	2.57%
Juglans	606	1.49%
Prunus	492	1.21%
Zelkova	424	1.04%
Carya	405	0.99%
Thuja	363	0.89%
Cercis	318	0.78%
Robinia	244	0.60%
Amelanchier	236	0.58%
Liriodendron	223	0.55%
Populus	222	0.54%
Catalpa	208	0.51%
Fraxinus	203	0.50%
Ginkgo	200	0.49%
Styphnolobium	196	0.48%
Celtis	189	0.46%
Crataegus	167	0.41%
Juniperus	158	0.39%
Carpinus	142	0.35%
Syringa	141	0.35%
Morus	139	0.34%
Liquidambar	136	0.33%
Pseudotsuga	116	0.28%
Betula	114	0.28%
Tsuga	103	0.25%
Aesculus	95	0.23%

Genus	Total	Percentage of Entire Population
Gymnocladus	93	0.23%
Cornus	84	0.21%
Phellodendron	72	0.18%
Koelreuteria	61	0.15%
Abies	61	0.15%
Salix	60	0.159
Rhamnus	54	0.139
Cladrastis	54	0.139
Magnolia	52	0.139
unknown	48	0.129
Ailanthus	47	0.129
Chionanthus	46	0.11
Maackia	41	0.10
Cercidiphyllum	32	0.08
Parrotia	28	0.07
Cotinus	27	0.07
Metasequoia	25	0.06
Eucommia	22	0.05
Ostrya	16	0.04
Nyssa	15	0.04
Corylus	15	0.04
Alnus	15	0.04
Fagus	12	0.03
Sassafras	9	0.02
Maclura	9	0.02
X Cupressocyparis	8	0.02
Taxus	8	0.02
Sorbus	7	0.02
Laburnum	7	0.02
Viburnum	6	0.01
Elaeagnus	4	0.01
Taxodium	3	0.01
Chamaecyparis	3	0.01
Paulownia	2	0.00
Larix	2	0.00
Xanthoceras	1	0.00
llex	1	0.00
Hamamelis	1	0.00

Genus	Total	Percentage of Entire Population
Halesia	1	0.00%
Diospyros	1	0.00%
Asimina	1	0.00%
Aralia	1	0.00%
Grand Total	40749	100%



Quantity Report: Condition (Street Sites)

		Percentage of Entire
Condition	Total	Population
Fair	21342	42.33%
Good	13843	27.45%
N/A	9675	19.19%
Poor	4338	8.60%
Very Good	513	1.02%
Dead	436	0.86%
Critical	277	0.55%
Grand Total	50424	100%



Quantity Report: Maintenance (Street Sites)

		Percentage of Entire
Maintenance	Total	Population
Large Tree Routine Prune	24206	48.00%
Plant Tree	8853	17.56%
Training Prune	7880	15.63%
Small Tree Routine Prune	3023	6.00%
Priority 2 Prune	2377	4.71%
Priority 1 Prune	1097	2.18%
Stump Removal	822	1.63%
Priority 2 Removal	736	1.46%
Priority 3 Removal	720	1.43%
Priority 1 Removal	710	1.41%
Grand Total	50424	100%



Quantity Report: Diameter Class (Street Sites)

Diameter Class	Total	Percentage of Entire Population
1 - 3	7354	17.69%
4 - 6	5272	12.68%
7 - 12	10613	25.53%
13 - 18	9766	23.49%
19 - 24	5178	12.46%
25 - 30	2170	5.22%
31 - 36	792	1.91%
37 - 42	273	0.66%
43 +	153	0.37%
Grand Total	41571	100%



Quantity Report: Height (Street Sites)

		Percentage of Entire
Height	Total	Population
0-10	2519	6.18%
11-20	7934	19.47%
21-30	7017	17.22%
31-50	11297	27.72%
51-70	10116	24.83%
Greater than 70	1866	4.58%
Grand Total	40749	100%



Quantity Report: Utilities (Street Sites)

Utilities	Total	Percentage of Entire Population
No	39177	77.70%
Yes	11247	22.30%
Grand Total	50424	100%



Quantity Report: Potential Sawlog (Street Sites)

Potential Sawlog	Total	Percentage of Entire Population
No	33770	82.87%
Yes	5149	12.64%
N/A	1830	4.49%
Grand Total	40749	100%





Frequency Report: Maintenance by Common (Street Sites)

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
Large Tree Routine Prune			
maple, Norway	4734	19.56%	9.39%
maple, sugar	3541	14.63%	7.02%
honeylocust, thornless	2713	11.21%	5.38%
linden, littleleaf	1386	5.73%	2.75%
maple, silver	1372	5.67%	2.72%
maple, red	1351	5.58%	2.68%
planetree, London	1242	5.13%	2.46%
spruce, Colorado	679	2.81%	1.35%
pine, Austrian	454	1.88%	0.90%
walnut, black	434	1.79%	0.86%
oak, northern red	403	1.66%	0.80%
spruce, Norway	372	1.54%	0.74%
elm, American	367	1.52%	0.73%
spruce, white	342	1.41%	0.68%
pine, eastern white	322	1.33%	0.64%
linden, American	316	1.31%	0.63%
zelkova, Japanese	301	1.24%	0.60%
elm, Siberian	239	0.99%	0.47%
hickory, shagbark	233	0.96%	0.46%
oak, white	209	0.86%	0.41%
pear, callery	170	0.70%	0.34%
cottonwood, eastern	162	0.67%	0.32%
locust, black	160	0.66%	0.32%
oak, bur	154	0.64%	0.31%
Japanese pagodatree	152	0.63%	0.30%
oak, English	143	0.59%	0.28%
pine, Scotch	133	0.55%	0.26%
sycamore, American	130	0.54%	0.26%

Tuesday, May 19, 2009 Page 1 of 20

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
redcedar, eastern	123	0.51%	0.24%
maple, Freeman	123	0.51%	0.24%
oak, pin	116	0.48%	0.23%
douglas-fir	113	0.47%	0.22%
cherry, black	107	0.44%	0.21%
tuliptree	102	0.42%	0.20%
hemlock, eastern	97	0.40%	0.19%
catalpa, northern	91	0.38%	0.18%
mulberry, white	71	0.29%	0.14%
Kentucky coffeetree	68	0.28%	0.13%
boxelder	60	0.25%	0.12%
oak, swamp white	57	0.24%	0.11%
sweetgum, American	56	0.23%	0.11%
hickory, pignut	56	0.23%	0.11%
Amur corktree	54	0.22%	0.11%
pine, red	52	0.21%	0.10%
ginkgo	51	0.21%	0.10%
horsechestnut	45	0.19%	0.09%
honeylocust	41	0.17%	0.08%
oak, black	31	0.13%	0.06%
arborvitae, eastern	31	0.13%	0.06%
fir, white	30	0.12%	0.06%
fir, balsam	28	0.12%	0.06%
elm, slippery	26	0.11%	0.05%
tree-of-heaven	24	0.10%	0.05%
hickory, mockernut	24	0.10%	0.05%
dawn redwood	24	0.10%	0.05%
hackberry, common	17	0.07%	0.03%
hornbeam, European	16	0.07%	0.03%
elm, smoothleaf	16	0.07%	0.03%
birch, river	14	0.06%	0.03%
hickory, bitternut	13	0.05%	0.03%

Tuesday, May 19, 2009 Page 2 of 20

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
ash, white	13	0.05%	0.03%
maple, sycamore	11	0.05%	0.02%
birch, paper	11	0.05%	0.02%
oak, shingle	10	0.04%	0.02%
aspen, bigtooth	10	0.04%	0.02%
willow, black	9	0.04%	0.02%
juniper, spp.	9	0.04%	0.02%
linden, silver	8	0.03%	0.02%
goldenraintree	8	0.03%	0.02%
cypress, Leyland	8	0.03%	0.02%
willow, weeping	7	0.03%	0.01%
walnut, English	7	0.03%	0.01%
oak, Shumard	7	0.03%	0.01%
maple, hedge	7	0.03%	0.01%
katsuratree	7	0.03%	0.01%
hophornbeam, American	6	0.02%	0.01%
elm, hybrid	6	0.02%	0.01%
osage-orange	5	0.02%	0.01%
aspen, quaking	5	0.02%	0.01%
ash, green	5	0.02%	0.01%
spruce, Serbian	4	0.02%	0.01%
maple, black	4	0.02%	0.01%
beech, European	4	0.02%	0.01%
sassafras	3	0.01%	0.01%
maple, three-flower	3	0.01%	0.01%
birch, gray	3	0.01%	0.01%
beech, American	3	0.01%	0.01%
baldcypress, common	3	0.01%	0.01%
yellowwood, American	2	0.01%	0.00%
willow, corkscrew	2	0.01%	0.00%
pine, Ponderosa	2	0.01%	0.00%
paulownia	2	0.01%	0.00%

Tuesday, May 19, 2009 Page 3 of 20

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
mulberry, red	2	0.01%	0.00%
larch, European	2	0.01%	0.00%
horsechestnut, red	2	0.01%	0.00%
buckeye, yellow	2	0.01%	0.00%
pine, jack	1	0.00%	0.00%
persimmon, common	1	0.00%	0.00%
pear, common	1	0.00%	0.00%
oak, chestnut	1	0.00%	0.00%
maple, trident	1	0.00%	0.00%
maple, Miyabei	1	0.00%	0.00%
maple, Amur	1	0.00%	0.00%
filbert, Turkish	1	0.00%	0.00%
falsecypress, Hinoki	1	0.00%	0.00%
cherry/plum, spp.	1	0.00%	0.00%
cherry, sweet	1	0.00%	0.00%
butternut	1	0.00%	0.00%
alder, common	1	0.00%	0.00%
Summary for Large Tree Routine Prune (109 items)			
Sum	24206	100%	48.00%
Plant Tree			
vacant site, large	3279	37.04%	6.50%
vacant site, small	2902	32.78%	5.76%
vacant site, medium	2672	30.18%	5.30%
Summary for Plant Tree (3 items)	2052	100%	17.500/
Sum	8853	100%	17.56%
Priority 1 Prune			
maple, sugar	328	29.90%	0.65%
maple, silver	198	18.05%	0.39%
maple, Norway	99	9.02%	0.20%
oak, white	56	5.10%	0.11%
elm, Siberian	53	4.83%	0.11%
oak, northern red	42	3.83%	0.08%

Tuesday, May 19, 2009 Page 4 of 20

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
walnut, black	38	3.46%	0.08%
elm, American	33	3.01%	0.07%
catalpa, northern	25	2.28%	0.05%
oak, bur	23	2.10%	0.05%
oak, black	16	1.46%	0.03%
linden, American	16	1.46%	0.03%
honeylocust, thornless	16	1.46%	0.03%
boxelder	15	1.37%	0.03%
locust, black	14	1.28%	0.03%
cottonwood, eastern	14	1.28%	0.03%
cherry, black	13	1.19%	0.03%
planetree, London	12	1.09%	0.02%
crabapple, flowering	10	0.91%	0.02%
willow, black	9	0.82%	0.02%
maple, red	7	0.64%	0.01%
linden, littleleaf	7	0.64%	0.01%
horsechestnut	6	0.55%	0.01%
hickory, shagbark	6	0.55%	0.01%
tuliptree	5	0.46%	0.01%
oak, pin	4	0.36%	0.01%
tree-of-heaven	3	0.27%	0.01%
oak, swamp white	3	0.27%	0.01%
mulberry, white	3	0.27%	0.01%
hickory, bitternut	3	0.27%	0.01%
zelkova, Japanese	2	0.18%	0.00%
willow, weeping	2	0.18%	0.00%
Kentucky coffeetree	2	0.18%	0.00%
Japanese pagodatree	2	0.18%	0.00%
honeylocust	2	0.18%	0.00%
elm, slippery	2	0.18%	0.00%
yellowwood, American	1	0.09%	0.00%
pear, callery	1	0.09%	0.00%

Tuesday, May 19, 2009 Page 5 of 20

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
oak, English	1	0.09%	0.00%
maple, sycamore	1	0.09%	0.00%
maple, Amur	1	0.09%	0.00%
hickory, pignut	1	0.09%	0.00%
cherry/plum, spp.	1	0.09%	0.00%
apple, common	1	0.09%	0.00%
Summary for Priority 1 Prune (44 items) Sum	1097	100%	2.18%
Priority 1 Removal			
maple, sugar	97	13.66%	0.19%
maple, silver	86	12.11%	0.17%
elm, American	66	9.30%	0.13%
ash, spp.	61	8.59%	0.12%
maple, Norway	59	8.31%	0.12%
boxelder	36	5.07%	0.07%
locust, black	29	4.08%	0.06%
unknown	26	3.66%	0.05%
catalpa, northern	25	3.52%	0.05%
cherry, black	23	3.24%	0.05%
elm, spp.	22	3.10%	0.04%
oak, white	19	2.68%	0.04%
linden, American	17	2.39%	0.03%
pine, Scotch	11	1.55%	0.02%
planetree, London	10	1.41%	0.02%
oak, northern red	10	1.41%	0.02%
hickory, shagbark	10	1.41%	0.02%
crabapple, flowering	10	1.41%	0.02%
walnut, black	8	1.13%	0.02%
maple, red	8	1.13%	0.02%
elm, Siberian	8	1.13%	0.02%
linden, littleleaf	7	0.99%	0.01%
ash, white	7	0.99%	0.01%

Tuesday, May 19, 2009 Page 6 of 20

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
pine, Austrian	4	0.56%	0.01%
oak, black	4	0.56%	0.01%
mulberry, white	4	0.56%	0.01%
cottonwood, eastern	4	0.56%	0.01%
zelkova, Japanese	3	0.42%	0.01%
oak, spp.	3	0.42%	0.01%
willow, weeping	2	0.28%	0.00%
willow, black	2	0.28%	0.00%
pear, callery	2	0.28%	0.00%
oak, bur	2	0.28%	0.00%
maple, sycamore	2	0.28%	0.00%
hickory, pignut	2	0.28%	0.00%
cherry/plum, spp.	2	0.28%	0.00%
ash, green	2	0.28%	0.00%
tree-of-heaven	1	0.14%	0.00%
sycamore, American	1	0.14%	0.00%
spruce, white	1	0.14%	0.00%
spruce, spp.	1	0.14%	0.00%
spruce, Norway	1	0.14%	0.00%
spruce, Colorado	1	0.14%	0.00%
sassafras	1	0.14%	0.00%
pine, eastern white	1	0.14%	0.00%
oak, pin	1	0.14%	0.00%
maple, spp.	1	0.14%	0.00%
Japanese pagodatree	1	0.14%	0.00%
horsechestnut	1	0.14%	0.00%
hickory, mockernut	1	0.14%	0.00%
hickory, bitternut	1	0.14%	0.00%
douglas-fir	1	0.14%	0.00%
arborvitae, eastern	1	0.14%	0.00%
Amur corktree	1	0.14%	0.00%

Tuesday, May 19, 2009 Page 7 of 20

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
Summary for Priority 1 Removal (54 items)			
Sum	710	100%	1.41%
Priority 2 Prune			
maple, sugar	684	28.78%	1.36%
maple, Norway	361	15.19%	0.72%
maple, silver	299	12.58%	0.59%
honeylocust, thornless	181	7.61%	0.36%
elm, Siberian	124	5.22%	0.25%
elm, American	78	3.28%	0.15%
walnut, black	77	3.24%	0.15%
oak, white	59	2.48%	0.12%
oak, northern red	50	2.10%	0.10%
maple, red	41	1.72%	0.08%
planetree, London	36	1.51%	0.07%
crabapple, flowering	34	1.43%	0.07%
linden, littleleaf	31	1.30%	0.06%
catalpa, northern	29	1.22%	0.06%
linden, American	28	1.18%	0.06%
oak, black	25	1.05%	0.05%
tuliptree	22	0.93%	0.04%
Japanese pagodatree	22	0.93%	0.04%
cherry, black	21	0.88%	0.04%
cottonwood, eastern	19	0.80%	0.04%
locust, black	18	0.76%	0.04%
zelkova, Japanese	15	0.63%	0.03%
oak, bur	14	0.59%	0.03%
hickory, shagbark	11	0.46%	0.02%
sycamore, American	7	0.29%	0.01%
mulberry, white	7	0.29%	0.01%
boxelder	7	0.29%	0.01%
oak, English	6	0.25%	0.01%
horsechestnut	6	0.25%	0.01%

Tuesday, May 19, 2009 Page 8 of 20

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
hickory, pignut	6	0.25%	0.01%
willow, weeping	4	0.17%	0.01%
tree-of-heaven	4	0.17%	0.01%
spruce, Norway	4	0.17%	0.01%
oak, swamp white	3	0.13%	0.01%
oak, pin	3	0.13%	0.01%
maple, Freeman	3	0.13%	0.01%
hickory, bitternut	3	0.13%	0.01%
elm, slippery	3	0.13%	0.01%
willow, black	2	0.08%	0.00%
spruce, white	2	0.08%	0.00%
pine, Scotch	2	0.08%	0.00%
pear, common	2	0.08%	0.00%
osage-orange	2	0.08%	0.00%
honeylocust	2	0.08%	0.00%
hickory, mockernut	2	0.08%	0.00%
hawthorn, spp.	2	0.08%	0.00%
Amur corktree	2	0.08%	0.00%
redcedar, eastern	1	0.04%	0.00%
redbud, eastern	1	0.04%	0.00%
pine, red	1	0.04%	0.00%
pine, jack	1	0.04%	0.00%
pine, Austrian	1	0.04%	0.00%
pear, callery	1	0.04%	0.00%
oak, scarlet	1	0.04%	0.00%
oak, chinkapin	1	0.04%	0.00%
maple, sycamore	1	0.04%	0.00%
magnolia, saucer	1	0.04%	0.00%
Kentucky coffeetree	1	0.04%	0.00%
fir, white	1	0.04%	0.00%
douglas-fir	1	0.04%	0.00%
cherry/plum, spp.	1	0.04%	0.00%

Tuesday, May 19, 2009 Page 9 of 20

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
Summary for Priority 2 Prune (61 items)			
Sum	2377	100%	4.71%
Priority 2 Removal			
maple, Norway	150	20.38%	0.30%
maple, sugar	105	14.27%	0.21%
crabapple, flowering	72	9.78%	0.14%
maple, silver	62	8.42%	0.12%
maple, red	28	3.80%	0.06%
boxelder	26	3.53%	0.05%
linden, littleleaf	24	3.26%	0.05%
linden, American	19	2.58%	0.04%
ash, spp.	19	2.58%	0.04%
elm, Siberian	17	2.31%	0.03%
ash, white	16	2.17%	0.03%
planetree, London	15	2.04%	0.03%
pine, Austrian	14	1.90%	0.03%
elm, American	12	1.63%	0.02%
walnut, black	9	1.22%	0.02%
maple, Amur	9	1.22%	0.02%
cherry, black	9	1.22%	0.02%
catalpa, northern	9	1.22%	0.02%
mulberry, white	8	1.09%	0.02%
locust, black	8	1.09%	0.02%
oak, white	7	0.95%	0.01%
tuliptree	6	0.82%	0.01%
Japanese pagodatree	6	0.82%	0.01%
unknown	5	0.68%	0.01%
sassafras	5	0.68%	0.01%
oak, northern red	5	0.68%	0.01%
spruce, Colorado	4	0.54%	0.01%
oak, bur	4	0.54%	0.01%
tree-of-heaven	3	0.41%	0.01%

Tuesday, May 19, 2009 Page 10 of 20

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
spruce, white	3	0.41%	0.01%
spruce, Norway	3	0.41%	0.01%
pear, callery	3	0.41%	0.01%
hickory, shagbark	3	0.41%	0.01%
elm, spp.	3	0.41%	0.01%
arborvitae, eastern	3	0.41%	0.01%
zelkova, Japanese	2	0.27%	0.00%
willow, black	2	0.27%	0.00%
redbud, eastern	2	0.27%	0.00%
pine, eastern white	2	0.27%	0.00%
maple, sycamore	2	0.27%	0.00%
horsechestnut	2	0.27%	0.00%
honeylocust, thornless	2	0.27%	0.00%
honeylocust	2	0.27%	0.00%
hickory, pignut	2	0.27%	0.00%
hickory, mockernut	2	0.27%	0.00%
cottonwood, eastern	2	0.27%	0.00%
ash, green	2	0.27%	0.00%
yellowwood, American	1	0.14%	0.00%
willow, weeping	1	0.14%	0.00%
willow, corkscrew	1	0.14%	0.00%
sycamore, American	1	0.14%	0.00%
redcedar, eastern	1	0.14%	0.00%
pine, Scotch	1	0.14%	0.00%
osage-orange	1	0.14%	0.00%
oak, pin	1	0.14%	0.00%
mountainash, American	1	0.14%	0.00%
maple, hedge	1	0.14%	0.00%
maple, Freeman	1	0.14%	0.00%
Kentucky coffeetree	1	0.14%	0.00%
hophornbeam, American	1	0.14%	0.00%
hickory, bitternut	1	0.14%	0.00%

Tuesday, May 19, 2009 Page 11 of 20

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
goldenraintree	1	0.14%	0.00%
cherry/plum, spp.	1	0.14%	0.00%
buckthorn, common	1	0.14%	0.00%
aspen, quaking	1	0.14%	0.00%
Summary for Priority 2 Removal (65 items)			
Sum	736	100%	1.46%
Priority 3 Removal			
maple, red	93	12.92%	0.18%
crabapple, flowering	64	8.89%	0.13%
maple, Norway	50	6.94%	0.10%
elm, Siberian	35	4.86%	0.07%
ash, white	35	4.86%	0.07%
buckthorn, common	34	4.72%	0.07%
mulberry, white	25	3.47%	0.05%
linden, littleleaf	24	3.33%	0.05%
maple, sugar	23	3.19%	0.05%
oak, northern red	22	3.06%	0.04%
maple, spp.	18	2.50%	0.04%
unknown	17	2.36%	0.03%
serviceberry, spp.	15	2.08%	0.03%
honeylocust, thornless	15	2.08%	0.03%
boxelder	14	1.94%	0.03%
oak, swamp white	13	1.81%	0.03%
elm, American	12	1.67%	0.02%
walnut, black	10	1.39%	0.02%
pear, callery	10	1.39%	0.02%
tree-of-heaven	9	1.25%	0.02%
spruce, Colorado	9	1.25%	0.02%
spruce, white	8	1.11%	0.02%
ash, green	8	1.11%	0.02%
spruce, spp.	7	0.97%	0.01%
planetree, London	7	0.97%	0.01%

Tuesday, May 19, 2009 Page 12 of 20

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
pine, Austrian	7	0.97%	0.01%
cherry/plum, spp.	7	0.97%	0.01%
tuliptree	6	0.83%	0.01%
redbud, eastern	6	0.83%	0.01%
oak, pin	6	0.83%	0.01%
pine, eastern white	5	0.69%	0.01%
maple, silver	5	0.69%	0.01%
dogwood, flowering	5	0.69%	0.01%
ash, spp.	5	0.69%	0.01%
spruce, Norway	4	0.56%	0.01%
redcedar, eastern	4	0.56%	0.01%
hickory, shagbark	4	0.56%	0.01%
hackberry, common	4	0.56%	0.01%
willow, spp.	3	0.42%	0.01%
pine, Scotch	3	0.42%	0.01%
oak, shingle	3	0.42%	0.01%
oak, bur	3	0.42%	0.01%
maple, striped	3	0.42%	0.01%
maple, hedge	3	0.42%	0.01%
maple, Amur	3	0.42%	0.01%
locust, black	3	0.42%	0.01%
hemlock, eastern	3	0.42%	0.01%
hawthorn, spp.	3	0.42%	0.01%
arborvitae, eastern	3	0.42%	0.01%
sweetgum, American	2	0.28%	0.00%
smoketree, American	2	0.28%	0.00%
oak, spp.	2	0.28%	0.00%
oak, black	2	0.28%	0.00%
maple, Japanese	2	0.28%	0.00%
horsechestnut	2	0.28%	0.00%
hornbeam, European	2	0.28%	0.00%
ginkgo	2	0.28%	0.00%

Tuesday, May 19, 2009 Page 13 of 20

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
cottonwood, eastern	2	0.28%	0.00%
birch, river	2	0.28%	0.00%
yellowwood, American	1	0.14%	0.00%
willow, pussy	1	0.14%	0.00%
smoketree, common	1	0.14%	0.00%
Russian-olive	1	0.14%	0.00%
pine, Japanese black	1	0.14%	0.00%
peach, common	1	0.14%	0.00%
osage-orange	1	0.14%	0.00%
oak, white	1	0.14%	0.00%
oak, English	1	0.14%	0.00%
maple, trident	1	0.14%	0.00%
maple, Tatarian	1	0.14%	0.00%
locust, bristly	1	0.14%	0.00%
lilac, Japanese tree	1	0.14%	0.00%
Japanese pagodatree	1	0.14%	0.00%
honeylocust	1	0.14%	0.00%
hardy rubbertree	1	0.14%	0.00%
elm, spp.	1	0.14%	0.00%
dogwood, Kousa	1	0.14%	0.00%
cherry, Sargent	1	0.14%	0.00%
catalpa, northern	1	0.14%	0.00%
birch, gray	1	0.14%	0.00%
Amur corktree	1	0.14%	0.00%
Summary for Priority 3 Removal (81 items)			
Sum	720	100%	1.43%
Small Tree Routine Prune			
crabapple, flowering	1689	55.87%	3.35%
arborvitae, eastern	325	10.75%	0.64%
pear, callery	298	9.86%	0.59%
redbud, eastern	121	4.00%	0.24%
cherry/plum, spp.	102	3.37%	0.20%

Tuesday, May 19, 2009 Page 14 of 20

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
hawthorn, spp.	63	2.08%	0.12%
serviceberry, spp.	62	2.05%	0.12%
lilac, Japanese tree	54	1.79%	0.11%
hawthorn, Washington	36	1.19%	0.07%
maple, Japanese	32	1.06%	0.06%
maple, hedge	27	0.89%	0.05%
apple, common	27	0.89%	0.05%
buckthorn, common	18	0.60%	0.04%
juniper, spp.	17	0.56%	0.03%
fringetree, white	17	0.56%	0.03%
dogwood, flowering	16	0.53%	0.03%
maple, Amur	15	0.50%	0.03%
magnolia, saucer	11	0.36%	0.02%
pine, mugo	10	0.33%	0.02%
yew, spp.	8	0.26%	0.02%
magnolia, star	8	0.26%	0.02%
dogwood, Kousa	7	0.23%	0.01%
pine, Japanese white	6	0.20%	0.01%
maple, striped	6	0.20%	0.01%
pear, common	5	0.17%	0.01%
hornbeam, European	5	0.17%	0.01%
goldenchain tree	5	0.17%	0.01%
smoketree, common	4	0.13%	0.01%
mountainash, European	4	0.13%	0.01%
Russian-olive	3	0.10%	0.01%
maple, paperbark	2	0.07%	0.00%
maple, Miyabei	2	0.07%	0.00%
falsecypress, Nootka	2	0.07%	0.00%
dogwood, pagoda	2	0.07%	0.00%
willow, pussy	1	0.03%	0.00%
viburnum, spp.	1	0.03%	0.00%
smoketree, American	1	0.03%	0.00%

Tuesday, May 19, 2009 Page 15 of 20

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
serviceberry, Allegheny	1	0.03%	0.00%
plum, cherry	1	0.03%	0.00%
pine, Scotch	1	0.03%	0.00%
Persian parrotia	1	0.03%	0.00%
pawpaw, common	1	0.03%	0.00%
mountainash, American	1	0.03%	0.00%
maple, Tatarian	1	0.03%	0.00%
magnolia, spp.	1	0.03%	0.00%
hophornbeam, American	1	0.03%	0.00%
hawthorn, cockspur	1	0.03%	0.00%
filbert, American	1	0.03%	0.00%
Summary for Small Tree Routine Prune (48 items) Sum Stump Removal	3023	100%	6.00%
stump	822	100.00%	1.63%
Summary for Stump Removal (1 item)			
Sum	822	100%	1.63%
Training Prune			
maple, red	1378	17.49%	2.73%
crabapple, flowering	615	7.80%	1.22%
pear, callery	609	7.73%	1.21%
maple, Norway	596	7.56%	1.18%
honeylocust, thornless	428	5.43%	0.85%
maple, sugar	305	3.87%	0.60%
linden, littleleaf	301	3.82%	0.60%
oak, northern red	283	3.59%	0.56%
oak, swamp white	261	3.31%	0.52%
redbud, eastern	188	2.39%	0.37%
cherry/plum, spp.	175	2.22%	0.35%
hackberry, common	168	2.13%	0.33%
serviceberry, spp.	158	2.01%	0.31%
ginkgo	147	1.87%	0.29%

Tuesday, May 19, 2009 Page 16 of 20

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
maple, hedge	123	1.56%	0.24%
planetree, London	121	1.54%	0.24%
maple, silver	108	1.37%	0.21%
zelkova, Japanese	101	1.28%	0.20%
maple, Freeman	83	1.05%	0.16%
hornbeam, European	83	1.05%	0.16%
tuliptree	82	1.04%	0.16%
sweetgum, American	78	0.99%	0.15%
lilac, Japanese tree	73	0.93%	0.14%
birch, river	72	0.91%	0.14%
elm, American	54	0.69%	0.11%
oak, shingle	53	0.67%	0.11%
goldenraintree	52	0.66%	0.10%
yellowwood, American	49	0.62%	0.10%
hawthorn, spp.	48	0.61%	0.10%
maple, Japanese	47	0.60%	0.09%
Amur maackia	41	0.52%	0.08%
oak, English	39	0.49%	0.08%
oak, bur	36	0.46%	0.07%
hornbeam, American	36	0.46%	0.07%
maple, Miyabei	33	0.42%	0.07%
dogwood, flowering	32	0.41%	0.06%
fringetree, white	29	0.37%	0.06%
elm, hybrid	29	0.37%	0.06%
oak, pin	28	0.36%	0.06%
catalpa, northern	28	0.36%	0.06%
Persian parrotia	27	0.34%	0.05%
maple, Amur	27	0.34%	0.05%
katsuratree	25	0.32%	0.05%
walnut, black	22	0.28%	0.04%
maple, paperbark	21	0.27%	0.04%
Kentucky coffeetree	21	0.27%	0.04%

Tuesday, May 19, 2009 Page 17 of 20

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
hardy rubbertree	21	0.27%	0.04%
maple, striped	20	0.25%	0.04%
mulberry, white	19	0.24%	0.04%
ash, white	19	0.24%	0.04%
linden, silver	18	0.23%	0.04%
dogwood, Kousa	18	0.23%	0.04%
boxelder	18	0.23%	0.04%
smoketree, common	17	0.22%	0.03%
horsechestnut	17	0.22%	0.03%
linden, American	16	0.20%	0.03%
maple, Tatarian	15	0.19%	0.03%
blackgum	15	0.19%	0.03%
hickory, shagbark	14	0.18%	0.03%
hawthorn, Washington	14	0.18%	0.03%
Amur corktree	14	0.18%	0.03%
oak, white	13	0.16%	0.03%
magnolia, saucer	13	0.16%	0.03%
lilac, common	13	0.16%	0.03%
alder, common	13	0.16%	0.03%
Japanese pagodatree	12	0.15%	0.02%
locust, black	11	0.14%	0.02%
cherry, Sargent	11	0.14%	0.02%
oak, black	10	0.13%	0.02%
elm, Siberian	10	0.13%	0.02%
ash, green	10	0.13%	0.02%
apple, common	10	0.13%	0.02%
willow, corkscrew	9	0.11%	0.02%
magnolia, spp.	9	0.11%	0.02%
pine, eastern white	8	0.10%	0.02%
hophornbeam, American	8	0.10%	0.02%
birch, paper	8	0.10%	0.02%
magnolia, star	7	0.09%	0.01%

Tuesday, May 19, 2009 Page 18 of 20

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
cherry, black	7	0.09%	0.01%
filbert, Turkish	6	0.08%	0.01%
viburnum, spp.	5	0.06%	0.01%
peach, common	5	0.06%	0.01%
maple, trident	5	0.06%	0.01%
maple, three-flower	5	0.06%	0.01%
honeylocust	5	0.06%	0.01%
hickory, bitternut	5	0.06%	0.01%
filbert, American	5	0.06%	0.01%
sycamore, American	4	0.05%	0.01%
horsechestnut, red	4	0.05%	0.01%
buckeye, yellow	4	0.05%	0.01%
buckeye, Ohio	4	0.05%	0.01%
tree-of-heaven	3	0.04%	0.01%
spruce, white	3	0.04%	0.01%
redcedar, eastern	3	0.04%	0.01%
pine, Austrian	3	0.04%	0.01%
hemlock, eastern	3	0.04%	0.01%
elm, smoothleaf	3	0.04%	0.01%
cottonwood, eastern	3	0.04%	0.01%
beech, European	3	0.04%	0.01%
willow, weeping	2	0.03%	0.00%
spruce, Colorado	2	0.03%	0.00%
smoketree, American	2	0.03%	0.00%
pear, common	2	0.03%	0.00%
maple, western sugar	2	0.03%	0.00%
magnolia, sweetbay	2	0.03%	0.00%
linden, caucasian	2	0.03%	0.00%
goldenchain tree	2	0.03%	0.00%
fir, balsam	2	0.03%	0.00%
filbert, European	2	0.03%	0.00%
cherry, pin	2	0.03%	0.00%

Tuesday, May 19, 2009 Page 19 of 20

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
birch, gray	2	0.03%	0.00%
beech, American	2	0.03%	0.00%
yellowhorn	1	0.01%	0.00%
witchhazel, common	1	0.01%	0.00%
willow, pussy	1	0.01%	0.00%
silverbell, Carolina	1	0.01%	0.00%
oak, willow	1	0.01%	0.00%
oak, scarlet	1	0.01%	0.00%
oak, sawtooth	1	0.01%	0.00%
oak, northern pin	1	0.01%	0.00%
mountainash, European	1	0.01%	0.00%
holly, spp.	1	0.01%	0.00%
hickory, pignut	1	0.01%	0.00%
hickory, mockernut	1	0.01%	0.00%
elm, slippery	1	0.01%	0.00%
douglas-fir	1	0.01%	0.00%
dogwood, pagoda	1	0.01%	0.00%
dogwood, gray	1	0.01%	0.00%
dogwood, corneliancherry	1	0.01%	0.00%
devils-walkingstick	1	0.01%	0.00%
dawn redwood	1	0.01%	0.00%
buckthorn, common	1	0.01%	0.00%
birch, European white	1	0.01%	0.00%
ash, blue	1	0.01%	0.00%
alder, tag	1	0.01%	0.00%
Summary for Training Prune (135 items)			
Sum	7880	100%	15.63%
Grand Total	50424		

Tuesday, May 19, 2009 Page 20 of 20





Frequency Report: Condition by Common (Street Sites)

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
Critical			
maple, sugar	32	11.55%	0.08%
maple, Norway	26	9.39%	0.06%
crabapple, flowering	21	7.58%	0.05%
maple, red	15	5.42%	0.04%
ash, white	14	5.05%	0.03%
maple, silver	13	4.69%	0.03%
elm, American	12	4.33%	0.03%
oak, northern red	11	3.97%	0.03%
boxelder	11	3.97%	0.03%
pine, Austrian	9	3.25%	0.02%
locust, black	9	3.25%	0.02%
ash, green	7	2.53%	0.02%
oak, swamp white	6	2.17%	0.01%
catalpa, northern	6	2.17%	0.01%
walnut, black	4	1.44%	0.01%
sweetgum, American	4	1.44%	0.01%
spruce, white	4	1.44%	0.01%
spruce, Norway	4	1.44%	0.01%
oak, white	4	1.44%	0.01%
oak, black	4	1.44%	0.01%
linden, littleleaf	4	1.44%	0.01%
hickory, shagbark	4	1.44%	0.01%
cherry/plum, spp.	4	1.44%	0.01%
zelkova, Japanese	3	1.08%	0.01%
smoketree, American	3	1.08%	0.01%
serviceberry, spp.	3	1.08%	0.01%
elm, Siberian	3	1.08%	0.01%
planetree, London	2	0.72%	0.00%

Tuesday, May 19, 2009 Page 1 of 19

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
pine, Scotch	2	0.72%	0.00%
pine, eastern white	2	0.72%	0.00%
oak, pin	2	0.72%	0.00%
maple, striped	2	0.72%	0.00%
hornbeam, European	2	0.72%	0.00%
hickory, pignut	2	0.72%	0.00%
cherry, black	2	0.72%	0.00%
yellowwood, American	1	0.36%	0.00%
willow, black	1	0.36%	0.00%
spruce, Colorado	1	0.36%	0.00%
sassafras	1	0.36%	0.00%
pear, callery	1	0.36%	0.00%
oak, shingle	1	0.36%	0.00%
oak, bur	1	0.36%	0.00%
maple, sycamore	1	0.36%	0.00%
maple, Amur	1	0.36%	0.00%
linden, American	1	0.36%	0.00%
lilac, Japanese tree	1	0.36%	0.00%
horsechestnut	1	0.36%	0.00%
honeylocust, thornless	1	0.36%	0.00%
hackberry, common	1	0.36%	0.00%
dogwood, flowering	1	0.36%	0.00%
cottonwood, eastern	1	0.36%	0.00%
cherry, Sargent	1	0.36%	0.00%
buckthorn, common	1	0.36%	0.00%
birch, gray	1	0.36%	0.00%
arborvitae, eastern	1	0.36%	0.00%
Amur corktree	1	0.36%	0.00%
Summary for Critical (56 items)			
Sum	277	100%	0.68%
Dead			
ash, spp.	85	19.50%	0.21%

Tuesday, May 19, 2009 Page 2 of 19

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
elm, American	51	11.70%	0.13%
unknown	48	11.01%	0.12%
elm, spp.	26	5.96%	0.06%
crabapple, flowering	24	5.50%	0.06%
maple, spp.	19	4.36%	0.05%
locust, black	14	3.21%	0.03%
pine, Scotch	12	2.75%	0.03%
pine, Austrian	12	2.75%	0.03%
maple, red	12	2.75%	0.03%
maple, Norway	12	2.75%	0.03%
cherry, black	12	2.75%	0.03%
spruce, spp.	8	1.83%	0.02%
maple, sugar	8	1.83%	0.02%
spruce, white	6	1.38%	0.01%
spruce, Colorado	6	1.38%	0.01%
boxelder	6	1.38%	0.01%
oak, spp.	5	1.15%	0.01%
oak, white	4	0.92%	0.01%
oak, northern red	4	0.92%	0.01%
cottonwood, eastern	4	0.92%	0.01%
cherry/plum, spp.	4	0.92%	0.01%
spruce, Norway	3	0.69%	0.01%
planetree, London	3	0.69%	0.01%
pine, eastern white	3	0.69%	0.01%
oak, swamp white	3	0.69%	0.01%
maple, silver	3	0.69%	0.01%
linden, American	3	0.69%	0.01%
hickory, shagbark	3	0.69%	0.01%
willow, weeping	2	0.46%	0.00%
walnut, black	2	0.46%	0.00%
tuliptree	2	0.46%	0.00%
tree-of-heaven	2	0.46%	0.00%

Tuesday, May 19, 2009 Page 3 of 19

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
serviceberry, spp.	2	0.46%	0.00%
oak, pin	2	0.46%	0.00%
oak, bur	2	0.46%	0.00%
linden, littleleaf	2	0.46%	0.00%
hemlock, eastern	2	0.46%	0.00%
hackberry, common	2	0.46%	0.00%
elm, Siberian	2	0.46%	0.00%
arborvitae, eastern	2	0.46%	0.00%
sweetgum, American	1	0.23%	0.00%
redbud, eastern	1	0.23%	0.00%
maple, Japanese	1	0.23%	0.00%
honeylocust, thornless	1	0.23%	0.00%
ginkgo	1	0.23%	0.00%
douglas-fir	1	0.23%	0.00%
dogwood, flowering	1	0.23%	0.00%
catalpa, northern	1	0.23%	0.00%
birch, river	1	0.23%	0.00%
Summary for Dead (50 items)			
Sum	436	100%	1.07%
Fair			
maple, Norway	3705	17.36%	9.09%
maple, sugar	2789	13.07%	6.84%
maple, red	1369	6.41%	3.36%
honeylocust, thornless	1357	6.36%	3.33%
maple, silver	1295	6.07%	3.18%
crabapple, flowering	1226	5.74%	3.01%
linden, littleleaf	967	4.53%	2.37%
pear, callery	729	3.42%	1.79%
planetree, London	446	2.09%	1.09%
oak, northern red	405	1.90%	0.99%
elm, American	391	1.83%	0.96%
walnut, black	353	1.65%	0.87%

Tuesday, May 19, 2009 Page 4 of 19

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
elm, Siberian	308	1.44%	0.76%
spruce, Colorado	282	1.32%	0.69%
pine, Austrian	268	1.26%	0.66%
zelkova, Japanese	253	1.19%	0.62%
oak, white	237	1.11%	0.58%
linden, American	236	1.11%	0.58%
redbud, eastern	187	0.88%	0.46%
cherry/plum, spp.	178	0.83%	0.44%
oak, swamp white	165	0.77%	0.40%
pine, eastern white	163	0.76%	0.40%
locust, black	158	0.74%	0.39%
hickory, shagbark	148	0.69%	0.36%
arborvitae, eastern	134	0.63%	0.33%
oak, bur	132	0.62%	0.32%
cottonwood, eastern	128	0.60%	0.31%
spruce, Norway	127	0.60%	0.31%
catalpa, northern	124	0.58%	0.30%
spruce, white	118	0.55%	0.29%
serviceberry, spp.	111	0.52%	0.27%
ginkgo	103	0.48%	0.25%
Japanese pagodatree	100	0.47%	0.25%
cherry, black	94	0.44%	0.23%
mulberry, white	92	0.43%	0.23%
maple, Freeman	89	0.42%	0.22%
tuliptree	88	0.41%	0.22%
hackberry, common	88	0.41%	0.22%
hawthorn, spp.	84	0.39%	0.21%
redcedar, eastern	81	0.38%	0.20%
pine, Scotch	80	0.37%	0.20%
oak, English	79	0.37%	0.19%
boxelder	76	0.36%	0.19%
sycamore, American	75	0.35%	0.18%

Tuesday, May 19, 2009 Page 5 of 19

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
maple, hedge	74	0.35%	0.18%
ilac, Japanese tree	73	0.34%	0.18%
nornbeam, European	62	0.29%	0.15%
oak, black	58	0.27%	0.14%
douglas-fir	51	0.24%	0.13%
maple, Japanese	50	0.23%	0.12%
norsechestnut	50	0.23%	0.12%
nemlock, eastern	49	0.23%	0.12%
oak, pin	48	0.22%	0.12%
Amur corktree	48	0.22%	0.12%
sweetgum, American	45	0.21%	0.11%
oirch, river	44	0.21%	0.11%
ouckthorn, common	43	0.20%	0.11%
maple, Amur	36	0.17%	0.09%
ree-of-heaven	35	0.16%	0.09%
pine, red	35	0.16%	0.09%
nickory, pignut	35	0.16%	0.09%
noneylocust	33	0.15%	0.08%
goldenraintree	33	0.15%	0.08%
Kentucky coffeetree	32	0.15%	0.08%
oak, shingle	31	0.15%	0.08%
apple, common	29	0.14%	0.07%
dogwood, flowering	28	0.13%	0.07%
nawthorn, Washington	27	0.13%	0.07%
Amur maackia	27	0.13%	0.07%
ash, white	25	0.12%	0.06%
nornbeam, American	24	0.11%	0.06%
ringetree, white	23	0.11%	0.06%
yellowwood, American	21	0.10%	0.05%
katsuratree	20	0.09%	0.05%
nardy rubbertree	19	0.09%	0.05%
maple, striped	18	0.08%	0.04%

Tuesday, May 19, 2009 Page 6 of 19

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
maple, paperbark	18	0.08%	0.04%
maple, Miyabei	18	0.08%	0.04%
hickory, mockernut	18	0.08%	0.04%
elm, slippery	18	0.08%	0.04%
Persian parrotia	17	0.08%	0.04%
magnolia, saucer	17	0.08%	0.04%
elm, hybrid	17	0.08%	0.04%
dogwood, Kousa	17	0.08%	0.04%
hickory, bitternut	16	0.07%	0.04%
linden, silver	13	0.06%	0.03%
hophornbeam, American	13	0.06%	0.03%
ash, green	13	0.06%	0.03%
smoketree, common	12	0.06%	0.03%
juniper, spp.	12	0.06%	0.03%
birch, paper	12	0.06%	0.03%
lilac, common	11	0.05%	0.03%
cherry, Sargent	11	0.05%	0.03%
willow, weeping	10	0.05%	0.02%
willow, black	10	0.05%	0.02%
fir, balsam	10	0.05%	0.02%
willow, corkscrew	9	0.04%	0.02%
maple, sycamore	9	0.04%	0.02%
maple, Tatarian	8	0.04%	0.02%
magnolia, star	8	0.04%	0.02%
magnolia, spp.	8	0.04%	0.02%
yew, spp.	7	0.03%	0.02%
walnut, English	7	0.03%	0.02%
pear, common	7	0.03%	0.02%
elm, smoothleaf	7	0.03%	0.02%
alder, common	7	0.03%	0.02%
viburnum, spp.	6	0.03%	0.01%
pine, mugo	6	0.03%	0.01%

Tuesday, May 19, 2009 Page 7 of 19

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
osage-orange	6	0.03%	0.01%
peach, common	5	0.02%	0.01%
filbert, American	5	0.02%	0.01%
dawn redwood	5	0.02%	0.01%
blackgum	5	0.02%	0.01%
birch, gray	5	0.02%	0.01%
beech, European	5	0.02%	0.01%
pine, Japanese white	4	0.02%	0.01%
horsechestnut, red	4	0.02%	0.01%
goldenchain tree	4	0.02%	0.01%
aspen, quaking	4	0.02%	0.01%
aspen, bigtooth	4	0.02%	0.01%
willow, spp.	3	0.01%	0.01%
sassafras	3	0.01%	0.01%
oak, Shumard	3	0.01%	0.01%
mountainash, European	3	0.01%	0.01%
maple, trident	3	0.01%	0.01%
maple, black	3	0.01%	0.01%
cypress, Leyland	3	0.01%	0.01%
beech, American	3	0.01%	0.01%
willow, pussy	2	0.01%	0.00%
Russian-olive	2	0.01%	0.00%
pine, jack	2	0.01%	0.00%
paulownia	2	0.01%	0.00%
mulberry, red	2	0.01%	0.00%
maple, western sugar	2	0.01%	0.00%
maple, three-flower	2	0.01%	0.00%
fir, white	2	0.01%	0.00%
filbert, European	2	0.01%	0.00%
falsecypress, Nootka	2	0.01%	0.00%
dogwood, pagoda	2	0.01%	0.00%
buckeye, yellow	2	0.01%	0.00%

Tuesday, May 19, 2009 Page 8 of 19

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
yellowhorn	1	0.00%	0.00%
spruce, Serbian	1	0.00%	0.00%
smoketree, American	1	0.00%	0.00%
serviceberry, Allegheny	1	0.00%	0.00%
pine, Ponderosa	1	0.00%	0.00%
pawpaw, common	1	0.00%	0.00%
oak, willow	1	0.00%	0.00%
oak, scarlet	1	0.00%	0.00%
oak, chinkapin	1	0.00%	0.00%
mountainash, American	1	0.00%	0.00%
magnolia, sweetbay	1	0.00%	0.00%
larch, European	1	0.00%	0.00%
hawthorn, cockspur	1	0.00%	0.00%
filbert, Turkish	1	0.00%	0.00%
falsecypress, Hinoki	1	0.00%	0.00%
devils-walkingstick	1	0.00%	0.00%
cherry, sweet	1	0.00%	0.00%
cherry, pin	1	0.00%	0.00%
butternut	1	0.00%	0.00%
buckeye, Ohio	1	0.00%	0.00%
ash, blue	1	0.00%	0.00%
alder, tag	1	0.00%	0.00%
Summary for Fair (162 items)			
Sum	21342	100%	52.37%
Good			
honeylocust, thornless	1817	13.13%	4.46%
maple, Norway	1650	11.92%	4.05%
maple, sugar	1488	10.75%	3.65%
maple, red	1199	8.66%	2.94%
crabapple, flowering	933	6.74%	2.29%
planetree, London	875	6.32%	2.15%
linden, littleleaf	622	4.49%	1.53%

Tuesday, May 19, 2009 Page 9 of 19

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
maple, silver	360	2.60%	0.88%
spruce, Colorado	334	2.41%	0.82%
oak, northern red	298	2.15%	0.73%
pear, callery	278	2.01%	0.68%
spruce, Norway	208	1.50%	0.51%
arborvitae, eastern	198	1.43%	0.49%
walnut, black	180	1.30%	0.44%
spruce, white	180	1.30%	0.44%
zelkova, Japanese	152	1.10%	0.37%
pine, eastern white	150	1.08%	0.37%
pine, Austrian	138	1.00%	0.34%
elm, American	126	0.91%	0.31%
oak, swamp white	120	0.87%	0.29%
maple, Freeman	106	0.77%	0.26%
redbud, eastern	104	0.75%	0.26%
hickory, shagbark	101	0.73%	0.25%
tuliptree	100	0.72%	0.25%
linden, American	97	0.70%	0.24%
oak, English	95	0.69%	0.23%
serviceberry, spp.	93	0.67%	0.23%
oak, pin	86	0.62%	0.21%
hackberry, common	81	0.59%	0.20%
oak, bur	80	0.58%	0.20%
ginkgo	79	0.57%	0.19%
sweetgum, American	78	0.56%	0.19%
Japanese pagodatree	78	0.56%	0.19%
maple, hedge	77	0.56%	0.19%
cherry/plum, spp.	71	0.51%	0.17%
oak, white	68	0.49%	0.17%
Kentucky coffeetree	59	0.43%	0.14%
sycamore, American	56	0.40%	0.14%
cottonwood, eastern	56	0.40%	0.14%

Tuesday, May 19, 2009 Page 10 of 19

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
lilac, Japanese tree	50	0.36%	0.12%
hemlock, eastern	48	0.35%	0.12%
pine, Scotch	47	0.34%	0.12%
douglas-fir	42	0.30%	0.10%
redcedar, eastern	39	0.28%	0.10%
birch, river	34	0.25%	0.08%
yellowwood, American	27	0.20%	0.07%
hickory, pignut	25	0.18%	0.06%
elm, Siberian	25	0.18%	0.06%
hornbeam, European	24	0.17%	0.06%
maple, Japanese	23	0.17%	0.06%
cherry, black	23	0.17%	0.06%
oak, shingle	22	0.16%	0.05%
fringetree, white	22	0.16%	0.05%
fir, white	22	0.16%	0.05%
hawthorn, Washington	21	0.15%	0.05%
goldenraintree	21	0.15%	0.05%
dawn redwood	20	0.14%	0.05%
hawthorn, spp.	19	0.14%	0.05%
catalpa, northern	18	0.13%	0.04%
maple, Miyabei	17	0.12%	0.04%
locust, black	17	0.12%	0.04%
fir, balsam	16	0.12%	0.04%
oak, black	15	0.11%	0.04%
Amur corktree	15	0.11%	0.04%
honeylocust	14	0.10%	0.03%
pine, red	13	0.09%	0.03%
linden, silver	13	0.09%	0.03%
elm, hybrid	13	0.09%	0.03%
dogwood, flowering	13	0.09%	0.03%
Amur maackia	13	0.09%	0.03%
horsechestnut	12	0.09%	0.03%

Tuesday, May 19, 2009 Page 11 of 19

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
elm, smoothleaf	11	0.08%	0.03%
uniper, spp.	10	0.07%	0.02%
elm, slippery	10	0.07%	0.02%
katsuratree	9	0.07%	0.02%
nornbeam, American	9	0.07%	0.02%
Persian parrotia	8	0.06%	0.02%
nickory, mockernut	8	0.06%	0.02%
plackgum	8	0.06%	0.02%
smoketree, common	7	0.05%	0.02%
maple, Tatarian	7	0.05%	0.02%
magnolia, saucer	7	0.05%	0.02%
nickory, bitternut	7	0.05%	0.02%
pirch, paper	7	0.05%	0.02%
maple, three-flower	6	0.04%	0.01%
magnolia, star	6	0.04%	0.01%
filbert, Turkish	6	0.04%	0.01%
aspen, bigtooth	6	0.04%	0.01%
alder, common	6	0.04%	0.01%
willow, weeping	5	0.04%	0.01%
maple, paperbark	5	0.04%	0.01%
mulberry, white	4	0.03%	0.01%
maple, striped	4	0.03%	0.01%
dogwood, Kousa	4	0.03%	0.01%
ouckeye, yellow	4	0.03%	0.01%
spruce, Serbian	3	0.02%	0.01%
oine, mugo	3	0.02%	0.01%
pak, Shumard	3	0.02%	0.01%
maple, trident	3	0.02%	0.01%
ouckeye, Ohio	3	0.02%	0.01%
apple, common	3	0.02%	0.01%
willow, corkscrew	2	0.01%	0.00%
tree-of-heaven	2	0.01%	0.00%

Tuesday, May 19, 2009 Page 12 of 19

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
pear, common	2	0.01%	0.00%
magnolia, spp.	2	0.01%	0.00%
linden, caucasian	2	0.01%	0.00%
horsechestnut, red	2	0.01%	0.00%
hophornbeam, American	2	0.01%	0.00%
goldenchain tree	2	0.01%	0.00%
cypress, Leyland	2	0.01%	0.00%
beech, European	2	0.01%	0.00%
beech, American	2	0.01%	0.00%
baldcypress, common	2	0.01%	0.00%
yew, spp.	1	0.01%	0.00%
witchhazel, common	1	0.01%	0.00%
smoketree, American	1	0.01%	0.00%
silverbell, Carolina	1	0.01%	0.00%
plum, cherry	1	0.01%	0.00%
pine, Ponderosa	1	0.01%	0.00%
pine, Japanese white	1	0.01%	0.00%
persimmon, common	1	0.01%	0.00%
oak, chestnut	1	0.01%	0.00%
maple, Amur	1	0.01%	0.00%
magnolia, sweetbay	1	0.01%	0.00%
lilac, common	1	0.01%	0.00%
larch, European	1	0.01%	0.00%
holly, spp.	1	0.01%	0.00%
hardy rubbertree	1	0.01%	0.00%
filbert, American	1	0.01%	0.00%
dogwood, pagoda	1	0.01%	0.00%
dogwood, gray	1	0.01%	0.00%
dogwood, corneliancherry	1	0.01%	0.00%
cherry, pin	1	0.01%	0.00%
buckthorn, common	1	0.01%	0.00%
birch, European white	1	0.01%	0.00%

Tuesday, May 19, 2009 Page 13 of 19

Total	-	Percent of Entire Population
		-
1	0.01%	0.00%
13843	100%	33.97%
70070	100 %	30.07 /0
		1.86%
		1.58%
		1.12%
		0.66%
267	6.15%	0.66%
170	3.92%	0.42%
147	3.39%	0.36%
125	2.88%	0.31%
88	2.03%	0.22%
83	1.91%	0.20%
74	1.71%	0.18%
73	1.68%	0.18%
65	1.50%	0.16%
56	1.29%	0.14%
53	1.22%	0.13%
52	1.20%	0.13%
51	1.18%	0.13%
50	1.15%	0.12%
49	1.13%	0.12%
44	1.01%	0.11%
42	0.97%	0.10%
41	0.95%	0.10%
32	0.74%	0.08%
		0.07%
		0.07%
		0.07%
		0.06%
23	0.53%	0.06%
	170 147 125 88 83 74 73 65 56 53 52 51 50 49 44 42 41 32 30 27 27	Total Category Pop. 1 0.01% 13843 100% 757 17.45% 643 14.82% 456 10.51% 268 6.18% 267 6.15% 170 3.92% 147 3.39% 125 2.88% 88 2.03% 83 1.91% 74 1.71% 73 1.68% 65 1.50% 56 1.29% 53 1.22% 52 1.20% 51 1.18% 50 1.15% 49 1.13% 44 1.01% 42 0.97% 41 0.95% 32 0.74% 30 0.69% 27 0.62% 23 0.53%

Tuesday, May 19, 2009 Page 14 of 19

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
tuliptree	21	0.48%	0.05%
serviceberry, spp.	19	0.44%	0.05%
pine, eastern white	18	0.41%	0.04%
oak, bur	18	0.41%	0.04%
maple, Amur	18	0.41%	0.04%
Japanese pagodatree	17	0.39%	0.04%
hackberry, common	17	0.39%	0.04%
cottonwood, eastern	17	0.39%	0.04%
horsechestnut	16	0.37%	0.04%
hornbeam, European	16	0.37%	0.04%
zelkova, Japanese	15	0.35%	0.04%
willow, black	13	0.30%	0.03%
oak, pin	13	0.30%	0.03%
hawthorn, spp.	13	0.30%	0.03%
ginkgo	13	0.30%	0.03%
spruce, Norway	12	0.28%	0.03%
oak, shingle	11	0.25%	0.03%
oak, black	11	0.25%	0.03%
dogwood, flowering	10	0.23%	0.02%
sycamore, American	9	0.21%	0.02%
pine, Scotch	9	0.21%	0.02%
maple, hedge	9	0.21%	0.02%
maple, Freeman	9	0.21%	0.02%
buckthorn, common	9	0.21%	0.02%
tree-of-heaven	8	0.18%	0.02%
redcedar, eastern	8	0.18%	0.02%
oak, English	8	0.18%	0.02%
arborvitae, eastern	8	0.18%	0.02%
Amur corktree	8	0.18%	0.02%
maple, sycamore	7	0.16%	0.02%
ash, green	7	0.16%	0.02%
honeylocust	6	0.14%	0.01%

Tuesday, May 19, 2009 Page 15 of 19

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
hickory, pignut	6	0.14%	0.01%
sweetgum, American	5	0.12%	0.01%
sassafras	5	0.12%	0.01%
pine, red	5	0.12%	0.01%
maple, striped	5	0.12%	0.01%
elm, hybrid	5	0.12%	0.01%
birch, river	5	0.12%	0.01%
yellowwood, American	4	0.09%	0.01%
maple, Japanese	4	0.09%	0.01%
hickory, mockernut	4	0.09%	0.01%
hemlock, eastern	4	0.09%	0.01%
goldenraintree	4	0.09%	0.01%
elm, slippery	4	0.09%	0.01%
douglas-fir	4	0.09%	0.01%
apple, common	4	0.09%	0.01%
smoketree, common	3	0.07%	0.01%
Persian parrotia	3	0.07%	0.01%
osage-orange	3	0.07%	0.01%
katsuratree	3	0.07%	0.01%
juniper, spp.	3	0.07%	0.01%
hornbeam, American	3	0.07%	0.01%
hickory, bitternut	3	0.07%	0.01%
fir, balsam	3	0.07%	0.01%
dogwood, Kousa	3	0.07%	0.01%
Russian-olive	2	0.05%	0.00%
mountainash, European	2	0.05%	0.00%
maple, Tatarian	2	0.05%	0.00%
Kentucky coffeetree	2	0.05%	0.00%
hawthorn, Washington	2	0.05%	0.00%
blackgum	2	0.05%	0.00%
willow, weeping	1	0.02%	0.00%
willow, pussy	1	0.02%	0.00%

Tuesday, May 19, 2009 Page 16 of 19

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
willow, corkscrew	1	0.02%	0.00%
pine, Japanese white	1	0.02%	0.00%
pine, Japanese black	1	0.02%	0.00%
pear, common	1	0.02%	0.00%
peach, common	1	0.02%	0.00%
oak, Shumard	1	0.02%	0.00%
oak, scarlet	1	0.02%	0.00%
oak, sawtooth	1	0.02%	0.00%
mountainash, American	1	0.02%	0.00%
maple, trident	1	0.02%	0.00%
maple, Miyabei	1	0.02%	0.00%
locust, bristly	1	0.02%	0.00%
lilac, common	1	0.02%	0.00%
hophornbeam, American	1	0.02%	0.00%
hardy rubbertree	1	0.02%	0.00%
goldenchain tree	1	0.02%	0.00%
fringetree, white	1	0.02%	0.00%
fir, white	1	0.02%	0.00%
baldcypress, common	1	0.02%	0.00%
aspen, quaking	1	0.02%	0.00%
Summary for Poor (112 items)			
Sum	4338	100%	10.65%
Very Good			
honeylocust, thornless	54	10.53%	0.13%
planetree, London	52	10.14%	0.13%
spruce, Colorado	45	8.77%	0.11%
maple, red	43	8.38%	0.11%
spruce, Norway	30	5.85%	0.07%
spruce, white	24	4.68%	0.06%
crabapple, flowering	23	4.48%	0.06%
arborvitae, eastern	20	3.90%	0.05%
douglas-fir	18	3.51%	0.04%

Tuesday, May 19, 2009 Page 17 of 19

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
linden, littleleaf	15	2.92%	0.04%
pear, callery	13	2.53%	0.03%
maple, Norway	13	2.53%	0.03%
tuliptree	12	2.34%	0.03%
oak, swamp white	11	2.14%	0.03%
oak, northern red	9	1.75%	0.02%
maple, sugar	9	1.75%	0.02%
oak, pin	8	1.56%	0.02%
oak, English	8	1.56%	0.02%
serviceberry, spp.	7	1.36%	0.02%
walnut, black	6	1.17%	0.01%
maple, Freeman	6	1.17%	0.01%
fir, white	6	1.17%	0.01%
redcedar, eastern	4	0.78%	0.01%
pine, Austrian	4	0.78%	0.01%
lilac, Japanese tree	4	0.78%	0.01%
ginkgo	4	0.78%	0.01%
birch, river	4	0.78%	0.01%
sycamore, American	3	0.58%	0.01%
sweetgum, American	3	0.58%	0.01%
redbud, eastern	3	0.58%	0.01%
oak, bur	3	0.58%	0.01%
maple, silver	3	0.58%	0.01%
maple, Japanese	3	0.58%	0.01%
goldenraintree	3	0.58%	0.01%
cypress, Leyland	3	0.58%	0.01%
cherry/plum, spp.	3	0.58%	0.01%
catalpa, northern	3	0.58%	0.01%
pine, eastern white	2	0.39%	0.00%
hornbeam, European	2	0.39%	0.00%
hickory, shagbark	2	0.39%	0.00%
dogwood, Kousa	2	0.39%	0.00%

Tuesday, May 19, 2009 Page 18 of 19

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
apple, common	2	0.39%	0.00%
zelkova, Japanese	1	0.19%	0.00%
yellowwood, American	1	0.19%	0.00%
pine, Scotch	1	0.19%	0.00%
pine, mugo	1	0.19%	0.00%
oak, white	1	0.19%	0.00%
oak, shingle	1	0.19%	0.00%
oak, northern pin	1	0.19%	0.00%
maple, hedge	1	0.19%	0.00%
maple, black	1	0.19%	0.00%
magnolia, star	1	0.19%	0.00%
magnolia, saucer	1	0.19%	0.00%
locust, black	1	0.19%	0.00%
linden, American	1	0.19%	0.00%
juniper, spp.	1	0.19%	0.00%
Japanese pagodatree	1	0.19%	0.00%
hardy rubbertree	1	0.19%	0.00%
fir, balsam	1	0.19%	0.00%
elm, smoothleaf	1	0.19%	0.00%
elm, Siberian	1	0.19%	0.00%
Amur maackia	1	0.19%	0.00%
alder, common	1	0.19%	0.00%
Summary for Very Good (63 items)			
Sum	513	100%	1.26%
Grand Total	40749		

Tuesday, May 19, 2009 Page 19 of 19





Frequency Report: Condition by Maintenance (Street Sites)

Maintenance	Total	Percent of Sub- Category Pop.	Percent of Entire Population
Critical			
Priority 1 Removal	120	43.32%	0.24%
Priority 3 Removal	87	31.41%	0.17%
Priority 2 Removal	55	19.86%	0.11%
Training Prune	11	3.97%	0.02%
Large Tree Routine Prune	2	0.72%	0.00%
Small Tree Routine Prune	1	0.36%	0.00%
Priority 1 Prune	1	0.36%	0.00%
Summary for Critical (7 items)			
Sum	277	100%	0.55%
Dead			
Priority 1 Removal	234	53.67%	0.46%
Priority 3 Removal	138	31.65%	0.27%
Priority 2 Removal	64	14.68%	0.13%
Summary for Dead (3 items)			
Sum	436	100%	0.86%
Fair			
Large Tree Routine Prune	13003	60.93%	25.79%
Training Prune	4397	20.60%	8.72%
Priority 2 Prune	1625	7.61%	3.22%
Small Tree Routine Prune	1590	7.45%	3.15%
Priority 1 Prune	607	2.84%	1.20%
Priority 3 Removal	107	0.50%	0.21%
Priority 2 Removal	9	0.04%	0.02%
Priority 1 Removal	4	0.02%	0.01%
Summary for Fair (8 items)			
Sum	21342	100%	42.33%
Good			
Large Tree Routine Prune	9564	69.09%	18.97%
Training Prune	2795	20.19%	5.54%

Tuesday, May 19, 2009 Page 1 of 2

Maintenance	Total	Percent of Sub- Category Pop.	Percent of Entire Population
Small Tree Routine Prune	1194	8.63%	2.37%
Priority 2 Prune	246	1.78%	0.49%
Priority 1 Prune	44	0.32%	0.09%
Summary for Good (5 items)			
Sum	13843	100%	27.45%
N/A			
Plant Tree	8853	91.50%	17.56%
Stump Removal	822	8.50%	1.63%
Summary for N/A (2 items)			
Sum	9675	100%	19.19%
Poor			
Large Tree Routine Prune	1346	31.03%	2.67%
Priority 2 Removal	608	14.02%	1.21%
Priority 2 Prune	505	11.64%	1.00%
Training Prune	489	11.27%	0.97%
Priority 1 Prune	445	10.26%	0.88%
Priority 3 Removal	388	8.94%	0.77%
Priority 1 Removal	352	8.11%	0.70%
Small Tree Routine Prune	205	4.73%	0.41%
Summary for Poor (8 items)			
Sum	4338	100%	8.60%
Very Good			
Large Tree Routine Prune	291	56.73%	0.58%
Training Prune	188	36.65%	0.37%
Small Tree Routine Prune	33	6.43%	0.07%
Priority 2 Prune	1	0.19%	0.00%
Summary for Very Good (4 items)			
Sum	513	100%	1.02%
Grand Total	50424		

Tuesday, May 19, 2009 Page 2 of 2





Frequency Report: Diameter Class by Common (Street Sites)

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
1 - 3			
maple, red	828	11.26%	1.99%
crabapple, flowering	550	7.48%	1.32%
pear, callery	376	5.11%	0.90%
maple, Norway	339	4.61%	0.82%
honeylocust, thornless	276	3.75%	0.66%
arborvitae, eastern	276	3.75%	0.66%
redbud, eastern	227	3.09%	0.55%
linden, littleleaf	223	3.03%	0.54%
oak, swamp white	219	2.98%	0.53%
maple, sugar	219	2.98%	0.53%
serviceberry, spp.	211	2.87%	0.51%
cherry/plum, spp.	204	2.77%	0.49%
oak, northern red	202	2.75%	0.49%
spruce, Colorado	169	2.30%	0.41%
hackberry, common	155	2.11%	0.37%
ginkgo	132	1.79%	0.32%
spruce, white	131	1.78%	0.32%
planetree, London	102	1.39%	0.25%
lilac, Japanese tree	101	1.37%	0.24%
hemlock, eastern	86	1.17%	0.21%
maple, hedge	84	1.14%	0.20%
hornbeam, European	82	1.12%	0.20%
maple, silver	79	1.07%	0.19%
pine, eastern white	71	0.97%	0.17%
birch, river	70	0.95%	0.17%
tuliptree	69	0.94%	0.17%
spruce, Norway	68	0.92%	0.16%
zelkova, Japanese	65	0.88%	0.16%

Tuesday, May 19, 2009 Page 1 of 23

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
redcedar, eastern	63	0.86%	0.15%
hawthorn, spp.	56	0.76%	0.13%
sweetgum, American	55	0.75%	0.13%
maple, Japanese	52	0.71%	0.13%
yellowwood, American	50	0.68%	0.12%
elm, American	48	0.65%	0.12%
oak, shingle	45	0.61%	0.11%
fringetree, white	45	0.61%	0.11%
goldenraintree	44	0.60%	0.11%
dogwood, flowering	41	0.56%	0.10%
Amur maackia	41	0.56%	0.10%
hornbeam, American	36	0.49%	0.09%
hawthorn, Washington	36	0.49%	0.09%
maple, Miyabei	34	0.46%	0.08%
mulberry, white	33	0.45%	0.08%
pine, Austrian	31	0.42%	0.07%
maple, Freeman	31	0.42%	0.07%
oak, bur	29	0.39%	0.07%
maple, striped	28	0.38%	0.07%
Persian parrotia	27	0.37%	0.06%
maple, Amur	27	0.37%	0.06%
elm, hybrid	27	0.37%	0.06%
catalpa, northern	27	0.37%	0.06%
dogwood, Kousa	26	0.35%	0.06%
ash, white	26	0.35%	0.06%
oak, pin	24	0.33%	0.06%
katsuratree	24	0.33%	0.06%
elm, Siberian	23	0.31%	0.06%
hardy rubbertree	22	0.30%	0.05%
buckthorn, common	21	0.29%	0.05%
boxelder	21	0.29%	0.05%
oak, English	20	0.27%	0.05%

Tuesday, May 19, 2009 Page 2 of 23

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
maple, paperbark	20	0.27%	0.05%
iir, balsam	20	0.27%	0.05%
smoketree, common	19	0.26%	0.05%
Kentucky coffeetree	19	0.26%	0.05%
unknown	17	0.23%	0.04%
maple, Tatarian	17	0.23%	0.04%
maple, spp.	17	0.23%	0.04%
inden, silver	17	0.23%	0.04%
walnut, black	16	0.22%	0.04%
ash, green	16	0.22%	0.04%
uniper, spp.	15	0.20%	0.04%
nickory, shagbark	15	0.20%	0.04%
iir, white	15	0.20%	0.04%
stump	14	0.19%	0.03%
olackgum	14	0.19%	0.03%
magnolia, star	13	0.18%	0.03%
magnolia, saucer	13	0.18%	0.03%
alder, common	13	0.18%	0.03%
pak, white	12	0.16%	0.03%
oak, black	12	0.16%	0.03%
ilac, common	12	0.16%	0.03%
norsechestnut	12	0.16%	0.03%
cherry, Sargent	12	0.16%	0.03%
apple, common	12	0.16%	0.03%
douglas-fir	11	0.15%	0.03%
magnolia, spp.	10	0.14%	0.02%
ocust, black	10	0.14%	0.02%
inden, American	10	0.14%	0.02%
dawn redwood	10	0.14%	0.02%
willow, corkscrew	9	0.12%	0.02%
pine, mugo	9	0.12%	0.02%
Amur corktree	9	0.12%	0.02%

Tuesday, May 19, 2009 Page 3 of 23

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
pine, Scotch	8	0.11%	0.02%
Japanese pagodatree	8	0.11%	0.02%
hophornbeam, American	7	0.10%	0.02%
viburnum, spp.	6	0.08%	0.01%
tree-of-heaven	6	0.08%	0.01%
peach, common	6	0.08%	0.01%
honeylocust	6	0.08%	0.01%
goldenchain tree	6	0.08%	0.01%
filbert, Turkish	6	0.08%	0.01%
filbert, American	6	0.08%	0.01%
cherry, black	6	0.08%	0.01%
birch, paper	6	0.08%	0.01%
yew, spp.	5	0.07%	0.01%
smoketree, American	5	0.07%	0.01%
maple, trident	5	0.07%	0.01%
maple, three-flower	5	0.07%	0.01%
ash, spp.	5	0.07%	0.01%
pine, Japanese white	4	0.05%	0.01%
hickory, bitternut	4	0.05%	0.01%
cypress, Leyland	4	0.05%	0.01%
cottonwood, eastern	4	0.05%	0.01%
buckeye, yellow	4	0.05%	0.01%
buckeye, Ohio	4	0.05%	0.01%
willow, spp.	3	0.04%	0.01%
spruce, spp.	3	0.04%	0.01%
spruce, Serbian	3	0.04%	0.01%
pine, red	3	0.04%	0.01%
horsechestnut, red	3	0.04%	0.01%
willow, pussy	2	0.03%	0.00%
oak, spp.	2	0.03%	0.00%
maple, western sugar	2	0.03%	0.00%
magnolia, sweetbay	2	0.03%	0.00%

Tuesday, May 19, 2009 Page 4 of 23

Common	Total	Category Pop.	Percent of Entire Population
linden, caucasian	2	0.03%	0.00%
hickory, pignut	2	0.03%	0.00%
falsecypress, Nootka	2	0.03%	0.00%
elm, smoothleaf	2	0.03%	0.00%
dogwood, pagoda	2	0.03%	0.00%
birch, gray	2	0.03%	0.00%
beech, European	2	0.03%	0.00%
yellowhorn	1	0.01%	0.00%
witchhazel, common	1	0.01%	0.00%
willow, weeping	1	0.01%	0.00%
sycamore, American	1	0.01%	0.00%
silverbell, Carolina	1	0.01%	0.00%
pear, common	1	0.01%	0.00%
pawpaw, common	1	0.01%	0.00%
oak, willow	1	0.01%	0.00%
oak, sawtooth	1	0.01%	0.00%
mountainash, European	1	0.01%	0.00%
holly, spp.	1	0.01%	0.00%
hickory, mockernut	1	0.01%	0.00%
hawthorn, cockspur	1	0.01%	0.00%
filbert, European	1	0.01%	0.00%
elm, spp.	1	0.01%	0.00%
elm, slippery	1	0.01%	0.00%
dogwood, gray	1	0.01%	0.00%
dogwood, corneliancherry	1	0.01%	0.00%
devils-walkingstick	1	0.01%	0.00%
cherry, pin	1	0.01%	0.00%
birch, European white	1	0.01%	0.00%
baldcypress, common	1	0.01%	0.00%
ash, blue	1	0.01%	0.00%
alder, tag	1	0.01%	0.00%

Tuesday, May 19, 2009 Page 5 of 23

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
Summary for 1 - 3 (155 items)			
Sum	7354	100%	17.69%
4 - 6			
maple, red	922	17.49%	2.22%
crabapple, flowering	748	14.19%	1.80%
maple, Norway	489	9.28%	1.18%
pear, callery	348	6.60%	0.84%
honeylocust, thornless	333	6.32%	0.80%
maple, sugar	162	3.07%	0.39%
oak, northern red	157	2.98%	0.38%
spruce, Colorado	142	2.69%	0.34%
linden, littleleaf	129	2.45%	0.31%
spruce, white	91	1.73%	0.22%
stump	86	1.63%	0.21%
oak, swamp white	84	1.59%	0.20%
pine, eastern white	64	1.21%	0.15%
maple, Freeman	61	1.16%	0.15%
zelkova, Japanese	59	1.12%	0.14%
redbud, eastern	58	1.10%	0.14%
maple, hedge	57	1.08%	0.14%
maple, silver	54	1.02%	0.13%
arborvitae, eastern	53	1.01%	0.13%
spruce, Norway	51	0.97%	0.12%
pine, Austrian	51	0.97%	0.12%
planetree, London	46	0.87%	0.11%
elm, American	46	0.87%	0.11%
sweetgum, American	43	0.82%	0.10%
oak, English	43	0.82%	0.10%
cherry/plum, spp.	43	0.82%	0.10%
elm, Siberian	42	0.80%	0.10%
douglas-fir	39	0.74%	0.09%
hickory, shagbark	37	0.70%	0.09%

Tuesday, May 19, 2009 Page 6 of 23

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
ash, white	37	0.70%	0.09%
redcedar, eastern	29	0.55%	0.07%
tuliptree	28	0.53%	0.07%
ginkgo	26	0.49%	0.06%
buckthorn, common	26	0.49%	0.06%
hawthorn, spp.	25	0.47%	0.06%
walnut, black	24	0.46%	0.06%
serviceberry, spp.	23	0.44%	0.06%
oak, bur	23	0.44%	0.06%
ilac, Japanese tree	23	0.44%	0.06%
pine, Scotch	20	0.38%	0.05%
mulberry, white	20	0.38%	0.05%
ash, spp.	20	0.38%	0.05%
oak, shingle	19	0.36%	0.05%
maple, Japanese	19	0.36%	0.05%
apple, common	19	0.36%	0.05%
hackberry, common	18	0.34%	0.04%
boxelder	18	0.34%	0.04%
oak, pin	16	0.30%	0.04%
ocust, black	16	0.30%	0.04%
Japanese pagodatree	14	0.27%	0.03%
hemlock, eastern	11	0.21%	0.03%
dogwood, flowering	11	0.21%	0.03%
cherry, black	11	0.21%	0.03%
maple, Amur	10	0.19%	0.02%
linden, American	10	0.19%	0.02%
hawthorn, Washington	10	0.19%	0.02%
tree-of-heaven	9	0.17%	0.02%
magnolia, saucer	9	0.17%	0.02%
birch, river	9	0.17%	0.02%
Amur corktree	9	0.17%	0.02%
horsechestnut	8	0.15%	0.02%

Tuesday, May 19, 2009 Page 7 of 23

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
goldenraintree	8	0.15%	0.02%
elm, spp.	8	0.15%	0.02%
dawn redwood	8	0.15%	0.02%
hornbeam, European	7	0.13%	0.02%
fir, white	7	0.13%	0.02%
elm, smoothleaf	6	0.11%	0.01%
cottonwood, eastern	6	0.11%	0.01%
catalpa, northern	6	0.11%	0.01%
oak, white	5	0.09%	0.01%
sycamore, American	4	0.08%	0.01%
spruce, spp.	4	0.08%	0.01%
pine, red	4	0.08%	0.01%
oak, black	4	0.08%	0.01%
honeylocust	4	0.08%	0.01%
fir, balsam	4	0.08%	0.01%
yew, spp.	3	0.06%	0.01%
unknown	3	0.06%	0.01%
smoketree, common	3	0.06%	0.01%
maple, paperbark	3	0.06%	0.01%
katsuratree	3	0.06%	0.01%
juniper, spp.	3	0.06%	0.01%
horsechestnut, red	3	0.06%	0.01%
hickory, bitternut	3	0.06%	0.01%
birch, paper	3	0.06%	0.01%
beech, American	3	0.06%	0.01%
willow, black	2	0.04%	0.00%
sassafras	2	0.04%	0.00%
pine, Japanese white	2	0.04%	0.00%
maple, Miyabei	2	0.04%	0.00%
magnolia, star	2	0.04%	0.00%
Kentucky coffeetree	2	0.04%	0.00%
hickory, mockernut	2	0.04%	0.00%

Tuesday, May 19, 2009 Page 8 of 23

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
elm, slippery	2	0.04%	0.00%
birch, gray	2	0.04%	0.00%
beech, European	2	0.04%	0.00%
baldcypress, common	2	0.04%	0.00%
willow, weeping	1	0.02%	0.00%
willow, pussy	1	0.02%	0.00%
Russian-olive	1	0.02%	0.00%
plum, cherry	1	0.02%	0.00%
pine, Japanese black	1	0.02%	0.00%
Persian parrotia	1	0.02%	0.00%
pear, common	1	0.02%	0.00%
oak, scarlet	1	0.02%	0.00%
oak, northern pin	1	0.02%	0.00%
mountainash, European	1	0.02%	0.00%
maple, three-flower	1	0.02%	0.00%
maple, striped	1	0.02%	0.00%
maple, spp.	1	0.02%	0.00%
linden, silver	1	0.02%	0.00%
lilac, common	1	0.02%	0.00%
larch, European	1	0.02%	0.00%
hophornbeam, American	1	0.02%	0.00%
hickory, pignut	1	0.02%	0.00%
fringetree, white	1	0.02%	0.00%
filbert, European	1	0.02%	0.00%
elm, hybrid	1	0.02%	0.00%
dogwood, pagoda	1	0.02%	0.00%
cherry, sweet	1	0.02%	0.00%
cherry, pin	1	0.02%	0.00%
butternut	1	0.02%	0.00%
blackgum	1	0.02%	0.00%
alder, common	1	0.02%	0.00%

Tuesday, May 19, 2009 Page 9 of 23

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
Summary for 4 - 6 (124 items)			
Sum	5272	100%	12.68%
7 - 12			
maple, Norway	1866	17.58%	4.49%
honeylocust, thornless	1234	11.63%	2.97%
crabapple, flowering	1085	10.22%	2.61%
maple, red	815	7.68%	1.96%
maple, sugar	680	6.41%	1.64%
linden, littleleaf	673	6.34%	1.62%
planetree, London	302	2.85%	0.73%
pine, Austrian	293	2.76%	0.70%
spruce, Colorado	276	2.60%	0.66%
pear, callery	270	2.54%	0.65%
oak, northern red	185	1.74%	0.45%
stump	180	1.70%	0.43%
maple, silver	174	1.64%	0.42%
zelkova, Japanese	167	1.57%	0.40%
elm, American	154	1.45%	0.37%
pine, eastern white	143	1.35%	0.34%
spruce, white	110	1.04%	0.26%
elm, Siberian	108	1.02%	0.26%
spruce, Norway	107	1.01%	0.26%
walnut, black	103	0.97%	0.25%
hickory, shagbark	93	0.88%	0.22%
Japanese pagodatree	84	0.79%	0.20%
oak, English	79	0.74%	0.19%
pine, Scotch	76	0.72%	0.18%
oak, pin	76	0.72%	0.18%
maple, Freeman	73	0.69%	0.18%
locust, black	63	0.59%	0.15%
boxelder	59	0.56%	0.14%
cherry, black	55	0.52%	0.13%

Tuesday, May 19, 2009 Page 10 of 23

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
douglas-fir	52	0.49%	0.13%
Kentucky coffeetree	51	0.48%	0.12%
mulberry, white	42	0.40%	0.10%
Amur corktree	42	0.40%	0.10%
hawthorn, spp.	35	0.33%	0.08%
sweetgum, American	34	0.32%	0.08%
cherry/plum, spp.	34	0.32%	0.08%
redbud, eastern	33	0.31%	0.08%
ash, spp.	33	0.31%	0.08%
linden, American	32	0.30%	0.08%
redcedar, eastern	30	0.28%	0.07%
tuliptree	29	0.27%	0.07%
arborvitae, eastern	26	0.24%	0.06%
pine, red	24	0.23%	0.06%
oak, bur	24	0.23%	0.06%
oak, white	23	0.22%	0.06%
cottonwood, eastern	23	0.22%	0.06%
ash, white	21	0.20%	0.05%
sycamore, American	20	0.19%	0.05%
oak, swamp white	20	0.19%	0.05%
maple, hedge	19	0.18%	0.05%
horsechestnut	19	0.18%	0.05%
unknown	18	0.17%	0.04%
honeylocust	18	0.17%	0.04%
ginkgo	18	0.17%	0.04%
maple, Amur	15	0.14%	0.04%
hickory, mockernut	15	0.14%	0.04%
catalpa, northern	15	0.14%	0.04%
hornbeam, European	13	0.12%	0.03%
elm, spp.	13	0.12%	0.03%
oak, black	11	0.10%	0.03%
tree-of-heaven	10	0.09%	0.02%

Tuesday, May 19, 2009 Page 11 of 23

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
maple, Japanese	10	0.09%	0.02%
birch, river	9	0.08%	0.02%
maple, sycamore	8	0.08%	0.02%
juniper, spp.	8	0.08%	0.02%
hickory, pignut	8	0.08%	0.02%
elm, slippery	8	0.08%	0.02%
oak, Shumard	7	0.07%	0.02%
fir, white	7	0.07%	0.02%
buckthorn, common	7	0.07%	0.02%
pear, common	6	0.06%	0.01%
linden, silver	6	0.06%	0.01%
hophornbeam, American	6	0.06%	0.01%
hemlock, eastern	6	0.06%	0.01%
elm, smoothleaf	6	0.06%	0.01%
birch, paper	6	0.06%	0.01%
ash, green	6	0.06%	0.01%
sassafras	5	0.05%	0.01%
fir, balsam	5	0.05%	0.01%
elm, hybrid	5	0.05%	0.01%
aspen, quaking	5	0.05%	0.01%
apple, common	5	0.05%	0.01%
willow, weeping	4	0.04%	0.01%
osage-orange	4	0.04%	0.01%
lilac, Japanese tree	4	0.04%	0.01%
katsuratree	4	0.04%	0.01%
hawthorn, Washington	4	0.04%	0.01%
mountainash, European	3	0.03%	0.01%
hackberry, common	3	0.03%	0.01%
goldenraintree	3	0.03%	0.01%
dawn redwood	3	0.03%	0.01%
cypress, Leyland	3	0.03%	0.01%
aspen, bigtooth	3	0.03%	0.01%

Tuesday, May 19, 2009 Page 12 of 23

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
willow, corkscrew	2	0.02%	0.00%
willow, black	2	0.02%	0.00%
walnut, English	2	0.02%	0.00%
Russian-olive	2	0.02%	0.00%
pine, jack	2	0.02%	0.00%
paulownia	2	0.02%	0.00%
mountainash, American	2	0.02%	0.00%
maple, trident	2	0.02%	0.00%
maple, three-flower	2	0.02%	0.00%
maple, black	2	0.02%	0.00%
magnolia, saucer	2	0.02%	0.00%
hickory, bitternut	2	0.02%	0.00%
birch, gray	2	0.02%	0.00%
yellowwood, American	1	0.01%	0.00%
spruce, Serbian	1	0.01%	0.00%
serviceberry, spp.	1	0.01%	0.00%
serviceberry, Allegheny	1	0.01%	0.00%
pine, mugo	1	0.01%	0.00%
oak, spp.	1	0.01%	0.00%
oak, shingle	1	0.01%	0.00%
maple, spp.	1	0.01%	0.00%
locust, bristly	1	0.01%	0.00%
goldenchain tree	1	0.01%	0.00%
filbert, Turkish	1	0.01%	0.00%
falsecypress, Hinoki	1	0.01%	0.00%
dogwood, flowering	1	0.01%	0.00%
buckeye, yellow	1	0.01%	0.00%
beech, European	1	0.01%	0.00%
Summary for 7 - 12 (121 items)			
Sum	10613	100%	25.53%
3 - 18			
maple, Norway	2297	23.52%	5.53%

Tuesday, May 19, 2009 Page 13 of 23

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
maple, sugar	2037	20.86%	4.90%
honeylocust, thornless	1204	12.33%	2.90%
linden, littleleaf	575	5.89%	1.38%
planetree, London	526	5.39%	1.27%
maple, silver	340	3.48%	0.82%
maple, red	250	2.56%	0.60%
stump	198	2.03%	0.48%
walnut, black	149	1.53%	0.36%
elm, American	120	1.23%	0.29%
oak, northern red	109	1.12%	0.26%
elm, Siberian	109	1.12%	0.26%
zelkova, Japanese	107	1.10%	0.26%
crabapple, flowering	107	1.10%	0.26%
linden, American	106	1.09%	0.25%
spruce, Colorado	99	1.01%	0.24%
pine, Austrian	96	0.98%	0.23%
pear, callery	93	0.95%	0.22%
spruce, Norway	89	0.91%	0.21%
hickory, shagbark	82	0.84%	0.20%
Japanese pagodatree	78	0.80%	0.19%
locust, black	75	0.77%	0.18%
oak, white	70	0.72%	0.17%
cherry, black	56	0.57%	0.13%
cottonwood, eastern	51	0.52%	0.12%
boxelder	51	0.52%	0.12%
sycamore, American	45	0.46%	0.11%
maple, Freeman	45	0.46%	0.11%
pine, eastern white	44	0.45%	0.11%
tuliptree	41	0.42%	0.10%
pine, Scotch	38	0.39%	0.09%
oak, English	36	0.37%	0.09%
catalpa, northern	32	0.33%	0.08%

Tuesday, May 19, 2009 Page 14 of 23

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
oak, bur	30	0.31%	0.07%
spruce, white	24	0.25%	0.06%
hickory, pignut	24	0.25%	0.06%
oak, pin	23	0.24%	0.06%
mulberry, white	22	0.23%	0.05%
pine, red	20	0.20%	0.05%
ash, spp.	20	0.20%	0.05%
horsechestnut	16	0.16%	0.04%
honeylocust	13	0.13%	0.03%
ginkgo	13	0.13%	0.03%
elm, slippery	12	0.12%	0.03%
oak, black	11	0.11%	0.03%
Kentucky coffeetree	11	0.11%	0.03%
douglas-fir	11	0.11%	0.03%
Amur corktree	11	0.11%	0.03%
redcedar, eastern	10	0.10%	0.02%
maple, sycamore	9	0.09%	0.02%
unknown	8	0.08%	0.02%
tree-of-heaven	8	0.08%	0.02%
oak, swamp white	7	0.07%	0.02%
cherry/plum, spp.	7	0.07%	0.02%
arborvitae, eastern	7	0.07%	0.02%
goldenraintree	6	0.06%	0.01%
hickory, mockernut	5	0.05%	0.01%
hickory, bitternut	5	0.05%	0.01%
ash, green	5	0.05%	0.01%
walnut, English	4	0.04%	0.01%
hornbeam, European	4	0.04%	0.01%
hackberry, common	4	0.04%	0.01%
elm, spp.	4	0.04%	0.01%
birch, paper	4	0.04%	0.01%
ash, white	4	0.04%	0.01%

Tuesday, May 19, 2009 Page 15 of 23

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
willow, black	3	0.03%	0.01%
sweetgum, American	3	0.03%	0.01%
maple, Amur	3	0.03%	0.01%
elm, smoothleaf	3	0.03%	0.01%
willow, weeping	2	0.02%	0.00%
sassafras	2	0.02%	0.00%
pine, Ponderosa	2	0.02%	0.00%
pear, common	2	0.02%	0.00%
maple, black	2	0.02%	0.00%
linden, silver	2	0.02%	0.00%
hophornbeam, American	2	0.02%	0.00%
fir, white	2	0.02%	0.00%
beech, European	2	0.02%	0.00%
beech, American	2	0.02%	0.00%
apple, common	2	0.02%	0.00%
yellowwood, American	1	0.01%	0.00%
willow, corkscrew	1	0.01%	0.00%
Russian-olive	1	0.01%	0.00%
osage-orange	1	0.01%	0.00%
oak, shingle	1	0.01%	0.00%
oak, chestnut	1	0.01%	0.00%
maple, hedge	1	0.01%	0.00%
magnolia, saucer	1	0.01%	0.00%
katsuratree	1	0.01%	0.00%
fir, balsam	1	0.01%	0.00%
elm, hybrid	1	0.01%	0.00%
cypress, Leyland	1	0.01%	0.00%
buckeye, yellow	1	0.01%	0.00%
aspen, quaking	1	0.01%	0.00%
aspen, bigtooth	1	0.01%	0.00%
Summary for 13 - 18 (95 items)			
Sum	9766	100%	23.49%

Tuesday, May 19, 2009 Page 16 of 23

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
19 - 24			
maple, sugar	1445	27.91%	3.48%
maple, Norway	840	16.22%	2.02%
maple, silver	581	11.22%	1.40%
planetree, London	324	6.26%	0.78%
honeylocust, thornless	251	4.85%	0.60%
walnut, black	160	3.09%	0.38%
linden, littleleaf	146	2.82%	0.35%
linden, American	145	2.80%	0.35%
stump	136	2.63%	0.33%
oak, white	102	1.97%	0.25%
elm, American	101	1.95%	0.24%
elm, Siberian	90	1.74%	0.22%
oak, northern red	89	1.72%	0.21%
catalpa, northern	63	1.22%	0.15%
cottonwood, eastern	59	1.14%	0.14%
maple, red	57	1.10%	0.14%
locust, black	54	1.04%	0.13%
spruce, Norway	49	0.95%	0.12%
hickory, shagbark	41	0.79%	0.10%
sycamore, American	40	0.77%	0.10%
tuliptree	39	0.75%	0.09%
oak, bur	35	0.68%	0.08%
cherry, black	29	0.56%	0.07%
hickory, pignut	24	0.46%	0.06%
zelkova, Japanese	23	0.44%	0.06%
oak, black	22	0.42%	0.05%
boxelder	21	0.41%	0.05%
pine, eastern white	13	0.25%	0.03%
horsechestnut	13	0.25%	0.03%
oak, English	12	0.23%	0.03%
Japanese pagodatree	12	0.23%	0.03%

Tuesday, May 19, 2009 Page 17 of 23

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
pine, Austrian	11	0.21%	0.03%
mulberry, white	11	0.21%	0.03%
oak, pin	10	0.19%	0.02%
spruce, Colorado	9	0.17%	0.02%
pine, Scotch	9	0.17%	0.02%
willow, black	8	0.15%	0.02%
tree-of-heaven	8	0.15%	0.02%
hackberry, common	8	0.15%	0.02%
hickory, bitternut	7	0.14%	0.02%
ash, spp.	7	0.14%	0.02%
pear, callery	6	0.12%	0.01%
honeylocust	6	0.12%	0.01%
hickory, mockernut	6	0.12%	0.01%
ginkgo	6	0.12%	0.01%
elm, slippery	6	0.12%	0.01%
aspen, bigtooth	5	0.10%	0.01%
Kentucky coffeetree	4	0.08%	0.01%
crabapple, flowering	4	0.08%	0.01%
osage-orange	3	0.06%	0.01%
oak, swamp white	3	0.06%	0.01%
dawn redwood	3	0.06%	0.01%
willow, weeping	2	0.04%	0.00%
spruce, white	2	0.04%	0.00%
pine, red	2	0.04%	0.00%
oak, spp.	2	0.04%	0.00%
douglas-fir	2	0.04%	0.00%
unknown	1	0.02%	0.00%
sweetgum, American	1	0.02%	0.00%
persimmon, common	1	0.02%	0.00%
mulberry, red	1	0.02%	0.00%
maple, Amur	1	0.02%	0.00%
larch, European	1	0.02%	0.00%

Tuesday, May 19, 2009 Page 18 of 23

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
elm, smoothleaf	1	0.02%	0.00%
elm, hybrid	1	0.02%	0.00%
cherry/plum, spp.	1	0.02%	0.00%
ash, white	1	0.02%	0.00%
arborvitae, eastern	1	0.02%	0.00%
Amur corktree	1	0.02%	0.00%
Summary for 19 - 24 (69 items)			
Sum	5178	100%	12.46%
25 - 30			
maple, silver	481	22.17%	1.16%
maple, sugar	446	20.55%	1.07%
maple, Norway	195	8.99%	0.47%
planetree, London	120	5.53%	0.29%
walnut, black	94	4.33%	0.23%
stump	91	4.19%	0.22%
linden, American	90	4.15%	0.22%
elm, American	74	3.41%	0.18%
oak, white	64	2.95%	0.15%
elm, Siberian	62	2.86%	0.15%
honeylocust, thornless	46	2.12%	0.11%
oak, northern red	44	2.03%	0.11%
catalpa, northern	44	2.03%	0.11%
cottonwood, eastern	38	1.75%	0.09%
oak, bur	35	1.61%	0.08%
linden, littleleaf	30	1.38%	0.07%
sycamore, American	27	1.24%	0.06%
locust, black	20	0.92%	0.05%
maple, red	19	0.88%	0.05%
oak, black	18	0.83%	0.04%
tuliptree	16	0.74%	0.04%
spruce, Norway	15	0.69%	0.04%
cherry, black	13	0.60%	0.03%

Tuesday, May 19, 2009 Page 19 of 23

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
horsechestnut	10	0.46%	0.02%
hickory, shagbark	10	0.46%	0.02%
willow, black	6	0.28%	0.01%
hickory, pignut	6	0.28%	0.01%
oak, pin	5	0.23%	0.01%
ginkgo	5	0.23%	0.01%
tree-of-heaven	4	0.18%	0.01%
Kentucky coffeetree	4	0.18%	0.01%
zelkova, Japanese	3	0.14%	0.01%
pine, eastern white	3	0.14%	0.01%
mulberry, white	3	0.14%	0.01%
hickory, bitternut	3	0.14%	0.01%
boxelder	3	0.14%	0.01%
yellowwood, American	2	0.09%	0.00%
oak, swamp white	2	0.09%	0.00%
honeylocust	2	0.09%	0.00%
willow, weeping	1	0.05%	0.00%
walnut, English	1	0.05%	0.00%
unknown	1	0.05%	0.00%
spruce, white	1	0.05%	0.00%
spruce, spp.	1	0.05%	0.00%
pine, Austrian	1	0.05%	0.00%
osage-orange	1	0.05%	0.00%
oak, scarlet	1	0.05%	0.00%
hickory, mockernut	1	0.05%	0.00%
hackberry, common	1	0.05%	0.00%
elm, smoothleaf	1	0.05%	0.00%
elm, slippery	1	0.05%	0.00%
douglas-fir	1	0.05%	0.00%
dawn redwood	1	0.05%	0.00%
cherry/plum, spp.	1	0.05%	0.00%
aspen, bigtooth	1	0.05%	0.00%

Tuesday, May 19, 2009 Page 20 of 23

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
ash, white	1	0.05%	0.00%
Summary for 25 - 30 (56 items)			
Sum	2170	100%	5.22%
31 - 36			
maple, silver	278	35.10%	0.67%
maple, sugar	77	9.72%	0.19%
stump	57	7.20%	0.14%
elm, American	52	6.57%	0.13%
oak, white	47	5.93%	0.11%
walnut, black	33	4.17%	0.08%
elm, Siberian	31	3.91%	0.07%
oak, bur	23	2.90%	0.06%
planetree, London	22	2.78%	0.05%
cottonwood, eastern	22	2.78%	0.05%
maple, Norway	21	2.65%	0.05%
oak, northern red	16	2.02%	0.04%
catalpa, northern	16	2.02%	0.04%
linden, American	15	1.89%	0.04%
maple, red	11	1.39%	0.03%
honeylocust, thornless	11	1.39%	0.03%
oak, black	6	0.76%	0.01%
cherry, black	6	0.76%	0.01%
spruce, Norway	5	0.63%	0.01%
willow, weeping	4	0.51%	0.01%
sycamore, American	4	0.51%	0.01%
oak, pin	4	0.51%	0.01%
linden, littleleaf	4	0.51%	0.01%
willow, black	3	0.38%	0.01%
mulberry, white	3	0.38%	0.01%
locust, black	3	0.38%	0.01%
hickory, shagbark	3	0.38%	0.01%
hickory, pignut	3	0.38%	0.01%


Tuesday, May 19, 2009 Page 21 of 23

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
honeylocust	2	0.25%	0.00%
hickory, bitternut	2	0.25%	0.00%
tuliptree	1	0.13%	0.00%
tree-of-heaven	1	0.13%	0.00%
oak, swamp white	1	0.13%	0.00%
mulberry, red	1	0.13%	0.00%
Kentucky coffeetree	1	0.13%	0.00%
horsechestnut	1	0.13%	0.00%
elm, slippery	1	0.13%	0.00%
boxelder	1	0.13%	0.00%
Summary for 31 - 36 (38 items) Sum	792	100%	1.91%
37 - 42			
maple, silver	102	37.36%	0.25%
stump	36	13.19%	0.09%
oak, white	24	8.79%	0.06%
elm, American	18	6.59%	0.04%
walnut, black	15	5.49%	0.04%
maple, sugar	14	5.13%	0.03%
elm, Siberian	14	5.13%	0.03%
oak, northern red	10	3.66%	0.02%
oak, bur	10	3.66%	0.02%
cherry, black	4	1.47%	0.01%
oak, black	3	1.10%	0.01%
mulberry, white	3	1.10%	0.01%
maple, red	3	1.10%	0.01%
linden, American	3	1.10%	0.01%
catalpa, northern	3	1.10%	0.01%
maple, Norway	2	0.73%	0.00%
honeylocust	2	0.73%	0.00%
tree-of-heaven	1	0.37%	0.00%
sycamore, American	1	0.37%	0.00%

Tuesday, May 19, 2009 Page 22 of 23

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
planetree, London	1	0.37%	0.00%
oak, swamp white	1	0.37%	0.00%
oak, chinkapin	1	0.37%	0.00%
locust, black	1	0.37%	0.00%
Kentucky coffeetree	1	0.37%	0.00%
Summary for 37 - 42 (24 items)			
Sum	273	100%	0.66%
43 +			
maple, silver	41	26.80%	0.10%
oak, bur	27	17.65%	0.06%
stump	24	15.69%	0.06%
oak, white	17	11.11%	0.04%
elm, American	9	5.88%	0.02%
elm, Siberian	7	4.58%	0.02%
walnut, black	4	2.61%	0.01%
willow, weeping	3	1.96%	0.01%
oak, northern red	3	1.96%	0.01%
maple, sugar	3	1.96%	0.01%
cottonwood, eastern	3	1.96%	0.01%
catalpa, northern	2	1.31%	0.00%
boxelder	2	1.31%	0.00%
sycamore, American	1	0.65%	0.00%
pear, callery	1	0.65%	0.00%
oak, pin	1	0.65%	0.00%
oak, black	1	0.65%	0.00%
maple, red	1	0.65%	0.00%
locust, black	1	0.65%	0.00%
linden, American	1	0.65%	0.00%
elm, slippery	1	0.65%	0.00%
Summary for 43 + (21 items)			
Sum	153	100%	0.37%
Grand Total	41571		

Tuesday, May 19, 2009 Page 23 of 23





Frequency Report: Maintenance by Diameter Class (Street Sites)

Diameter Class	Total	Percent of Sub- Category Pop.	Percent of Entire Population
Large Tree Routine Prune			
1 - 3	653	2.70%	1.30%
4 - 6	1865	7.70%	3.70%
7 - 12	8115	33.52%	16.09%
13 - 18	8079	33.38%	16.02%
19 - 24	3639	15.03%	7.22%
25 - 30	1295	5.35%	2.57%
31 - 36	389	1.61%	0.77%
37 - 42	114	0.47%	0.23%
43 +	57	0.24%	0.11%
Summary for Large Tree Routine Prune (9 items)			
Sum	24206	100%	48.00%
Plant Tree			
N/A	8853	100.00%	17.56%
Summary for Plant Tree (1 item)			
Sum	8853	100%	17.56%
Priority 1 Prune			
7 - 12	43	3.92%	0.09%
13 - 18	208	18.96%	0.41%
19 - 24	337	30.72%	0.67%
25 - 30	272	24.79%	0.54%
31 - 36	136	12.40%	0.27%
37 - 42	63	5.74%	0.12%
43 +	38	3.46%	0.08%
Summary for Priority 1 Prune (7 items)			
Sum	1097	100%	2.18%
Priority 1 Removal			
4 - 6	26	3.66%	0.05%
7 - 12	206	29.01%	0.41%
13 - 18	195	27.46%	0.39%
19 - 24	146	20.56%	0.29%
25 - 30	74	10.42%	0.15%
31 - 36	44	6.20%	0.09%
37 - 42	11	1.55%	0.02%

Tuesday, May 19, 2009 Page 1 of 3

Diameter Class	Total	Percent of Sub- Category Pop.	Percent of Entire Population
43 +	8	1.13%	0.02%
Summary for Priority 1 Removal (8 items)			
Sum	710	100%	1.41%
Priority 2 Prune			
4 - 6	9	0.38%	0.02%
7 - 12	216	9.09%	0.43%
13 - 18	754	31.72%	1.50%
19 - 24	785	33.02%	1.56%
25 - 30	388	16.32%	0.77%
31 - 36	156	6.56%	0.31%
37 - 42	43	1.81%	0.09%
43 +	26	1.09%	0.05%
Summary for Priority 2 Prune (8 items)	2377	100%	4.71%
Sum			
Priority 2 Removal			
1 - 3	6	0.82%	0.01%
4 - 6	74	10.05%	0.15%
7 - 12	269	36.55%	0.53%
13 - 18	195	26.49%	0.39%
19 - 24	128	17.39%	0.25%
25 - 30	48	6.52%	0.10%
31 - 36	10	1.36%	0.02%
37 - 42	6	0.82%	0.01%
Summary for Priority 2 Removal (8 items) Sum	736	100%	1.46%
Priority 3 Removal	400	50.000/	0.000/
1 - 3 4 - 6	420 209	58.33% 29.03%	0.83%
7 - 12	89	12.36%	0.18%
13 - 18	1	0.14%	0.00%
25 - 30	1	0.14%	0.00%
Summary for Priority 3 Removal (5 items)	·	0.1170	0.0070
Sum	720	100%	1.43%
Small Tree Routine Prune			
1 - 3	732	24.21%	1.45%
4 - 6	923	30.53%	1.83%
7 - 12	1226	40.56%	2.43%

Tuesday, May 19, 2009 Page 2 of 3

Diameter Class	Total	Percent of Sub- Category Pop.	Percent of Entire Population
13 - 18	134	4.43%	0.27%
19 - 24	7	0.23%	0.01%
25 - 30	1	0.03%	0.00%
Summary for Small Tree Routine Prune (6 items)			
Sum	3023	100%	6.00%
Stump Removal			
1 - 3	14	1.70%	0.03%
4 - 6	86	10.46%	0.17%
7 - 12	180	21.90%	0.36%
13 - 18	198	24.09%	0.39%
19 - 24	136	16.55%	0.27%
25 - 30	91	11.07%	0.18%
31 - 36	57	6.93%	0.11%
37 - 42	36	4.38%	0.07%
43 +	24	2.92%	0.05%
Summary for Stump Removal (9 items)			
Sum	822	100%	1.63%
Training Prune			
1 - 3	5529	70.16%	10.97%
4 - 6	2080	26.40%	4.13%
7 - 12	269	3.41%	0.53%
13 - 18	2	0.03%	0.00%
Summary for Training Prune (4 items)			
Sum	7880	100%	15.63%
Grand Total	50424		

Tuesday, May 19, 2009 Page 3 of 3





Frequency Report: Diameter Class by Genus (Street Sites)

Genus	Total	Percent of Sub- Category Pop.	Percent of Entire Population
1 - 3			
Acer	1808	24.63%	4.44%
Quercus	567	7.72%	1.39%
Malus	562	7.66%	1.38%
Pyrus	377	5.14%	0.93%
Picea	374	5.10%	0.92%
Gleditsia	282	3.84%	0.69%
Thuja	276	3.76%	0.68%
Tilia	252	3.43%	0.62%
Prunus	229	3.12%	0.56%
Cercis	227	3.09%	0.56%
Amelanchier	211	2.87%	0.52%
Celtis	155	2.11%	0.38%
Ginkgo	132	1.80%	0.32%
Pinus	126	1.72%	0.31%
Carpinus	118	1.61%	0.29%
Syringa	113	1.54%	0.28%
Platanus	103	1.40%	0.25%
Ulmus	102	1.39%	0.25%
Crataegus	93	1.27%	0.23%
Tsuga	86	1.17%	0.21%
Betula	79	1.08%	0.19%
Juniperus	78	1.06%	0.19%
Cornus	71	0.97%	0.17%
Liriodendron	69	0.94%	0.17%
Zelkova	65	0.89%	0.16%
Liquidambar	55	0.75%	0.13%
Cladrastis	50	0.68%	0.12%
Fraxinus	48	0.65%	0.12%

Tuesday, May 19, 2009 Page 1 of 12

Genus	Total	Percent of Sub- Category Pop.	Percent of Entire Population
Chionanthus	45	0.61%	0.11%
Koelreuteria	44	0.60%	0.11%
Maackia	41	0.56%	0.10%
Magnolia	38	0.52%	0.09%
Abies	35	0.48%	0.09%
Morus	33	0.45%	0.08%
Parrotia	27	0.37%	0.07%
Catalpa	27	0.37%	0.07%
Cotinus	24	0.33%	0.06%
Cercidiphyllum	24	0.33%	0.06%
Aesculus	23	0.31%	0.06%
Eucommia	22	0.30%	0.05%
Carya	22	0.30%	0.05%
Rhamnus	21	0.29%	0.05%
Gymnocladus	19	0.26%	0.05%
unknown	17	0.23%	0.04%
Juglans	16	0.22%	0.04%
Salix	15	0.20%	0.04%
Nyssa	14	0.19%	0.03%
Alnus	14	0.19%	0.03%
Corylus	13	0.18%	0.03%
Pseudotsuga	11	0.15%	0.03%
Robinia	10	0.14%	0.02%
Metasequoia	10	0.14%	0.02%
Phellodendron	9	0.12%	0.02%
Styphnolobium	8	0.11%	0.02%
Ostrya	7	0.10%	0.02%
Viburnum	6	0.08%	0.01%
Laburnum	6	0.08%	0.01%
Ailanthus	6	0.08%	0.01%
Taxus	5	0.07%	0.01%
X Cupressocyparis	4	0.05%	0.01%

Tuesday, May 19, 2009 Page 2 of 12

Genus	Total	Percent of Sub- Category Pop.	Percent of Entire Population
Populus	4	0.05%	0.01%
Fagus	2	0.03%	0.00%
Chamaecyparis	2	0.03%	0.00%
Xanthoceras	1	0.01%	0.00%
Taxodium	1	0.01%	0.00%
Sorbus	1	0.01%	0.00%
llex	1	0.01%	0.00%
Hamamelis	1	0.01%	0.00%
Halesia	1	0.01%	0.00%
Asimina	1	0.01%	0.00%
Aralia	1	0.01%	0.00%
Summary for 1 - 3 (71 items) Sum	7340	100%	18.01%
4 - 6	1800	34.71%	4.42%
Acer			
Malus	767	14.79%	1.88%
Quercus	353	6.81%	0.87%
Pyrus	349	6.73%	0.86%
Gleditsia	337	6.50%	0.83%
Picea	288	5.55%	0.71%
Pinus	142	2.74%	0.35%
Tilia	140	2.70%	0.34%
Ulmus	105	2.02%	0.26%
Zelkova	59	1.14%	0.14%
Cercis	58	1.12%	0.14%
Prunus	57	1.10%	0.14%
Fraxinus	57	1.10%	0.14%
Thuja	53	1.02%	0.13%
Platanus	50	0.96%	0.12%
Liquidambar	43	0.83%	0.11%
Carya	43	0.83%	0.11%
Pseudotsuga	39	0.75%	0.10%

Tuesday, May 19, 2009 Page 3 of 12

Genus	Total	Percent of Sub- Category Pop.	Percent of Entire Population
Crataegus	35	0.67%	0.09%
Juniperus	32	0.62%	0.08%
Liriodendron	28	0.54%	0.07%
Rhamnus	26	0.50%	0.06%
Ginkgo	26	0.50%	0.06%
Juglans	25	0.48%	0.06%
Syringa	24	0.46%	0.06%
Amelanchier	23	0.44%	0.06%
Morus	20	0.39%	0.05%
Celtis	18	0.35%	0.04%
Robinia	16	0.31%	0.04%
Styphnolobium	14	0.27%	0.03%
Betula	14	0.27%	0.03%
Cornus	12	0.23%	0.03%
Tsuga	11	0.21%	0.03%
Magnolia	11	0.21%	0.03%
Aesculus	11	0.21%	0.03%
Abies	11	0.21%	0.03%
Phellodendron	9	0.17%	0.02%
Ailanthus	9	0.17%	0.02%
Metasequoia	8	0.15%	0.02%
Koelreuteria	8	0.15%	0.02%
Carpinus	7	0.13%	0.02%
Populus	6	0.12%	0.01%
Catalpa	6	0.12%	0.01%
Fagus	5	0.10%	0.01%
Salix	4	0.08%	0.01%
unknown	3	0.06%	0.01%
Taxus	3	0.06%	0.01%
Cotinus	3	0.06%	0.01%
Cercidiphyllum	3	0.06%	0.01%
Taxodium	2	0.04%	0.00%

Tuesday, May 19, 2009 Page 4 of 12

Genus	Total	Percent of Sub- Category Pop.	Percent of Entire Population
Sassafras	2	0.04%	0.00%
Gymnocladus	2	0.04%	0.00%
Sorbus	1	0.02%	0.00%
Parrotia	1	0.02%	0.00%
Ostrya	1	0.02%	0.00%
Nyssa	1	0.02%	0.00%
Larix	1	0.02%	0.00%
Elaeagnus	1	0.02%	0.00%
Corylus	1	0.02%	0.00%
Chionanthus	1	0.02%	0.00%
Alnus	1	0.02%	0.00%
Summary for 4 - 6 (61 items) Sum 7 - 12	5186	100%	12.73%
Acer	3726	35.71%	9.14%
Gleditsia	1252	12.00%	3.07%
Malus	1090	10.45%	2.67%
Tilia	711	6.81%	1.74%
Pinus	539	5.17%	1.32%
Picea	494	4.73%	1.21%
Quercus	427	4.09%	1.05%
Platanus	322	3.09%	0.79%
Ulmus	294	2.82%	0.72%
Pyrus	276	2.65%	0.68%
Zelkova	167	1.60%	0.41%
Carya	118	1.13%	0.29%
Juglans	105	1.01%	0.26%
Prunus	89	0.85%	0.22%
Styphnolobium	84	0.81%	0.21%
Robinia	64	0.61%	0.16%
Fraxinus	60	0.58%	0.15%
Pseudotsuga	52	0.50%	0.13%

Tuesday, May 19, 2009 Page 5 of 12

Genus	Total	Percent of Sub- Category Pop.	Percent of Entire Population
Gymnocladus	51	0.49%	0.13%
Phellodendron	42	0.40%	0.10%
Morus	42	0.40%	0.10%
Crataegus	39	0.37%	0.10%
Juniperus	38	0.36%	0.09%
Liquidambar	34	0.33%	0.08%
Cercis	33	0.32%	0.08%
Populus	31	0.30%	0.08%
Liriodendron	29	0.28%	0.07%
Thuja	26	0.25%	0.06%
Aesculus	20	0.19%	0.05%
unknown	18	0.17%	0.04%
Ginkgo	18	0.17%	0.04%
Betula	17	0.16%	0.04%
Catalpa	15	0.14%	0.04%
Carpinus	13	0.12%	0.03%
Abies	12	0.12%	0.03%
Ailanthus	10	0.10%	0.02%
Salix	8	0.08%	0.02%
Rhamnus	7	0.07%	0.02%
Tsuga	6	0.06%	0.01%
Ostrya	6	0.06%	0.01%
Sorbus	5	0.05%	0.01%
Sassafras	5	0.05%	0.01%
Syringa	4	0.04%	0.01%
Maclura	4	0.04%	0.01%
Cercidiphyllum	4	0.04%	0.01%
X Cupressocyparis	3	0.03%	0.01%
Metasequoia	3	0.03%	0.01%
Koelreuteria	3	0.03%	0.01%
Celtis	3	0.03%	0.01%
Paulownia	2	0.02%	0.00%

Tuesday, May 19, 2009 Page 6 of 12

Genus	Total	Percent of Sub- Category Pop.	Percent of Entire Population
Magnolia	2	0.02%	0.00%
Elaeagnus	2	0.02%	0.00%
Amelanchier	2	0.02%	0.00%
Laburnum	1	0.01%	0.00%
Fagus	1	0.01%	0.00%
Corylus	1	0.01%	0.00%
Cornus	1	0.01%	0.00%
Cladrastis	1	0.01%	0.00%
Chamaecyparis	1	0.01%	0.00%
Summary for 7 - 12 (59 items)			
Sum	10433	100%	25.60%
13 - 18			
Acer	5035	52.62%	12.36%
Gleditsia	1217	12.72%	2.99%
Tilia	683	7.14%	1.68%
Platanus	571	5.97%	1.40%
Quercus	288	3.01%	0.71%
Ulmus	249	2.60%	0.61%
Picea	212	2.22%	0.52%
Pinus	200	2.09%	0.49%
Juglans	153	1.60%	0.38%
Carya	116	1.21%	0.28%
Malus	109	1.14%	0.27%
Zelkova	107	1.12%	0.26%
Pyrus	95	0.99%	0.23%
Styphnolobium	78	0.82%	0.19%
Robinia	75	0.78%	0.18%
Prunus	63	0.66%	0.15%
Populus	53	0.55%	0.13%
Liriodendron	41	0.43%	0.10%
Catalpa	32	0.33%	0.08%
Fraxinus	29	0.30%	0.07%

Tuesday, May 19, 2009 Page 7 of 12

Genus	Total	Percent of Sub- Category Pop.	Percent of Entire Population
Morus	22	0.23%	0.05%
Aesculus	17	0.18%	0.04%
Ginkgo	13	0.14%	0.03%
Pseudotsuga	11	0.11%	0.03%
Phellodendron	11	0.11%	0.03%
Gymnocladus	11	0.11%	0.03%
Juniperus	10	0.10%	0.02%
unknown	8	0.08%	0.02%
Ailanthus	8	0.08%	0.02%
Thuja	7	0.07%	0.02%
Salix	6	0.06%	0.01%
Koelreuteria	6	0.06%	0.01%
Fagus	4	0.04%	0.01%
Celtis	4	0.04%	0.01%
Carpinus	4	0.04%	0.01%
Betula	4	0.04%	0.01%
Liquidambar	3	0.03%	0.01%
Abies	3	0.03%	0.01%
Sassafras	2	0.02%	0.00%
Ostrya	2	0.02%	0.00%
X Cupressocyparis	1	0.01%	0.00%
Magnolia	1	0.01%	0.00%
Maclura	1	0.01%	0.00%
Elaeagnus	1	0.01%	0.00%
Cladrastis	1	0.01%	0.00%
Cercidiphyllum	1	0.01%	0.00%
Summary for 13 - 18 (46 items)			
Sum	9568	100%	23.48%
19 - 24			
Acer	2945	58.41%	7.23%
Platanus	364	7.22%	0.89%
Tilia	291	5.77%	0.71%

Tuesday, May 19, 2009 Page 8 of 12

Genus	Total	Percent of Sub- Category Pop.	Percent of Entire Population
Quercus	275	5.45%	0.67%
Gleditsia	257	5.10%	0.63%
Ulmus	199	3.95%	0.49%
Juglans	160	3.17%	0.39%
Carya	78	1.55%	0.19%
Populus	64	1.27%	0.16%
Catalpa	63	1.25%	0.15%
Picea	60	1.19%	0.15%
Robinia	54	1.07%	0.13%
Liriodendron	39	0.77%	0.10%
Pinus	35	0.69%	0.09%
Prunus	30	0.60%	0.07%
Zelkova	23	0.46%	0.06%
Aesculus	13	0.26%	0.03%
Styphnolobium	12	0.24%	0.03%
Morus	12	0.24%	0.03%
Salix	10	0.20%	0.02%
Fraxinus	8	0.16%	0.02%
Celtis	8	0.16%	0.02%
Ailanthus	8	0.16%	0.02%
Pyrus	6	0.12%	0.01%
Ginkgo	6	0.12%	0.01%
Malus	4	0.08%	0.01%
Gymnocladus	4	0.08%	0.01%
Metasequoia	3	0.06%	0.01%
Maclura	3	0.06%	0.01%
Pseudotsuga	2	0.04%	0.00%
unknown	1	0.02%	0.00%
Thuja	1	0.02%	0.00%
Phellodendron	1	0.02%	0.00%
Liquidambar	1	0.02%	0.00%
Larix	1	0.02%	0.00%

Tuesday, May 19, 2009 Page 9 of 12

Genus	Total	Percent of Sub- Category Pop.	Percent of Entire Population
Diospyros	1	0.02%	0.00%
Summary for 19 - 24 (36 items)			
Sum	5042	100%	12.37%
25 - 30			
Acer	1144	55.03%	2.81%
Quercus	169	8.13%	0.41%
Platanus	147	7.07%	0.36%
Ulmus	138	6.64%	0.34%
Tilia	120	5.77%	0.29%
Juglans	95	4.57%	0.23%
Gleditsia	48	2.31%	0.12%
Catalpa	44	2.12%	0.11%
Populus	39	1.88%	0.10%
Robinia	20	0.96%	0.05%
Carya	20	0.96%	0.05%
Picea	17	0.82%	0.04%
Liriodendron	16	0.77%	0.04%
Prunus	14	0.67%	0.03%
Aesculus	10	0.48%	0.02%
Salix	7	0.34%	0.02%
Ginkgo	5	0.24%	0.01%
Pinus	4	0.19%	0.01%
Gymnocladus	4	0.19%	0.01%
Ailanthus	4	0.19%	0.01%
Zelkova	3	0.14%	0.01%
Morus	3	0.14%	0.01%
Cladrastis	2	0.10%	0.00%
unknown	1	0.05%	0.00%
Pseudotsuga	1	0.05%	0.00%
Metasequoia	1	0.05%	0.00%
Maclura	1	0.05%	0.00%
Fraxinus	1	0.05%	0.00%

Tuesday, May 19, 2009 Page 10 of 12

Genus	Total	Percent of Sub- Category Pop.	Percent of Entire Population
Celtis	1	0.05%	0.00%
Summary for 25 - 30 (29 items)			
Sum	2079	100%	5.10%
31 - 36			
Acer	388	52.79%	0.95%
Quercus	97	13.20%	0.24%
Ulmus	84	11.43%	0.21%
Juglans	33	4.49%	0.08%
Platanus	26	3.54%	0.06%
Populus	22	2.99%	0.05%
Tilia	19	2.59%	0.05%
Catalpa	16	2.18%	0.04%
Gleditsia	13	1.77%	0.03%
Carya	8	1.09%	0.02%
Salix	7	0.95%	0.02%
Prunus	6	0.82%	0.01%
Picea	5	0.68%	0.01%
Morus	4	0.54%	0.01%
Robinia	3	0.41%	0.01%
Liriodendron	1	0.14%	0.00%
Gymnocladus	1	0.14%	0.00%
Ailanthus	1	0.14%	0.00%
Aesculus	1	0.14%	0.00%
Summary for 31 - 36 (19 items)			
Sum	735	100%	1.80%
37 - 42			
Acer	121	51.05%	0.30%
Quercus	49	20.68%	0.12%
Ulmus	32	13.50%	0.08%
Juglans	15	6.33%	0.04%
Prunus	4	1.69%	0.01%
Tilia	3	1.27%	0.01%

Tuesday, May 19, 2009 Page 11 of 12

Genus	Total	Percent of Sub- Category Pop.	Percent of Entire Population
Morus	3	1.27%	0.01%
Catalpa	3	1.27%	0.01%
Platanus	2	0.84%	0.00%
Gleditsia	2	0.84%	0.00%
Robinia	1	0.42%	0.00%
Gymnocladus	1	0.42%	0.00%
Ailanthus	1	0.42%	0.00%
Summary for 37 - 42 (13 items) Sum	237	100%	0.58%
43 + Quercus	49	37.98%	0.12%
Acer	47	36.43%	0.12%
Ulmus	17	13.18%	0.04%
Juglans	4	3.10%	0.01%
Salix	3	2.33%	0.01%
Populus	3	2.33%	0.01%
Catalpa	2	1.55%	0.00%
Tilia	1	0.78%	0.00%
Robinia	1	0.78%	0.00%
Pyrus	1	0.78%	0.00%
Platanus	1	0.78%	0.00%
Summary for 43 + (11 items)			
Sum	129	100%	0.32%
Grand Total	40749		

Tuesday, May 19, 2009 Page 12 of 12





Frequency Report: Height by Common (Street Sites)

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
0-10			
crabapple, flowering	353	14.01%	0.87%
arborvitae, eastern	193	7.66%	0.47%
redbud, eastern	141	5.60%	0.35%
cherry/plum, spp.	138	5.48%	0.34%
spruce, Colorado	103	4.09%	0.25%
maple, red	83	3.29%	0.20%
pear, callery	76	3.02%	0.19%
ginkgo	67	2.66%	0.16%
maple, Norway	64	2.54%	0.16%
hemlock, eastern	60	2.38%	0.15%
serviceberry, spp.	50	1.98%	0.12%
redcedar, eastern	48	1.91%	0.12%
lilac, Japanese tree	45	1.79%	0.11%
spruce, white	44	1.75%	0.11%
maple, Japanese	43	1.71%	0.11%
pine, eastern white	34	1.35%	0.08%
oak, swamp white	33	1.31%	0.08%
fringetree, white	33	1.31%	0.08%
honeylocust, thornless	32	1.27%	0.08%
maple, sugar	29	1.15%	0.07%
hornbeam, European	29	1.15%	0.07%
yellowwood, American	28	1.11%	0.07%
Persian parrotia	26	1.03%	0.06%
linden, littleleaf	26	1.03%	0.06%
Amur maackia	26	1.03%	0.06%
hackberry, common	25	0.99%	0.06%
dogwood, flowering	23	0.91%	0.06%
spruce, Norway	21	0.83%	0.05%

Tuesday, May 19, 2009 Page 1 of 21

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
maple, striped	19	0.75%	0.05%
hornbeam, American	19	0.75%	0.05%
hawthorn, spp.	19	0.75%	0.05%
tuliptree	18	0.71%	0.04%
maple, silver	18	0.71%	0.04%
goldenraintree	18	0.71%	0.04%
dogwood, Kousa	18	0.71%	0.04%
pine, Austrian	17	0.67%	0.04%
maple, paperbark	17	0.67%	0.04%
oak, northern red	16	0.64%	0.04%
katsuratree	16	0.64%	0.04%
catalpa, northern	16	0.64%	0.04%
oak, bur	13	0.52%	0.03%
mulberry, white	13	0.52%	0.03%
maple, hedge	13	0.52%	0.03%
smoketree, common	12	0.48%	0.03%
planetree, London	12	0.48%	0.03%
fir, white	12	0.48%	0.03%
birch, river	12	0.48%	0.03%
maple, Tatarian	11	0.44%	0.03%
maple, Miyabei	11	0.44%	0.03%
magnolia, saucer	11	0.44%	0.03%
hardy rubbertree	11	0.44%	0.03%
blackgum	11	0.44%	0.03%
juniper, spp.	10	0.40%	0.02%
magnolia, spp.	9	0.36%	0.02%
fir, balsam	9	0.36%	0.02%
pine, mugo	8	0.32%	0.02%
oak, English	8	0.32%	0.02%
magnolia, star	8	0.32%	0.02%
Kentucky coffeetree	8	0.32%	0.02%
elm, American	8	0.32%	0.02%

Tuesday, May 19, 2009 Page 2 of 21

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
cherry, Sargent	8	0.32%	0.02%
unknown	7	0.28%	0.02%
ash, white	7	0.28%	0.02%
Amur corktree	7	0.28%	0.02%
walnut, black	6	0.24%	0.01%
viburnum, spp.	6	0.24%	0.01%
pine, Scotch	6	0.24%	0.01%
peach, common	6	0.24%	0.01%
horsechestnut	6	0.24%	0.01%
elm, hybrid	6	0.24%	0.01%
dawn redwood	6	0.24%	0.01%
apple, common	6	0.24%	0.01%
oak, shingle	5	0.20%	0.01%
maple, spp.	5	0.20%	0.01%
hickory, shagbark	5	0.20%	0.01%
douglas-fir	5	0.20%	0.01%
ash, green	5	0.20%	0.01%
sweetgum, American	4	0.16%	0.01%
oak, white	4	0.16%	0.01%
oak, pin	4	0.16%	0.01%
oak, black	4	0.16%	0.01%
maple, Amur	4	0.16%	0.01%
Japanese pagodatree	4	0.16%	0.01%
buckthorn, common	4	0.16%	0.01%
buckeye, Ohio	4	0.16%	0.01%
boxelder	4	0.16%	0.01%
zelkova, Japanese	3	0.12%	0.01%
willow, spp.	3	0.12%	0.01%
pine, Japanese white	3	0.12%	0.01%
maple, trident	3	0.12%	0.01%
locust, black	3	0.12%	0.01%
linden, silver	3	0.12%	0.01%

Tuesday, May 19, 2009 Page 3 of 21

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
lilac, common	3	0.12%	0.01%
hophornbeam, American	3	0.12%	0.01%
honeylocust	3	0.12%	0.01%
goldenchain tree	3	0.12%	0.01%
elm, Siberian	3	0.12%	0.01%
buckeye, yellow	3	0.12%	0.01%
yew, spp.	2	0.08%	0.00%
spruce, spp.	2	0.08%	0.00%
smoketree, American	2	0.08%	0.00%
maple, western sugar	2	0.08%	0.00%
maple, Freeman	2	0.08%	0.00%
horsechestnut, red	2	0.08%	0.00%
hickory, bitternut	2	0.08%	0.00%
filbert, American	2	0.08%	0.00%
falsecypress, Nootka	2	0.08%	0.00%
dogwood, pagoda	2	0.08%	0.00%
cottonwood, eastern	2	0.08%	0.00%
beech, European	2	0.08%	0.00%
alder, common	2	0.08%	0.00%
yellowhorn	1	0.04%	0.00%
willow, weeping	1	0.04%	0.00%
tree-of-heaven	1	0.04%	0.00%
sycamore, American	1	0.04%	0.00%
spruce, Serbian	1	0.04%	0.00%
silverbell, Carolina	1	0.04%	0.00%
pine, red	1	0.04%	0.00%
pawpaw, common	1	0.04%	0.00%
oak, willow	1	0.04%	0.00%
oak, spp.	1	0.04%	0.00%
mountainash, European	1	0.04%	0.00%
magnolia, sweetbay	1	0.04%	0.00%
linden, caucasian	1	0.04%	0.00%

Tuesday, May 19, 2009 Page 4 of 21

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
holly, spp.	1	0.04%	0.00%
hawthorn, Washington	1	0.04%	0.00%
hawthorn, cockspur	1	0.04%	0.00%
filbert, Turkish	1	0.04%	0.00%
dogwood, gray	1	0.04%	0.00%
dogwood, corneliancherry	1	0.04%	0.00%
devils-walkingstick	1	0.04%	0.00%
cherry, pin	1	0.04%	0.00%
cherry, black	1	0.04%	0.00%
birch, paper	1	0.04%	0.00%
ash, spp.	1	0.04%	0.00%
alder, tag	1	0.04%	0.00%
Summary for 0-10 (136 items) Sum	2519	100%	6.18%
11-20			···
crabapple, flowering	1510	19.03%	3.71%
maple, red	1168	14.72%	2.87%
maple, Norway	546	6.88%	1.34%
pear, callery	476	6.00%	1.17%
honeylocust, thornless	348	4.39%	0.85%
linden, littleleaf	281	3.54%	0.69%
maple, sugar	220	2.77%	0.54%
oak, swamp white	219	2.76%	0.54%
oak, northern red	205	2.58%	0.50%
serviceberry, spp.	172	2.17%	0.42%
hackberry, common	140	1.76%	0.34%
redbud, eastern	121	1.53%	0.30%
maple, hedge	121	1.53%	0.30%
cherry/plum, spp.	120	1.51%	0.29%
zelkova, Japanese	103	1.30%	0.25%
spruce, white	99	1.25%	0.24%
spruce, Colorado	97	1.22%	0.24%

Tuesday, May 19, 2009 Page 5 of 21

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
planetree, London	96	1.21%	0.24%
pine, Austrian	94	1.18%	0.23%
arborvitae, eastern	94	1.18%	0.23%
ilac, Japanese tree	78	0.98%	0.19%
sweetgum, American	66	0.83%	0.16%
maple, silver	66	0.83%	0.16%
ginkgo	66	0.83%	0.16%
tuliptree	58	0.73%	0.14%
hawthorn, spp.	57	0.72%	0.14%
hornbeam, European	56	0.71%	0.14%
birch, river	54	0.68%	0.13%
pine, eastern white	50	0.63%	0.12%
spruce, Norway	44	0.55%	0.11%
oak, shingle	44	0.55%	0.11%
hawthorn, Washington	44	0.55%	0.11%
buckthorn, common	35	0.44%	0.09%
goldenraintree	34	0.43%	0.08%
elm, American	34	0.43%	0.08%
maple, Amur	33	0.42%	0.08%
maple, Freeman	31	0.39%	0.08%
ash, white	30	0.38%	0.07%
oak, English	26	0.33%	0.06%
pine, Scotch	25	0.32%	0.06%
dogwood, flowering	25	0.32%	0.06%
oak, pin	24	0.30%	0.06%
apple, common	24	0.30%	0.06%
redcedar, eastern	23	0.29%	0.06%
maple, Miyabei	23	0.29%	0.06%
maple, Japanese	23	0.29%	0.06%
yellowwood, American	22	0.28%	0.05%
hemlock, eastern	22	0.28%	0.05%
elm, Siberian	21	0.26%	0.05%

Tuesday, May 19, 2009 Page 6 of 21

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
elm, hybrid	21	0.26%	0.05%
douglas-fir	21	0.26%	0.05%
mulberry, white	18	0.23%	0.04%
oak, bur	17	0.21%	0.04%
linden, American	17	0.21%	0.04%
hornbeam, American	17	0.21%	0.04%
boxelder	17	0.21%	0.04%
Amur corktree	17	0.21%	0.04%
linden, silver	15	0.19%	0.04%
Amur maackia	15	0.19%	0.04%
walnut, black	14	0.18%	0.03%
horsechestnut	14	0.18%	0.03%
catalpa, northern	14	0.18%	0.03%
unknown	13	0.16%	0.03%
fringetree, white	13	0.16%	0.03%
maple, spp.	12	0.15%	0.03%
Kentucky coffeetree	12	0.15%	0.03%
hardy rubbertree	11	0.14%	0.03%
ash, green	11	0.14%	0.03%
alder, common	11	0.14%	0.03%
lilac, common	10	0.13%	0.02%
katsuratree	10	0.13%	0.02%
fir, balsam	10	0.13%	0.02%
smoketree, common	9	0.11%	0.02%
maple, striped	9	0.11%	0.02%
oak, white	8	0.10%	0.02%
oak, black	8	0.10%	0.02%
juniper, spp.	8	0.10%	0.02%
Japanese pagodatree	8	0.10%	0.02%
dogwood, Kousa	8	0.10%	0.02%
magnolia, saucer	7	0.09%	0.02%
tree-of-heaven	6	0.08%	0.01%

Tuesday, May 19, 2009 Page 7 of 21

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
pine, red	6	0.08%	0.01%
maple, Tatarian	6	0.08%	0.01%
maple, paperbark	6	0.08%	0.01%
magnolia, star	6	0.08%	0.01%
locust, black	6	0.08%	0.01%
fir, white	6	0.08%	0.01%
birch, paper	6	0.08%	0.01%
yew, spp.	5	0.06%	0.01%
spruce, spp.	5	0.06%	0.01%
maple, three-flower	5	0.06%	0.01%
filbert, Turkish	5	0.06%	0.01%
dawn redwood	5	0.06%	0.01%
cherry, black	5	0.06%	0.01%
horsechestnut, red	4	0.05%	0.01%
hophornbeam, American	4	0.05%	0.01%
hickory, shagbark	4	0.05%	0.01%
goldenchain tree	4	0.05%	0.01%
filbert, American	4	0.05%	0.01%
cypress, Leyland	4	0.05%	0.01%
cherry, Sargent	4	0.05%	0.01%
blackgum	4	0.05%	0.01%
ash, spp.	4	0.05%	0.01%
willow, corkscrew	3	0.04%	0.01%
smoketree, American	3	0.04%	0.01%
pine, Japanese white	3	0.04%	0.01%
honeylocust	3	0.04%	0.01%
elm, smoothleaf	3	0.04%	0.01%
spruce, Serbian	2	0.03%	0.00%
Russian-olive	2	0.03%	0.00%
Persian parrotia	2	0.03%	0.00%
pear, common	2	0.03%	0.00%
maple, trident	2	0.03%	0.00%

Tuesday, May 19, 2009 Page 8 of 21

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
cottonwood, eastern	2	0.03%	0.00%
beech, American	2	0.03%	0.00%
baldcypress, common	2	0.03%	0.00%
witchhazel, common	1	0.01%	0.00%
willow, weeping	1	0.01%	0.00%
willow, pussy	1	0.01%	0.00%
sycamore, American	1	0.01%	0.00%
serviceberry, Allegheny	1	0.01%	0.00%
plum, cherry	1	0.01%	0.00%
pine, mugo	1	0.01%	0.00%
pine, Japanese black	1	0.01%	0.00%
oak, spp.	1	0.01%	0.00%
oak, scarlet	1	0.01%	0.00%
oak, sawtooth	1	0.01%	0.00%
oak, northern pin	1	0.01%	0.00%
mountainash, European	1	0.01%	0.00%
magnolia, sweetbay	1	0.01%	0.00%
locust, bristly	1	0.01%	0.00%
linden, caucasian	1	0.01%	0.00%
hickory, bitternut	1	0.01%	0.00%
filbert, European	1	0.01%	0.00%
falsecypress, Hinoki	1	0.01%	0.00%
elm, spp.	1	0.01%	0.00%
dogwood, pagoda	1	0.01%	0.00%
cherry, pin	1	0.01%	0.00%
buckeye, yellow	1	0.01%	0.00%
birch, gray	1	0.01%	0.00%
birch, European white	1	0.01%	0.00%
ash, blue	1	0.01%	0.00%
Summary for 11-20 (142 items) Sum	7934	100%	19.47%

21-30

Tuesday, May 19, 2009 Page 9 of 21

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
maple, Norway	1303	18.57%	3.20%
maple, red	886	12.63%	2.17%
honeylocust, thornless	732	10.43%	1.80%
crabapple, flowering	595	8.48%	1.46%
pear, callery	371	5.29%	0.91%
linden, littleleaf	357	5.09%	0.88%
maple, sugar	321	4.57%	0.79%
pine, Austrian	205	2.92%	0.50%
oak, northern red	182	2.59%	0.45%
spruce, Colorado	179	2.55%	0.44%
zelkova, Japanese	147	2.09%	0.36%
planetree, London	97	1.38%	0.24%
spruce, white	88	1.25%	0.22%
maple, silver	86	1.23%	0.21%
pine, eastern white	75	1.07%	0.18%
maple, Freeman	70	1.00%	0.17%
spruce, Norway	68	0.97%	0.17%
oak, English	62	0.88%	0.15%
Japanese pagodatree	62	0.88%	0.15%
redbud, eastern	56	0.80%	0.14%
oak, swamp white	53	0.76%	0.13%
elm, Siberian	52	0.74%	0.13%
elm, American	51	0.73%	0.13%
arborvitae, eastern	43	0.61%	0.11%
hawthorn, spp.	39	0.56%	0.10%
sweetgum, American	37	0.53%	0.09%
douglas-fir	34	0.48%	0.08%
redcedar, eastern	32	0.46%	0.08%
boxelder	32	0.46%	0.08%
mulberry, white	31	0.44%	0.08%
hickory, shagbark	31	0.44%	0.08%
Amur corktree	31	0.44%	0.08%

Tuesday, May 19, 2009 Page 10 of 21

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
oak, pin	29	0.41%	0.07%
ash, white	29	0.41%	0.07%
walnut, black	28	0.40%	0.07%
ginkgo	26	0.37%	0.06%
cherry/plum, spp.	25	0.36%	0.06%
pine, Scotch	19	0.27%	0.05%
oak, bur	18	0.26%	0.04%
tuliptree	17	0.24%	0.04%
maple, hedge	17	0.24%	0.04%
maple, Amur	17	0.24%	0.04%
locust, black	17	0.24%	0.04%
hornbeam, European	16	0.23%	0.04%
ash, spp.	16	0.23%	0.04%
maple, Japanese	15	0.21%	0.04%
hemlock, eastern	15	0.21%	0.04%
linden, American	14	0.20%	0.03%
buckthorn, common	14	0.20%	0.03%
serviceberry, spp.	13	0.19%	0.03%
pine, red	13	0.19%	0.03%
oak, shingle	13	0.19%	0.03%
catalpa, northern	13	0.19%	0.03%
Kentucky coffeetree	11	0.16%	0.03%
horsechestnut	11	0.16%	0.03%
cherry, black	10	0.14%	0.02%
birch, river	10	0.14%	0.02%
willow, corkscrew	8	0.11%	0.02%
honeylocust	8	0.11%	0.02%
hackberry, common	8	0.11%	0.02%
oak, white	7	0.10%	0.02%
magnolia, saucer	7	0.10%	0.02%
elm, slippery	7	0.10%	0.02%
dawn redwood	7	0.10%	0.02%

Tuesday, May 19, 2009 Page 11 of 21

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
elm, hybrid	6	0.09%	0.01%
pear, common	5	0.07%	0.01%
linden, silver	5	0.07%	0.01%
lilac, Japanese tree	5	0.07%	0.01%
hawthorn, Washington	5	0.07%	0.01%
dogwood, flowering	5	0.07%	0.01%
unknown	4	0.06%	0.01%
sycamore, American	4	0.06%	0.01%
oak, black	4	0.06%	0.01%
katsuratree	4	0.06%	0.01%
fir, white	4	0.06%	0.01%
elm, spp.	4	0.06%	0.01%
elm, smoothleaf	4	0.06%	0.01%
ash, green	4	0.06%	0.01%
apple, common	4	0.06%	0.01%
oak, Shumard	3	0.04%	0.01%
hophornbeam, American	3	0.04%	0.01%
hickory, mockernut	3	0.04%	0.01%
hickory, bitternut	3	0.04%	0.01%
fir, balsam	3	0.04%	0.01%
cottonwood, eastern	3	0.04%	0.01%
birch, gray	3	0.04%	0.01%
beech, European	3	0.04%	0.01%
willow, pussy	2	0.03%	0.00%
willow, black	2	0.03%	0.00%
tree-of-heaven	2	0.03%	0.00%
osage-orange	2	0.03%	0.00%
mountainash, European	2	0.03%	0.00%
maple, trident	2	0.03%	0.00%
maple, sycamore	2	0.03%	0.00%
maple, Miyabei	2	0.03%	0.00%
goldenraintree	2	0.03%	0.00%

Tuesday, May 19, 2009 Page 12 of 21

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
birch, paper	2	0.03%	0.00%
yew, spp.	1	0.01%	0.00%
willow, weeping	1	0.01%	0.00%
walnut, English	1	0.01%	0.00%
spruce, Serbian	1	0.01%	0.00%
smoketree, common	1	0.01%	0.00%
Russian-olive	1	0.01%	0.00%
pine, mugo	1	0.01%	0.00%
paulownia	1	0.01%	0.00%
mountainash, American	1	0.01%	0.00%
maple, striped	1	0.01%	0.00%
maple, spp.	1	0.01%	0.00%
maple, black	1	0.01%	0.00%
magnolia, star	1	0.01%	0.00%
magnolia, spp.	1	0.01%	0.00%
larch, European	1	0.01%	0.00%
hickory, pignut	1	0.01%	0.00%
filbert, Turkish	1	0.01%	0.00%
filbert, European	1	0.01%	0.00%
butternut	1	0.01%	0.00%
beech, American	1	0.01%	0.00%
Summary for 21-30 (117 items)			
Sum	7017	100%	17.22%
31-50			
maple, Norway	2979	26.37%	7.31%
honeylocust, thornless	1557	13.78%	3.82%
maple, sugar	1392	12.32%	3.42%
linden, littleleaf	720	6.37%	1.77%
maple, red	572	5.06%	1.40%
planetree, London	564	4.99%	1.38%
maple, silver	373	3.30%	0.92%
spruce, Colorado	203	1.80%	0.50%

Tuesday, May 19, 2009 Page 13 of 21

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
oak, northern red	185	1.64%	0.45%
pear, callery	170	1.50%	0.42%
zelkova, Japanese	158	1.40%	0.39%
elm, American	142	1.26%	0.35%
pine, Austrian	133	1.18%	0.33%
elm, Siberian	127	1.12%	0.31%
linden, American	107	0.95%	0.26%
Japanese pagodatree	105	0.93%	0.26%
walnut, black	103	0.91%	0.25%
pine, eastern white	97	0.86%	0.24%
boxelder	93	0.82%	0.23%
spruce, white	77	0.68%	0.19%
hickory, shagbark	77	0.68%	0.19%
oak, English	73	0.65%	0.18%
maple, Freeman	68	0.60%	0.17%
spruce, Norway	67	0.59%	0.16%
cherry, black	66	0.58%	0.16%
pine, Scotch	65	0.58%	0.16%
mulberry, white	59	0.52%	0.14%
oak, pin	56	0.50%	0.14%
locust, black	53	0.47%	0.13%
catalpa, northern	50	0.44%	0.12%
oak, bur	46	0.41%	0.11%
Kentucky coffeetree	43	0.38%	0.11%
horsechestnut	38	0.34%	0.09%
crabapple, flowering	36	0.32%	0.09%
arborvitae, eastern	33	0.29%	0.08%
oak, white	30	0.27%	0.07%
ash, spp.	27	0.24%	0.07%
tuliptree	25	0.22%	0.06%
sweetgum, American	25	0.22%	0.06%
cottonwood, eastern	25	0.22%	0.06%

Tuesday, May 19, 2009 Page 14 of 21

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
tree-of-heaven	24	0.21%	0.06%
sycamore, American	24	0.21%	0.06%
redcedar, eastern	24	0.21%	0.06%
honeylocust	23	0.20%	0.06%
oak, swamp white	21	0.19%	0.05%
oak, black	19	0.17%	0.05%
douglas-fir	19	0.17%	0.05%
ash, white	19	0.17%	0.05%
ginkgo	18	0.16%	0.04%
Amur corktree	17	0.15%	0.04%
unknown	16	0.14%	0.04%
hickory, mockernut	16	0.14%	0.04%
elm, spp.	12	0.11%	0.03%
birch, river	12	0.11%	0.03%
maple, sycamore	11	0.10%	0.03%
hickory, pignut	11	0.10%	0.03%
elm, slippery	11	0.10%	0.03%
willow, black	10	0.09%	0.02%
maple, hedge	10	0.09%	0.02%
pine, red	9	0.08%	0.02%
uniper, spp.	8	0.07%	0.02%
willow, weeping	7	0.06%	0.02%
sassafras	7	0.06%	0.02%
goldenraintree	7	0.06%	0.02%
cherry/plum, spp.	7	0.06%	0.02%
birch, paper	7	0.06%	0.02%
hackberry, common	6	0.05%	0.01%
fir, balsam	6	0.05%	0.01%
hornbeam, European	5	0.04%	0.01%
hophornbeam, American	5	0.04%	0.01%
fir, white	5	0.04%	0.01%
elm, smoothleaf	5	0.04%	0.01%

Tuesday, May 19, 2009 Page 15 of 21

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
yellowwood, American	4	0.04%	0.01%
osage-orange	4	0.04%	0.01%
oak, Shumard	4	0.04%	0.01%
oak, shingle	4	0.04%	0.01%
cypress, Leyland	4	0.04%	0.01%
apple, common	4	0.04%	0.01%
pear, common	3	0.03%	0.01%
maple, three-flower	3	0.03%	0.01%
hickory, bitternut	3	0.03%	0.01%
hemlock, eastern	3	0.03%	0.01%
dawn redwood	3	0.03%	0.01%
aspen, quaking	3	0.03%	0.01%
walnut, English	2	0.02%	0.00%
pine, jack	2	0.02%	0.00%
oak, spp.	2	0.02%	0.00%
maple, Amur	2	0.02%	0.00%
linden, silver	2	0.02%	0.00%
katsuratree	2	0.02%	0.00%
elm, hybrid	2	0.02%	0.00%
buckeye, yellow	2	0.02%	0.00%
birch, gray	2	0.02%	0.00%
beech, European	2	0.02%	0.00%
ash, green	2	0.02%	0.00%
willow, corkscrew	1	0.01%	0.00%
Russian-olive	1	0.01%	0.00%
pine, Ponderosa	1	0.01%	0.00%
paulownia	1	0.01%	0.00%
oak, chestnut	1	0.01%	0.00%
mountainash, European	1	0.01%	0.00%
mountainash, American	1	0.01%	0.00%
maple, black	1	0.01%	0.00%
hawthorn, spp.	1	0.01%	0.00%

Tuesday, May 19, 2009 Page 16 of 21

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
cherry, sweet	1	0.01%	0.00%
buckthorn, common	1	0.01%	0.00%
baldcypress, common	1	0.01%	0.00%
alder, common	1	0.01%	0.00%
Summary for 31-50 (108 items)			
Sum	11297	100%	27.72%
51-70			
maple, sugar	2764	27.32%	6.78%
maple, silver	1162	11.49%	2.85%
maple, Norway	1124	11.11%	2.76%
honeylocust, thornless	658	6.50%	1.61%
planetree, London	641	6.34%	1.57%
linden, littleleaf	388	3.84%	0.95%
walnut, black	376	3.72%	0.92%
elm, American	253	2.50%	0.62%
elm, Siberian	231	2.28%	0.57%
oak, white	213	2.11%	0.52%
linden, American	203	2.01%	0.50%
maple, red	169	1.67%	0.41%
oak, northern red	168	1.66%	0.41%
locust, black	143	1.41%	0.35%
hickory, shagbark	135	1.33%	0.33%
spruce, Norway	127	1.26%	0.31%
spruce, Colorado	107	1.06%	0.26%
catalpa, northern	105	1.04%	0.26%
oak, bur	96	0.95%	0.24%
cherry, black	87	0.86%	0.21%
tuliptree	85	0.84%	0.21%
sycamore, American	77	0.76%	0.19%
pine, eastern white	63	0.62%	0.15%
cottonwood, eastern	61	0.60%	0.15%
spruce, white	48	0.47%	0.12%

Tuesday, May 19, 2009 Page 17 of 21

hickory, pignut 38 0.38% 0.099 oak, black 37 0.37% 0.099 maple, Freeman 36 0.36% 0.099 ash, spp. 36 0.36% 0.099 pine, Scotch 33 0.33% 0.089 pine, Austrian 33 0.33% 0.089 pine, Austrian 33 0.33% 0.089 douglas-fir 33 0.33% 0.089 douglas-fir 30 0.30% 0.079 ginkgo 23 0.23% 0.069 pine, red 21 0.21% 0.059 oak, English 21 0.21% 0.059 oak, English 21 0.21% 0.059 mulberry, white 16 0.16% 0.049 tree-of-heaven 14 0.14% 0.039 zelkova, Japanese 13 0.13% 0.039 honeylocust 13 0.13% 0.039 honeylocust 13 0.13% 0.039 honeylocust 10 0.10% 0.029 horsechestrut 10 0.029 horsechestrut	Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
oak, black 37 0.37% 0.09% maple, Freeman 36 0.36% 0.099 ash, spp. 36 0.36% 0.099 pine, Scotch 33 0.33% 0.089 pine, Austrian 33 0.33% 0.089 douglas-fir 33 0.33% 0.099 boxelder 30 0.30% 0.079 ginkgo 23 0.23% 0.069 oak, English 21 0.21% 0.059 dak, English 21 0.21% 0.059 mulberry, white 16 0.16% 0.049 tree-of-heaven 14 0.14% 0.039 kentucky coffeetree 12 0.12% 0.039 kentucky coffeetree 12 0.12% 0.02% willow, black 10 0.10%	oak, pin	41	0.41%	0.10%
maple, Freeman 36 0.36% 0.099 ash, spp. 36 0.36% 0.099 pine, Scotch 33 0.33% 0.089 pine, Austrian 33 0.33% 0.089 douglas-fir 33 0.33% 0.089 boxelder 30 0.30% 0.079 ginkgo 23 0.23% 0.069 pine, red 21 0.21% 0.059 oak, English 21 0.21% 0.059 Japanese pagodatree 17 0.17% 0.049 tree-of-heaven 14 0.14% 0.039 zelkova, Japanese 13 0.13% 0.039 kentucky coffeetree 12 0.12% 0.029 horsechestnut 10 0.10% 0.029 hackberry, common 9 </td <td>hickory, pignut</td> <td>38</td> <td>0.38%</td> <td>0.09%</td>	hickory, pignut	38	0.38%	0.09%
ash, spp. 36 0.36% 0.099 pine, Scotch 33 0.33% 0.089 pine, Austrian 33 0.33% 0.089 douglas-fir 33 0.33% 0.089 boxelder 30 0.30% 0.079 ginkgo 23 0.23% 0.069 pine, red 21 0.21% 0.059 ask, English 21 0.21% 0.059 ask, English 21 0.21% 0.059 auxiliary, white 16 0.16% 0.049 tree-of-heaven 14 0.14% 0.039 zelkova, Japanese 13 0.13% 0.039 honeylocust 13 0.13% 0.039 honeylocust 13 0.13% 0.039 kentucky coffetree 12 0.12% 0.039 willow, black 10 0.10% 0.029 horsechestnut 10 0.10% 0.029 hackberry, common 9 0.09% 0.029 elm, slippery 10 0.10% 0.029 willow, weeping 8 0.08% 0.029 hickory, mockernut 8 0.08% 0.029 hickory, bitternut 8 0.08% 0.029 hickory, mockernut 5 0.05% 0.019	oak, black	37	0.37%	0.09%
pine, Scotch 33 0,33% 0,08% pine, Austrian 33 0,33% 0,08% douglas-fir 33 0,33% 0,08% boxelder 30 0,30% 0,07% ginkgo 23 0,23% 0,068 pine, red 21 0,21% 0,059 ada, English 21 0,21% 0,059 ada, English 34 0,16% 0,049 tree-of-heaven 15 0,16% 0,049 tree-of-heaven 16 0,16% 0,049 tree-of-heaven 17 0,17% 0,049 tree-of-heaven 18 0,13% 0,039 honeylocust 19 0,13% 0,039 honeylocust 19 0,10% 0,029 horsechestnut 10 0,10% 0,029 horsechestnut 10 0,10% 0,029 hackberry, common 19 0,09% 0,029 hackberry, common 19 0,09% 0,029 hackberry, common 18 0,08% 0,029 hickory, mockernut 18 0,08% 0,029 hickory, bitternut 29 0,05% 0,05% 0,019 hickory, mockernut 29 0,05% 0,05% 0,019 hickory, mockernut 29 0,05% 0,05% 0,019 hickory, mockernut 29 0,05% 0,05% 0,019 hickory, bitternut 29 0,05% 0,05% 0,019 hickory, bitternut 29 0,05% 0,05% 0,019 hickory, mockernut 20 0,05% 0,05% 0,019 hickory, bitternut 20 0,05% 0,05% 0,019 hickory, mockernut 20 0,05% 0,05% 0,019 hickory, mockern	maple, Freeman	36	0.36%	0.09%
pine, Austrian 33 0.33% 0.08% 0.08% 0.09% 0.09% 0.02% oak, swamp white hickory, mockernut 8 0.08% 0.02% oak, swamp white hickory, mockernut 8 0.08% 0.02% oak, swamp white 1 0.08% 0.02% 0	ash, spp.	36	0.36%	0.09%
douglas-fir 33 0.33% 0.08% boxelder 30 0.30% 0.07% ginkgo 23 0.23% 0.06% pine, red 21 0.21% 0.05% oak, English 21 0.21% 0.05% Japanese pagodatree 17 0.17% 0.04% mulberry, white 16 0.16% 0.04% tree-of-heaven 14 0.14% 0.03% zelkova, Japanese 13 0.13% 0.03% honeylocust 13 0.13% 0.03% Kentucky coffeetree 12 0.12% 0.03% willow, black 10 0.10% 0.02% horsechestnut 10 0.10% 0.02% elm, slippery 10 0.10% 0.02% hackberry, common 9 0.09% 0.02% elm, spp. 9 0.09% 0.02% willow, weeping 8 0.08% 0.02% urknown 8 0.08%	pine, Scotch	33	0.33%	0.08%
boxelder 30 0.30% 0.079 ginkgo 23 0.23% 0.069 pine, red 21 0.21% 0.059 oak, English 21 0.21% 0.059 Japanese pagodatree 17 0.17% 0.049 mulberry, white 16 0.16% 0.049 tree-of-heaven 14 0.14% 0.039 zelkova, Japanese 13 0.13% 0.039 honeylocust 13 0.13% 0.039 kentucky coffeetree 12 0.12% 0.039 willow, black 10 0.10% 0.029 horsechestnut 10 0.10% 0.029 hackberry, common 9 0.09% 0.029 elm, silppery 10 0.10% 0.029 hackberry, common 9 0.09% 0.029 willow, weeping 8 0.08% 0.029 willow, weeping 8 0.08% 0.029 willow, weeping 8 0.08% 0.029 hickory, mockernut 8 0.08% 0.029 hickory, mockernut 8 0.08% 0.029 aspen, bigtooth 8 0.08% 0.029 aspen, bigtooth 8 0.08% 0.029 elm, smoothleaf 7 0.07% 0.029 elm, smoothleaf 7 0.07% 0.029	pine, Austrian	33	0.33%	0.08%
ginkgo 23 0.23% 0.069 pine, red 21 0.21% 0.059 oak, English 21 0.21% 0.059 Japanese pagodatree 17 0.17% 0.049 mulberry, white 16 0.16% 0.049 tree-of-heaven 14 0.14% 0.039 zelkova, Japanese 13 0.13% 0.039 honeylocust 13 0.13% 0.039 kentucky coffeetree 12 0.12% 0.039 willow, black 10 0.10% 0.029 horsechestnut 10 0.10% 0.029 hackberry, common 9 0.09% 0.029 elm, sippery 10 0.10% 0.029 willow, weeping 8 0.08% 0.029 willow, weeping 8 0.08% 0.029 willow, weeping 8 0.08% 0.029 hickory, mockernut 8 0.08% 0.029 hickory, mockernut 8 0.08% 0.029 aspen, bigtooth 8 0.08% 0.029 elm, smoothleaf 7 0.07% 0.029 redcedar, eastern 5 0.05% 0.019	douglas-fir	33	0.33%	0.08%
pine, red 21 0.21% 0.059 oak, English 21 0.21% 0.059 Japanese pagodatree 17 0.17% 0.049 mulberry, white 16 0.16% 0.049 tree-of-heaven 14 0.14% 0.039 zelkova, Japanese 13 0.13% 0.039 honeylocust 13 0.13% 0.039 kentucky coffeetree 12 0.12% 0.039 willow, black 10 0.10% 0.029 horsechestnut 10 0.10% 0.029 elm, slippery 10 0.10% 0.029 lem, spp. 9 0.09% 0.029 elm, spp. 9 0.09% 0.029 willow, weeping 8 0.08% 0.029 unknown 8 0.08% 0.029 unknown 8 0.08% 0.029 unknown 8 0.08% 0.029 hickory, mockernut 8 0.08% 0.029 aspen, bigtooth 8 0.08% 0.029 elm, smoothleaf 7 0.07% 0.029 elm, smoothleaf 7 0.07% 0.029 redcedar, eastern 5 0.05% 0.019	boxelder	30	0.30%	0.07%
oak, English 21 0.21% 0.05% Japanese pagodatree 17 0.17% 0.04% mulberry, white 16 0.16% 0.04% tree-of-heaven 14 0.14% 0.03% zelkova, Japanese 13 0.13% 0.03% honeylocust 13 0.13% 0.03% Kentucky coffeetree 12 0.12% 0.03% willow, black 10 0.10% 0.02% horsechestnut 10 0.10% 0.02% elm, slippery 10 0.10% 0.02% hackberry, common 9 0.09% 0.02% willow, weeping 8 0.08% 0.02% willow, weeping 8 0.08% 0.02% vinknown 8 0.08% 0.02% oak, swamp white 8 0.08% 0.02% hickory, mockernut 8 0.08% 0.02% hickory, bitternut 8 0.08% 0.02% elm, smoothleaf 7 0.07% 0.02% redcedar, eastern 5	ginkgo	23	0.23%	0.06%
Japanese pagodatree 17 0.17% 0.04% mulberry, white 16 0.16% 0.04% tree-of-heaven 14 0.14% 0.03% zelkova, Japanese 13 0.13% 0.03% honeylocust 13 0.13% 0.03% Kentucky coffeetree 12 0.12% 0.03% willow, black 10 0.10% 0.02% horsechestnut 10 0.10% 0.02% elm, slippery 10 0.10% 0.02% hackberry, common 9 0.09% 0.02% willow, weeping 8 0.08% 0.02% willow, weeping 8 0.08% 0.02% unknown 8 0.08% 0.02% oak, swamp white 8 0.08% 0.02% hickory, mockernut 8 0.08% 0.02% elm, smoothleaf 7 0.07% 0.02% elm, smoothleaf 7 0.07% 0.02% redcedar, eastern 5 0.05% 0.01%	pine, red	21	0.21%	0.05%
mulberry, white 16 0.16% 0.049 tree-of-heaven 14 0.14% 0.039 zelkova, Japanese 13 0.13% 0.039 honeylocust 13 0.13% 0.039 Kentucky coffeetree 12 0.12% 0.039 willow, black 10 0.10% 0.029 horsechestnut 10 0.10% 0.029 hackberry, common 10 0.10% 0.029 hackberry, common 10 0.10% 0.029 hackberry, common 10 0.09% 0.029 willow, weeping 10 0.09% 0.029 willow, weeping 10 0.09% 0.029 unknown 10 0.08% 0.029 unknown 10 0.08% 0.029 hickory, mockernut 10 0.08% 0.029 hickory, mockernut 10 0.08% 0.029 willow, swamp white 10 0.08% 0.029 willow, swamp white 10 0.08% 0.029 willow, mockernut 10 0.08% 0.	oak, English	21	0.21%	0.05%
tree-of-heaven 14 0.14% 0.039 zelkova, Japanese 13 0.13% 0.039 honeylocust 13 0.13% 0.039 Kentucky coffeetree 12 0.12% 0.039 willow, black 10 0.10% 0.029 horsechestnut 10 0.10% 0.029 elm, slippery 10 0.10% 0.029 hackberry, common 9 0.09% 0.029 elm, spp. 9 0.09% 0.029 willow, weeping 8 0.08% 0.029 unknown 8 0.08% 0.029 unknown 8 0.08% 0.029 hickory, mockernut 8 0.08% 0.029 hickory, bitternut 8 0.08% 0.029 elm, smoothleaf 7 0.07% 0.029 elm, smoothleaf 7 0.07% 0.029	Japanese pagodatree	17	0.17%	0.04%
zelkova, Japanese 13 0.13% 0.03% honeylocust 13 0.13% 0.03% Kentucky coffeetree 12 0.12% 0.03% willow, black 10 0.10% 0.02% horsechestnut 10 0.10% 0.02% elm, slippery 10 0.10% 0.02% hackberry, common 9 0.09% 0.02% elm, spp. 9 0.09% 0.02% willow, weeping 8 0.08% 0.02% unknown 8 0.08% 0.02% oak, swamp white 8 0.08% 0.02% hickory, mockernut 8 0.08% 0.02% hickory, bitternut 8 0.08% 0.02% elm, smoothleaf 7 0.07% 0.02% redcedar, eastern 5 0.05% 0.01%	mulberry, white	16	0.16%	0.04%
honeylocust 13 0.13% 0.039 Kentucky coffeetree 12 0.12% 0.039 willow, black 10 0.10% 0.029 horsechestnut 10 0.10% 0.029 elm, slippery 10 0.10% 0.029 hackberry, common 9 0.09% 0.029 elm, spp. 9 0.09% 0.029 willow, weeping 8 0.08% 0.029 unknown 8 0.08% 0.029 hickory, mockernut 8 0.08% 0.029 hickory, bitternut 8 0.08% 0.029 elm, smoothleaf 7 0.07% 0.029 redcedar, eastern 5 0.05% 0.019	tree-of-heaven	14	0.14%	0.03%
Kentucky coffeetree 12 0.12% 0.039 willow, black 10 0.10% 0.029 horsechestnut 10 0.10% 0.029 elm, slippery 10 0.10% 0.029 hackberry, common 9 0.09% 0.029 elm, spp. 9 0.09% 0.029 willow, weeping 8 0.08% 0.029 unknown 8 0.08% 0.029 bickory, mockernut 8 0.08% 0.029 hickory, bitternut 8 0.08% 0.029 elm, smoothleaf 7 0.07% 0.029 redcedar, eastern 5 0.05% 0.019	zelkova, Japanese	13	0.13%	0.03%
willow, black 10 0.10% 0.029 horsechestnut 10 0.10% 0.029 elm, slippery 10 0.10% 0.029 hackberry, common 9 0.09% 0.029 elm, spp. 9 0.09% 0.029 willow, weeping 8 0.08% 0.029 unknown 8 0.08% 0.029 oak, swamp white 8 0.08% 0.029 hickory, mockernut 8 0.08% 0.029 hickory, bitternut 8 0.08% 0.029 elm, spp. 9 0.08% 0.029 hickory, mockernut 8 0.08% 0.029 hickory, mockernut 8 0.08% 0.029 elm, smoothleaf 7 0.07% 0.029 redcedar, eastern 5 0.05% 0.019	honeylocust	13	0.13%	0.03%
horsechestnut 10 0.10% 0.029 elm, slippery 10 0.10% 0.029 hackberry, common 9 0.09% 0.029 elm, spp. 9 0.09% 0.029 willow, weeping 8 0.08% 0.029 unknown 8 0.08% 0.029 oak, swamp white 8 0.08% 0.029 hickory, mockernut 8 0.08% 0.029 hickory, bitternut 8 0.08% 0.029 aspen, bigtooth 8 0.08% 0.029 elm, smoothleaf 7 0.07% 0.029 redcedar, eastern 5 0.05% 0.019	Kentucky coffeetree	12	0.12%	0.03%
elm, slippery 10 0.10% 0.029 hackberry, common 9 0.09% 0.029 elm, spp. 9 0.09% 0.029 willow, weeping 8 0.08% 0.029 unknown 8 0.08% 0.029 oak, swamp white 8 0.08% 0.029 hickory, mockernut 8 0.08% 0.029 hickory, bitternut 8 0.08% 0.029 aspen, bigtooth 8 0.08% 0.029 redcedar, eastern 5 0.05% 0.019	willow, black	10	0.10%	0.02%
hackberry, common 9 0.09% 0.029 elm, spp. 9 0.09% 0.029 willow, weeping 8 0.08% 0.029 unknown 8 0.08% 0.029 oak, swamp white 8 0.08% 0.029 hickory, mockernut 8 0.08% 0.029 hickory, bitternut 8 0.08% 0.029 aspen, bigtooth 8 0.08% 0.029 elm, smoothleaf 7 0.07% 0.029 redcedar, eastern 5 0.05% 0.019	horsechestnut	10	0.10%	0.02%
elm, spp. 9 0.09% 0.029 willow, weeping 8 0.08% 0.029 unknown 8 0.08% 0.029 oak, swamp white 8 0.08% 0.029 hickory, mockernut 8 0.08% 0.029 hickory, bitternut 8 0.08% 0.029 aspen, bigtooth 8 0.08% 0.029 elm, smoothleaf 7 0.07% 0.029 redcedar, eastern 5 0.05% 0.019	elm, slippery	10	0.10%	0.02%
willow, weeping 8 0.08% 0.02% unknown 8 0.08% 0.02% oak, swamp white 8 0.08% 0.02% hickory, mockernut 8 0.08% 0.02% hickory, bitternut 8 0.08% 0.02% aspen, bigtooth 8 0.08% 0.02% elm, smoothleaf 7 0.07% 0.02% redcedar, eastern 5 0.05% 0.01%	hackberry, common	9	0.09%	0.02%
unknown 8 0.08% 0.02% oak, swamp white 8 0.08% 0.02% hickory, mockernut 8 0.08% 0.02% hickory, bitternut 8 0.08% 0.02% aspen, bigtooth 8 0.08% 0.02% elm, smoothleaf 7 0.07% 0.02% redcedar, eastern 5 0.05% 0.01%	elm, spp.	9	0.09%	0.02%
oak, swamp white 8 0.08% 0.02% hickory, mockernut 8 0.08% 0.02% hickory, bitternut 8 0.08% 0.02% aspen, bigtooth 8 0.08% 0.02% elm, smoothleaf 7 0.07% 0.02% redcedar, eastern 5 0.05% 0.01%	willow, weeping	8	0.08%	0.02%
hickory, mockernut 8 0.08% 0.029 hickory, bitternut 8 0.08% 0.029 aspen, bigtooth 8 0.08% 0.029 elm, smoothleaf 7 0.07% 0.029 redcedar, eastern 5 0.05% 0.019	unknown	8	0.08%	0.02%
hickory, bitternut 8 0.08% 0.029 aspen, bigtooth 8 0.08% 0.029 elm, smoothleaf 7 0.07% 0.029 redcedar, eastern 5 0.05% 0.019	oak, swamp white	8	0.08%	0.02%
aspen, bigtooth 8 0.08% 0.02% elm, smoothleaf 7 0.07% 0.02% redcedar, eastern 5 0.05% 0.01%	hickory, mockernut	8	0.08%	0.02%
elm, smoothleaf 7 0.07% 0.02% redcedar, eastern 5 0.05% 0.01%	hickory, bitternut	8	0.08%	0.02%
redcedar, eastern 5 0.05% 0.01%	aspen, bigtooth	8	0.08%	0.02%
	elm, smoothleaf	7	0.07%	0.02%
ash, green 5 0.05% 0.01%	redcedar, eastern	5	0.05%	0.01%
		5		0.01%

Tuesday, May 19, 2009 Page 18 of 21

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
walnut, English	4	0.04%	0.01%
sweetgum, American	4	0.04%	0.01%
maple, sycamore	4	0.04%	0.01%
fir, white	4	0.04%	0.01%
ash, white	4	0.04%	0.01%
osage-orange	3	0.03%	0.01%
hemlock, eastern	3	0.03%	0.01%
dawn redwood	3	0.03%	0.01%
birch, paper	3	0.03%	0.01%
sassafras	2	0.02%	0.00%
maple, black	2	0.02%	0.00%
fir, balsam	2	0.02%	0.00%
beech, American	2	0.02%	0.00%
aspen, quaking	2	0.02%	0.00%
spruce, spp.	1	0.01%	0.00%
pine, Ponderosa	1	0.01%	0.00%
persimmon, common	1	0.01%	0.00%
pear, callery	1	0.01%	0.00%
oak, spp.	1	0.01%	0.00%
mulberry, red	1	0.01%	0.00%
maple, spp.	1	0.01%	0.00%
linden, silver	1	0.01%	0.00%
larch, European	1	0.01%	0.00%
hophornbeam, American	1	0.01%	0.00%
Summary for 51-70 (81 items)			
Sum	10116	100%	24.83%
Greater than 70			
maple, silver	425	22.78%	1.04%
maple, sugar	357	19.13%	0.88%
elm, American	134	7.18%	0.33%
cottonwood, eastern	113	6.06%	0.28%
oak, white	102	5.47%	0.25%

Tuesday, May 19, 2009 Page 19 of 21

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
walnut, black	71	3.80%	0.17%
linden, American	71	3.80%	0.17%
oak, northern red	59	3.16%	0.14%
spruce, Norway	57	3.05%	0.14%
elm, Siberian	52	2.79%	0.13%
oak, bur	46	2.47%	0.11%
sycamore, American	36	1.93%	0.09%
planetree, London	33	1.77%	0.08%
maple, Norway	33	1.77%	0.08%
hickory, shagbark	29	1.55%	0.07%
maple, red	28	1.50%	0.07%
honeylocust, thornless	28	1.50%	0.07%
locust, black	21	1.13%	0.05%
tuliptree	20	1.07%	0.05%
pine, eastern white	19	1.02%	0.05%
hickory, pignut	18	0.96%	0.04%
oak, black	16	0.86%	0.04%
cherry, black	11	0.59%	0.03%
catalpa, northern	10	0.54%	0.02%
hickory, bitternut	9	0.48%	0.02%
linden, littleleaf	8	0.43%	0.02%
Kentucky coffeetree	7	0.38%	0.02%
spruce, Colorado	6	0.32%	0.01%
oak, pin	5	0.27%	0.01%
elm, slippery	4	0.21%	0.01%
douglas-fir	4	0.21%	0.01%
spruce, white	3	0.16%	0.01%
pine, Scotch	3	0.16%	0.01%
pine, red	3	0.16%	0.01%
oak, swamp white	3	0.16%	0.01%
maple, Freeman	3	0.16%	0.01%
honeylocust	3	0.16%	0.01%

Tuesday, May 19, 2009 Page 20 of 21

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
hickory, mockernut	3	0.16%	0.01%
willow, black	2	0.11%	0.00%
aspen, bigtooth	2	0.11%	0.00%
pine, Austrian	1	0.05%	0.00%
oak, scarlet	1	0.05%	0.00%
oak, chinkapin	1	0.05%	0.00%
mulberry, red	1	0.05%	0.00%
hackberry, common	1	0.05%	0.00%
dawn redwood	1	0.05%	0.00%
aspen, quaking	1	0.05%	0.00%
ash, white	1	0.05%	0.00%
ash, spp.	1	0.05%	0.00%
Summary for Greater than 70 (49 items)			
Sum	1866	100%	4.58%
Grand Total	40749		

Tuesday, May 19, 2009 Page 21 of 21





Frequency Report: Potential Sawlog by Common (Street Sites)

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
N/A			
maple, sugar	489	26.72%	1.20%
maple, Norway	352	19.23%	0.86%
maple, silver	140	7.65%	0.34%
maple, red	120	6.56%	0.29%
crabapple, flowering	119	6.50%	0.29%
planetree, London	87	4.75%	0.21%
honeylocust, thornless	86	4.70%	0.21%
linden, littleleaf	69	3.77%	0.17%
linden, American	44	2.40%	0.11%
pear, callery	38	2.08%	0.09%
elm, American	25	1.37%	0.06%
zelkova, Japanese	22	1.20%	0.05%
oak, northern red	18	0.98%	0.04%
elm, Siberian	13	0.71%	0.03%
serviceberry, spp.	11	0.60%	0.03%
oak, swamp white	11	0.60%	0.03%
redbud, eastern	10	0.55%	0.02%
cherry/plum, spp.	10	0.55%	0.02%
oak, white	9	0.49%	0.02%
elm, slippery	9	0.49%	0.02%
walnut, black	8	0.44%	0.02%
oak, English	8	0.44%	0.02%
tuliptree	7	0.38%	0.02%
sycamore, American	6	0.33%	0.01%
maple, hedge	6	0.33%	0.01%
Japanese pagodatree	6	0.33%	0.01%
horsechestnut	6	0.33%	0.01%
hackberry, common	6	0.33%	0.01%

Tuesday, May 19, 2009 Page 1 of 11

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
hickory, bitternut	5	0.27%	0.01%
Persian parrotia	4	0.22%	0.01%
mulberry, white	4	0.22%	0.01%
locust, black	4	0.22%	0.01%
Kentucky coffeetree	4	0.22%	0.01%
honeylocust	4	0.22%	0.01%
hickory, shagbark	4	0.22%	0.01%
ginkgo	4	0.22%	0.01%
sweetgum, American	3	0.16%	0.01%
oak, pin	3	0.16%	0.01%
oak, bur	3	0.16%	0.01%
maple, Freeman	3	0.16%	0.01%
lilac, Japanese tree	3	0.16%	0.01%
fringetree, white	3	0.16%	0.01%
catalpa, northern	3	0.16%	0.01%
ash, green	3	0.16%	0.01%
spruce, Norway	2	0.11%	0.00%
pine, eastern white	2	0.11%	0.00%
oak, shingle	2	0.11%	0.00%
maple, paperbark	2	0.11%	0.00%
maple, Japanese	2	0.11%	0.00%
goldenraintree	2	0.11%	0.00%
boxelder	2	0.11%	0.00%
birch, river	2	0.11%	0.00%
apple, common	2	0.11%	0.00%
walnut, English	1	0.05%	0.00%
spruce, white	1	0.05%	0.00%
spruce, Colorado	1	0.05%	0.00%
redcedar, eastern	1	0.05%	0.00%
pear, common	1	0.05%	0.00%
oak, northern pin	1	0.05%	0.00%
oak, black	1	0.05%	0.00%

Tuesday, May 19, 2009 Page 2 of 11

mountainash, European maple, sycamore maple, striped maple, black hornbeam, American hophornbeam, American hemlock, eastern fir, white fir, balsam dawn redwood cottonwood, eastern cherry, black Amur corktree	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0.05% 0.05% 0.05% 0.05% 0.05% 0.05% 0.05% 0.05% 0.05% 0.05% 0.05%	0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00%
maple, striped maple, black hornbeam, American hophornbeam, American hemlock, eastern fir, white fir, balsam dawn redwood cottonwood, eastern cherry, black	1 1 1 1 1 1 1 1	0.05% 0.05% 0.05% 0.05% 0.05% 0.05% 0.05%	0.00% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00%
maple, black hornbeam, American hophornbeam, American hemlock, eastern fir, white fir, balsam dawn redwood cottonwood, eastern cherry, black	1 1 1 1 1 1 1	0.05% 0.05% 0.05% 0.05% 0.05% 0.05% 0.05%	0.00% 0.00% 0.00% 0.00% 0.00% 0.00%
hornbeam, American hophornbeam, American hemlock, eastern fir, white fir, balsam dawn redwood cottonwood, eastern cherry, black	1 1 1 1 1 1	0.05% 0.05% 0.05% 0.05% 0.05% 0.05%	0.00% 0.00% 0.00% 0.00% 0.00% 0.00%
hophornbeam, American hemlock, eastern fir, white fir, balsam dawn redwood cottonwood, eastern cherry, black	1 1 1 1 1 1	0.05% 0.05% 0.05% 0.05% 0.05%	0.00% 0.00% 0.00% 0.00% 0.00%
hemlock, eastern fir, white fir, balsam dawn redwood cottonwood, eastern cherry, black	1 1 1 1 1	0.05% 0.05% 0.05% 0.05%	0.00% 0.00% 0.00% 0.00%
fir, white fir, balsam dawn redwood cottonwood, eastern cherry, black	1 1 1 1	0.05% 0.05% 0.05% 0.05%	0.00% 0.00% 0.00% 0.00%
fir, balsam dawn redwood cottonwood, eastern cherry, black	1 1 1	0.05% 0.05% 0.05%	0.00% 0.00% 0.00%
dawn redwood cottonwood, eastern cherry, black	1 1 1	0.05% 0.05%	0.00% 0.00%
cottonwood, eastern cherry, black	1	0.05%	0.00%
cherry, black	1		
		0.05%	
Amur corktree	1		0.00%
		0.05%	0.00%
Summary for N/A (73 items)			
Sum	1830	100%	4.49%
No			
maple, Norway	5291	15.67%	12.98%
maple, sugar	3279	9.71%	8.05%
honeylocust, thornless	2904	8.60%	7.13%
maple, red	2721	8.06%	6.68%
crabapple, flowering	2374	7.03%	5.83%
linden, littleleaf	1599	4.73%	3.92%
maple, silver	1460	4.32%	3.58%
planetree, London	1219	3.61%	2.99%
pear, callery	1056	3.13%	2.59%
oak, northern red	631	1.87%	1.55%
spruce, Colorado	617	1.83%	1.51%
elm, American	430	1.27%	1.06%
elm, Siberian	414	1.23%	1.02%
pine, Austrian	407	1.21%	1.00%
zelkova, Japanese	401	1.19%	0.98%
arborvitae, eastern	362	1.07%	0.89%

Tuesday, May 19, 2009 Page 3 of 11

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
spruce, white	339	1.00%	0.83%
oak, swamp white	322	0.95%	0.79%
redbud, eastern	308	0.91%	0.76%
walnut, black	295	0.87%	0.72%
pine, eastern white	289	0.86%	0.71%
cherry/plum, spp.	280	0.83%	0.69%
spruce, Norway	256	0.76%	0.63%
linden, American	240	0.71%	0.59%
serviceberry, spp.	224	0.66%	0.55%
maple, Freeman	201	0.60%	0.49%
locust, black	192	0.57%	0.47%
hickory, shagbark	192	0.57%	0.47%
Japanese pagodatree	187	0.55%	0.46%
catalpa, northern	183	0.54%	0.45%
hackberry, common	180	0.53%	0.44%
ginkgo	179	0.53%	0.44%
boxelder	173	0.51%	0.42%
oak, English	170	0.50%	0.42%
maple, hedge	155	0.46%	0.38%
tuliptree	146	0.43%	0.36%
cherry, black	144	0.43%	0.35%
oak, white	142	0.42%	0.35%
oak, bur	133	0.39%	0.33%
sweetgum, American	132	0.39%	0.32%
redcedar, eastern	131	0.39%	0.32%
mulberry, white	131	0.39%	0.32%
lilac, Japanese tree	125	0.37%	0.31%
pine, Scotch	118	0.35%	0.29%
oak, pin	118	0.35%	0.29%
hawthorn, spp.	116	0.34%	0.28%
hornbeam, European	106	0.31%	0.26%
douglas-fir	106	0.31%	0.26%

Tuesday, May 19, 2009 Page 4 of 11

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
hemlock, eastern	101	0.30%	0.25%
ash, white	89	0.26%	0.22%
Kentucky coffeetree	86	0.25%	0.21%
birch, river	86	0.25%	0.21%
sycamore, American	84	0.25%	0.21%
ash, spp.	82	0.24%	0.20%
maple, Japanese	79	0.23%	0.19%
cottonwood, eastern	78	0.23%	0.19%
horsechestnut	71	0.21%	0.17%
Amur corktree	71	0.21%	0.17%
oak, shingle	63	0.19%	0.15%
goldenraintree	59	0.17%	0.14%
maple, Amur	56	0.17%	0.14%
yellowwood, American	54	0.16%	0.13%
buckthorn, common	54	0.16%	0.13%
dogwood, flowering	53	0.16%	0.13%
hawthorn, Washington	50	0.15%	0.12%
unknown	48	0.14%	0.12%
oak, black	46	0.14%	0.11%
fringetree, white	43	0.13%	0.11%
honeylocust	42	0.12%	0.10%
Amur maackia	41	0.12%	0.10%
tree-of-heaven	40	0.12%	0.10%
maple, Miyabei	36	0.11%	0.09%
apple, common	36	0.11%	0.09%
hornbeam, American	35	0.10%	0.09%
elm, hybrid	35	0.10%	0.09%
katsuratree	32	0.09%	0.08%
pine, red	30	0.09%	0.07%
hickory, pignut	30	0.09%	0.07%
maple, striped	28	0.08%	0.07%
fir, balsam	28	0.08%	0.07%

Tuesday, May 19, 2009 Page 5 of 11

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
fir, white	27	0.08%	0.07%
juniper, spp.	26	0.08%	0.06%
elm, spp.	26	0.08%	0.06%
dogwood, Kousa	26	0.08%	0.06%
magnolia, saucer	25	0.07%	0.06%
linden, silver	25	0.07%	0.06%
Persian parrotia	24	0.07%	0.06%
ash, green	23	0.07%	0.06%
smoketree, common	22	0.07%	0.05%
hardy rubbertree	22	0.07%	0.05%
dawn redwood	22	0.07%	0.05%
willow, black	21	0.06%	0.05%
maple, paperbark	21	0.06%	0.05%
hickory, mockernut	21	0.06%	0.05%
maple, spp.	19	0.06%	0.05%
elm, slippery	19	0.06%	0.05%
birch, paper	19	0.06%	0.05%
willow, weeping	18	0.05%	0.04%
maple, Tatarian	17	0.05%	0.04%
elm, smoothleaf	17	0.05%	0.04%
maple, sycamore	16	0.05%	0.04%
magnolia, star	15	0.04%	0.04%
hophornbeam, American	15	0.04%	0.04%
blackgum	15	0.04%	0.04%
hickory, bitternut	14	0.04%	0.03%
alder, common	14	0.04%	0.03%
lilac, common	13	0.04%	0.03%
willow, corkscrew	12	0.04%	0.03%
cherry, Sargent	12	0.04%	0.03%
pine, mugo	10	0.03%	0.02%
magnolia, spp.	10	0.03%	0.02%
sassafras	9	0.03%	0.02%

Tuesday, May 19, 2009 Page 6 of 11

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
pear, common	9	0.03%	0.02%
osage-orange	9	0.03%	0.02%
yew, spp.	8	0.02%	0.02%
spruce, spp.	8	0.02%	0.02%
maple, three-flower	8	0.02%	0.02%
cypress, Leyland	8	0.02%	0.02%
oak, Shumard	7	0.02%	0.02%
maple, trident	7	0.02%	0.02%
goldenchain tree	7	0.02%	0.02%
filbert, Turkish	7	0.02%	0.02%
viburnum, spp.	6	0.02%	0.01%
pine, Japanese white	6	0.02%	0.01%
peach, common	6	0.02%	0.01%
horsechestnut, red	6	0.02%	0.01%
filbert, American	6	0.02%	0.01%
buckeye, yellow	6	0.02%	0.01%
birch, gray	6	0.02%	0.01%
beech, European	6	0.02%	0.01%
walnut, English	5	0.01%	0.01%
smoketree, American	5	0.01%	0.01%
oak, spp.	5	0.01%	0.01%
aspen, bigtooth	5	0.01%	0.01%
spruce, Serbian	4	0.01%	0.01%
Russian-olive	4	0.01%	0.01%
mountainash, European	4	0.01%	0.01%
buckeye, Ohio	4	0.01%	0.01%
beech, American	4	0.01%	0.01%
aspen, quaking	4	0.01%	0.01%
willow, spp.	3	0.01%	0.01%
willow, pussy	3	0.01%	0.01%
dogwood, pagoda	3	0.01%	0.01%
baldcypress, common	3	0.01%	0.01%

Tuesday, May 19, 2009 Page 7 of 11

pine, Ponderosa pine, jack paulownia mulberry, red mountainash, American maple, western sugar maple, black magnolia, sweetbay linden, caucasian filbert, European falsecypress, Nootka cherry, pin yellowhorn witchhazel, common silverbell, Carolina serviceberry, Allegheny plum, cherry	2 2 2 2 2	0.01% 0.01% 0.01% 0.01%	0.00%
paulownia mulberry, red mountainash, American maple, western sugar maple, black magnolia, sweetbay linden, caucasian filbert, European falsecypress, Nootka cherry, pin yellowhorn witchhazel, common silverbell, Carolina serviceberry, Allegheny plum, cherry	2	0.01%	
mulberry, red mountainash, American maple, western sugar maple, black magnolia, sweetbay linden, caucasian filbert, European falsecypress, Nootka cherry, pin yellowhorn witchhazel, common silverbell, Carolina serviceberry, Allegheny plum, cherry	2		0.000/
mountainash, American maple, western sugar maple, black magnolia, sweetbay linden, caucasian filbert, European falsecypress, Nootka cherry, pin yellowhorn witchhazel, common silverbell, Carolina serviceberry, Allegheny plum, cherry		0.01%	0.00%
maple, western sugar maple, black magnolia, sweetbay linden, caucasian filbert, European falsecypress, Nootka cherry, pin yellowhorn witchhazel, common silverbell, Carolina serviceberry, Allegheny plum, cherry	2	0.01/0	0.00%
maple, black magnolia, sweetbay linden, caucasian filbert, European falsecypress, Nootka cherry, pin yellowhorn witchhazel, common silverbell, Carolina serviceberry, Allegheny plum, cherry		0.01%	0.00%
magnolia, sweetbay linden, caucasian filbert, European falsecypress, Nootka cherry, pin yellowhorn witchhazel, common silverbell, Carolina serviceberry, Allegheny plum, cherry	2	0.01%	0.00%
linden, caucasian filbert, European falsecypress, Nootka cherry, pin yellowhorn witchhazel, common silverbell, Carolina serviceberry, Allegheny plum, cherry	2	0.01%	0.00%
filbert, European falsecypress, Nootka cherry, pin yellowhorn witchhazel, common silverbell, Carolina serviceberry, Allegheny plum, cherry	2	0.01%	0.00%
falsecypress, Nootka cherry, pin yellowhorn witchhazel, common silverbell, Carolina serviceberry, Allegheny plum, cherry	2	0.01%	0.00%
cherry, pin yellowhorn witchhazel, common silverbell, Carolina serviceberry, Allegheny plum, cherry	2	0.01%	0.00%
yellowhorn witchhazel, common silverbell, Carolina serviceberry, Allegheny plum, cherry	2	0.01%	0.00%
witchhazel, common silverbell, Carolina serviceberry, Allegheny plum, cherry	2	0.01%	0.00%
silverbell, Carolina serviceberry, Allegheny plum, cherry	1	0.00%	0.00%
serviceberry, Allegheny plum, cherry	1	0.00%	0.00%
plum, cherry	1	0.00%	0.00%
	1	0.00%	0.00%
nine Jananese blast.	1	0.00%	0.00%
pine, Japanese black	1	0.00%	0.00%
pawpaw, common	1	0.00%	0.00%
oak, willow	1	0.00%	0.00%
oak, scarlet	1	0.00%	0.00%
oak, sawtooth	1	0.00%	0.00%
oak, chinkapin	1	0.00%	0.00%
oak, chestnut	1	0.00%	0.00%
locust, bristly	1	0.00%	0.00%
larch, European	1	0.00%	0.00%
holly, spp.	1	0.00%	0.00%
hawthorn, cockspur	1	0.00%	0.00%
falsecypress, Hinoki	1	0.00%	0.00%
dogwood, gray	1	0.00%	0.00%
dogwood, corneliancherry	1	0.00%	0.00%
devils-walkingstick	1	0.00%	0.00%

Tuesday, May 19, 2009 Page 8 of 11

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
cherry, sweet	1	0.00%	0.00%
butternut	1	0.00%	0.00%
birch, European white	1	0.00%	0.00%
ash, blue	1	0.00%	0.00%
alder, tag	1	0.00%	0.00%
Summary for No (181 items)			
Sum	33770	100%	82.87%
Yes			
maple, sugar	1315	25.54%	3.23%
maple, silver	530	10.29%	1.30%
maple, Norway	406	7.89%	1.00%
honeylocust, thornless	365	7.09%	0.90%
walnut, black	295	5.73%	0.72%
oak, white	213	4.14%	0.52%
elm, American	167	3.24%	0.41%
oak, northern red	166	3.22%	0.41%
planetree, London	137	2.66%	0.34%
linden, American	128	2.49%	0.31%
cottonwood, eastern	127	2.47%	0.31%
spruce, Norway	126	2.45%	0.31%
linden, littleleaf	112	2.18%	0.27%
oak, bur	100	1.94%	0.25%
hickory, shagbark	85	1.65%	0.21%
spruce, Colorado	77	1.50%	0.19%
pine, Austrian	76	1.48%	0.19%
tuliptree	70	1.36%	0.17%
maple, red	65	1.26%	0.16%
elm, Siberian	59	1.15%	0.14%
sycamore, American	53	1.03%	0.13%
pine, eastern white	47	0.91%	0.12%
locust, black	47	0.91%	0.12%
oak, black	41	0.80%	0.10%

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
oak, pin	38	0.74%	0.09%
hickory, pignut	38	0.74%	0.09%
cherry, black	35	0.68%	0.09%
pine, Scotch	33	0.64%	0.08%
pine, red	23	0.45%	0.06%
catalpa, northern	22	0.43%	0.05%
spruce, white	19	0.37%	0.05%
ginkgo	17	0.33%	0.04%
oak, English	12	0.23%	0.03%
douglas-fir	10	0.19%	0.02%
hickory, mockernut	9	0.17%	0.02%
tree-of-heaven	7	0.14%	0.02%
honeylocust	7	0.14%	0.02%
hickory, bitternut	7	0.14%	0.02%
maple, Freeman	6	0.12%	0.01%
aspen, bigtooth	5	0.10%	0.01%
oak, swamp white	4	0.08%	0.01%
elm, slippery	4	0.08%	0.01%
willow, black	3	0.06%	0.01%
Kentucky coffeetree	3	0.06%	0.01%
Japanese pagodatree	3	0.06%	0.01%
hackberry, common	3	0.06%	0.01%
fir, white	3	0.06%	0.01%
ash, spp.	3	0.06%	0.01%
mulberry, white	2	0.04%	0.00%
horsechestnut	2	0.04%	0.00%
elm, smoothleaf	2	0.04%	0.00%
dawn redwood	2	0.04%	0.00%
aspen, quaking	2	0.04%	0.00%
zelkova, Japanese	1	0.02%	0.00%
walnut, English	1	0.02%	0.00%
Wallat, Eligion			

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
persimmon, common	1	0.02%	0.00%
oak, shingle	1	0.02%	0.00%
oak, scarlet	1	0.02%	0.00%
maple, black	1	0.02%	0.00%
linden, silver	1	0.02%	0.00%
larch, European	1	0.02%	0.00%
hemlock, eastern	1	0.02%	0.00%
fir, balsam	1	0.02%	0.00%
crabapple, flowering	1	0.02%	0.00%
boxelder	1	0.02%	0.00%
beech, European	1	0.02%	0.00%
beech, American	1	0.02%	0.00%
ash, white	1	0.02%	0.00%
ash, green	1	0.02%	0.00%
arborvitae, eastern	1	0.02%	0.00%
Summary for Yes (71 items)			
Sum	5149	100%	12.64%
Grand Total	40749		



Frequency Report: Diameter Class by Potential Sawlog (Street Sites)

Potential Sawlog	Total	Percent of Sub- Category Pop.	Percent of Entire Population
1 - 3			
No	7111	96.88%	17.45%
N/A	229	3.12%	0.56%
Summary for 1 - 3 (2 items)			
Sum	7340	100%	18.01%
4 - 6			
No	5024	96.88%	12.33%
N/A	162	3.12%	0.40%
Summary for 4 - 6 (2 items)			
Sum	5186	100%	12.73%
7 - 12			
No	9817	94.10%	24.09%
N/A	368	3.53%	0.90%
Yes	248	2.38%	0.61%
Summary for 7 - 12 (3 items)			
Sum	10433	100%	25.60%
13 - 18			
No	7005	73.21%	17.19%
Yes	2065	21.58%	5.07%
N/A	498	5.20%	1.22%
Summary for 13 - 18 (3 items)			
Sum	9568	100%	23.48%
19 - 24			
No	3075	60.99%	7.55%
Yes	1645	32.63%	4.04%
N/A	322	6.39%	0.79%
Summary for 19 - 24 (3 items)			
Sum	5042	100%	12.37%
25 - 30			
No	1182	56.85%	2.90%

Potential Sawlog	Total	Percent of Sub- Category Pop.	Percent of Entire Population
Yes	734	35.31%	1.80%
N/A	163	7.84%	0.40%
Summary for 25 - 30 (3 items)			
Sum	2079	100%	5.10%
31 - 36			
No	377	51.29%	0.93%
Yes	296	40.27%	0.73%
N/A	62	8.44%	0.15%
Summary for 31 - 36 (3 items) Sum	735	100%	1.80%
37 - 42			
No	117	49.37%	0.29%
Yes	101	42.62%	0.25%
N/A	19	8.02%	0.05%
Summary for 37 - 42 (3 items) Sum	237	100%	0.58%
43 +			
No	62	48.06%	0.15%
Yes	60	46.51%	0.15%
N/A	7	5.43%	0.02%
Summary for 43 + (3 items) Sum	129	100%	0.32%
Grand Total	40749		





Quantity Report: Common (Non-Street Sites)

Common	Total	Percentage of Entire Population
crabapple, flowering	503	7.59%
pine, Austrian	482	7.27%
maple, red	367	5.53%
oak, northern red	310	4.68%
spruce, Colorado	297	4.48%
maple, sugar	276	4.16%
honeylocust, thornless	257	3.88%
walnut, black	224	3.38%
maple, Norway	215	3.24%
pine, eastern white	182	2.74%
oak, swamp white	179	2.70%
linden, littleleaf	179	2.70%
hawthorn, spp.	152	2.29%
oak, white	146	2.20%
pine, Scotch	136	2.05%
hackberry, common	130	1.96%
redbud, eastern	123	1.85%
oak, bur	122	1.84%
serviceberry, spp.	120	1.81%
cherry/plum, spp.	106	1.60%
zelkova, Japanese	100	1.51%
planetree, London	98	1.48%
hickory, shagbark	93	1.40%
spruce, Norway	88	1.33%
elm, American	80	1.21%
tuliptree	73	1.10%
douglas-fir	66	1.00%
cherry, black	65	0.98%
maple, silver	64	0.97%
boxelder	59	0.89%
oak, pin	57	0.86%
fir, white	57	0.86%
spruce, white	55	0.83%
arborvitae, eastern	51	0.77%
cottonwood, eastern	48	0.72%

Common	Total	Percentage of Entire Population
birch, river	43	0.65%
linden, American	39	0.59%
elm, Siberian	39	0.59%
hornbeam, American	38	0.57%
fir, balsam	36	0.54%
mulberry, white	34	0.51%
maple, Amur	32	0.48%
sweetgum, American	30	0.45%
Kentucky coffeetree	30	0.45%
redcedar, eastern	29	0.44%
willow, weeping	27	0.41%
maple, striped	23	0.35%
ash, spp.	23	0.35%
horsechestnut	22	0.33%
hawthorn, Washington	22	0.33%
hardy rubbertree	22	0.33%
ginkgo	22	0.33%
stump	21	0.32%
blackgum	21	0.32%
pine, jack	20	0.30%
pear, callery	20	0.30%
oak, shingle	20	0.30%
dogwood, pagoda	20	0.30%
yellowwood, American	19	0.29%
oak, sawtooth	18	0.27%
maple, hedge	18	0.27%
juniper, spp.	18	0.27%
willow, black	17	0.26%
lilac, Japanese tree	15	0.23%
apple, common	15	0.23%
Amur maackia	15	0.23%
tree-of-heaven	14	0.21%
katsuratree	14	0.21%
dawn redwood	14	0.21%
hornbeam, European	13	0.20%
sycamore, American	12	0.18%
locust, black	12	0.18%
unknown	11	0.17%

hickory, pignut 10 Catalpa, northern 10 Catalpa, no	Common	Total	Percentage of Entire Population
catalpa, northern 10 0 Japanese pagodatree 9 0 horsechestrut, red 9 0 maple, Freeman 8 0 hickory, bitternut 8 0 oak, English 7 0 maple, paperbark 7 0 elm, hybrid 7 0 ash, white 7 0 spruce, Serbian 6 0 poplar, white 6 0 maple, Tatarian 6 0 maple, Myabei 6 0 dogwood, Kousa 6 0 baldcypress, common 6 0 oak, black 5 0 maple, Japanese 5 0 magnolia, spp. 5 0 therry, sweet 5 0 derry, sweet 5 0 filbert, Turkish 4 0 dogwood, flowering 4 0 butternut 4 0 <td>beech, American</td> <td>11</td> <td>0.17%</td>	beech, American	11	0.17%
Japanese pagodatree 9	hickory, pignut	10	0.15%
horsechestnut, red 9 0 maple, Freeman 8 0 hickory, bitternut 8 0 oak, English 7 0 maple, paperbark 7 0 elm, hybrid 7 0 ash, white 7 0 spruce, Serbian 6 0 poplar, white 6 0 maple, Tatarian 6 0 maple, Miyabei 6 0 dogwood, Kousa 6 0 baldcypress, common 6 0 oak, black 5 0 maple, Japanese 5 0 magnolia, spp. 5 0 honeylocust 5 0 cherry, sweet 5 0 walnut, English 4 0 dogwood, flowering 4 0 butternut 4 0 didger, common 4 0 Tamarix spp. 3 0	catalpa, northern	10	0.15%
maple, Freeman 8 0 hickory, bitternut 8 0 oak, English 7 0 maple, paperbark 7 0 elm, hybrid 7 0 ash, white 7 0 spruce, Serbian 6 0 poplar, white 6 0 maple, Tatarian 6 0 maple, Miyabei 6 0 dogwood, Kousa 6 0 baldcypress, common 6 0 oak, black 5 0 maple, Japanese 5 0 magnolia, spp. 5 0 honeylocust 5 0 cherry, sweet 5 0 walnut, English 4 0 dibert, Turkish 4 0 dogwood, flowering 4 0 butternut 4 0 alder, common 4 0 Tamarix spp. 3 0	Japanese pagodatree	9	0.14%
hickory, bitternut 8 oak, English 7 maple, paperbark 7 elm, hybrid 7 ash, white 7 spruce, Serbian 6 poplar, white 6 maple, Tatarian 6 maple, Miyabei 6 dogwood, Kousa 6 baldcypress, common 6 oak, black 5 mapple, Japanese 5 magnolia, spp. 5 cherry, sweet 5 valnut, English 4 flibert, Turkish 4 dogwood, flowering 4 butternut 4 alder, common 4 Tamarix spp. 3 spruce, spp. 3 magnolia, star 3 magnolia, star 3 magnolia, saucer 3 golderraintree 3 filbert, American 3 pear, common 2 oak, spp. 2	horsechestnut, red	9	0.14%
oak, English 7 0 maple, paperbark 7 0 elm, hybrid 7 0 ash, white 7 0 spruce, Serbian 6 0 poplar, white 6 0 maple, Tatarian 6 0 maple, Tatarian 6 0 maple, Wyabei 6 0 dogwood, Kousa 6 0 baldcypress, common 6 0 oak, black 5 0 maple, Japanese 5 0 magnolia, spp. 5 0 honeylocust 5 0 cherry, sweet 5 0 walnut, English 4 0 filbert, Turkish 4 0 dogwood, flowering 4 0 butternut 4 0 alder, common 4 0 Tamarix spp. 3 0 spruce, spp. 3 0	maple, Freeman	8	0.12%
maple, paperbark 7 0 elm, hybrid 7 0 ash, white 7 0 spruce, Serbian 6 0 poplar, white 6 0 maple, Tatarian 6 0 maple, Miyabei 6 0 dogwood, Kousa 6 0 baldcypress, common 6 0 oak, black 5 0 maple, Japanese 5 0 magnolia, spp. 5 0 honeylocust 5 0 cherry, sweet 5 0 walnut, English 4 0 filbert, Turkish 4 0 dogwood, flowering 4 0 butternut 4 0 alder, common 4 0 Tamarix spp. 3 0 spruce, spp. 3 0 magnolia, star 3 0 magnolia, saucer 3 0	hickory, bitternut	8	0.12%
elin, hybrid 7 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	oak, English	7	0.11%
ash, white 7 7 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	maple, paperbark	7	0.11%
spruce, Serbian 6 0 poplar, white 6 0 maple, Tatarian 6 0 maple, Miyabei 6 0 dogwood, Kousa 6 0 baldcypress, common 6 0 oak, black 5 0 maple, Japanese 5 0 magnolia, spp. 5 0 honeylocust 5 0 cherry, sweet 5 0 walnut, English 4 0 filbert, Turkish 4 0 dogwood, flowering 4 0 butternut 4 0 alder, common 4 0 Tamarix spp. 3 0 spruce, spp. 3 0 magnolia, star 3 0 magnolia, saucer 3 0 goldenraintree 3 0 filbert, American 3 0 oak, spp. 2 0	elm, hybrid	7	0.11%
poplar, white 6 6 maple, Tatarian 6 0 maple, Miyabei 6 0 dogwood, Kousa 6 0 baldcypress, common 6 0 oak, black 5 0 maple, Japanese 5 0 magnolia, spp. 5 0 honeylocust 5 0 cherry, sweet 5 0 walnut, English 4 0 filibert, Turkish 4 0 dogwood, flowering 4 0 butternut 4 0 alder, common 4 0 Tamarix spp. 3 0 spruce, spp. 3 0 magnolia, star 3 0 magnolia, saucer 3 0 goldenraintree 3 0 filbert, American 3 0 oak, spp. 2 0 maple, sycamore 2 0	ash, white	7	0.11%
maple, Tatarian 6 6 maple, Miyabei 6 0 dogwood, Kousa 6 0 baldcypress, common 6 0 oak, black 5 0 maple, Japanese 5 0 magnolia, spp. 5 0 honeylocust 5 0 cherry, sweet 5 0 walnut, English 4 0 filbert, Turkish 4 0 dogwood, flowering 4 0 butternut 4 0 alder, common 4 0 Tamarix spp. 3 0 spruce, spp. 3 0 magnolia, star 3 0 magnolia, saucer 3 0 goldenraintree 3 0 filbert, American 3 0 pear, common 2 0 oak, spp. 2 0 maple, sycamore 2 0 </td <td>spruce, Serbian</td> <td>6</td> <td>0.09%</td>	spruce, Serbian	6	0.09%
maple, Miyabei 6 0 dogwood, Kousa 6 0 baldcypress, common 6 0 oak, black 5 0 maple, Japanese 5 0 magnolia, spp. 5 0 honeylocust 5 0 cherry, sweet 5 0 walnut, English 4 0 filbert, Turkish 4 0 dogwood, flowering 4 0 butternut 4 0 alder, common 4 0 Tamarix spp. 3 0 spruce, spp. 3 0 magnolia, star 3 0 magnolia, saucer 3 0 goldenraintree 3 0 filbert, American 3 0 pear, common 2 0 oak, spp. 2 0 maple, sycamore 2 0	poplar, white	6	0.09%
dogwood, Kousa 6 0 baldcypress, common 6 0 oak, black 5 0 maple, Japanese 5 0 magnolia, spp. 5 0 honeylocust 5 0 cherry, sweet 5 0 walnut, English 4 0 filbert, Turkish 4 0 dogwood, flowering 4 0 butternut 4 0 alder, common 4 0 Tamarix spp. 3 0 spruce, spp. 3 0 magnolia, star 3 0 magnolia, saucer 3 0 goldenraintree 3 0 filbert, American 3 0 pear, common 2 0 oak, spp. 2 0 maple, sycamore 2 0	maple, Tatarian	6	0.09%
baldcypress, common 6 oak, black 5 maple, Japanese 5 magnolia, spp. 5 honeylocust 5 cherry, sweet 5 walnut, English 4 filbert, Turkish 4 dogwood, flowering 4 butternut 4 alder, common 4 Tamarix spp. 3 spruce, spp. 3 magnolia, star 3 magnolia, saucer 3 goldenraintree 3 filbert, American 3 pear, common 2 oak, spp. 2 maple, sycamore 2	maple, Miyabei	6	0.09%
oak, black 5 maple, Japanese 5 magnolia, spp. 5 honeylocust 5 cherry, sweet 5 walnut, English 4 filbert, Turkish 4 dogwood, flowering 4 butternut 4 alder, common 4 Tamarix spp. 3 spruce, spp. 3 magnolia, star 3 magnolia, saucer 3 goldenraintree 3 filbert, American 3 pear, common 2 oak, spp. 2 maple, sycamore 2	dogwood, Kousa	6	0.09%
maple, Japanese 5 magnolia, spp. 5 honeylocust 5 cherry, sweet 5 walnut, English 4 filbert, Turkish 4 dogwood, flowering 4 butternut 4 alder, common 4 Tamarix spp. 3 spruce, spp. 3 magnolia, star 3 magnolia, saucer 3 goldenraintree 3 filbert, American 3 pear, common 2 oak, spp. 2 maple, sycamore 2	baldcypress, common	6	0.09%
magnolia, spp. 5 0 honeylocust 5 0 cherry, sweet 5 0 walnut, English 4 0 filbert, Turkish 4 0 dogwood, flowering 4 0 butternut 4 0 alder, common 4 0 Tamarix spp. 3 0 spruce, spp. 3 0 magnolia, star 3 0 magnolia, saucer 3 0 goldenraintree 3 0 filbert, American 3 0 pear, common 2 0 oak, spp. 2 0 maple, sycamore 2 0	oak, black	5	0.08%
honeylocust 5 0 cherry, sweet 5 0 walnut, English 4 0 filbert, Turkish 4 0 dogwood, flowering 4 0 butternut 4 0 alder, common 4 0 Tamarix spp. 3 0 spruce, spp. 3 0 magnolia, star 3 0 magnolia, saucer 3 0 goldenraintree 3 0 filbert, American 3 0 pear, common 2 0 oak, spp. 2 0 maple, sycamore 2 0	maple, Japanese	5	0.08%
cherry, sweet 5 walnut, English 4 filbert, Turkish 4 dogwood, flowering 4 butternut 4 alder, common 4 Tamarix spp. 3 spruce, spp. 3 magnolia, star 3 magnolia, saucer 3 goldenraintree 3 filbert, American 3 pear, common 2 oak, spp. 2 maple, sycamore 2	magnolia, spp.	5	0.08%
walnut, English 4 0 filbert, Turkish 4 0 dogwood, flowering 4 0 butternut 4 0 alder, common 4 0 Tamarix spp. 3 0 spruce, spp. 3 0 magnolia, star 3 0 goldenraintree 3 0 filbert, American 3 0 pear, common 2 0 oak, spp. 2 0 maple, sycamore 2 0	honeylocust	5	0.08%
filbert, Turkish 4 0 dogwood, flowering 4 0 butternut 4 0 alder, common 4 0 Tamarix spp. 3 0 spruce, spp. 3 0 magnolia, star 3 0 magnolia, saucer 3 0 goldenraintree 3 0 filbert, American 3 0 pear, common 2 0 oak, spp. 2 0 maple, sycamore 2 0	cherry, sweet	5	0.08%
dogwood, flowering 4 0 butternut 4 0 alder, common 4 0 Tamarix spp. 3 0 spruce, spp. 3 0 magnolia, star 3 0 magnolia, saucer 3 0 goldenraintree 3 0 filbert, American 3 0 pear, common 2 0 oak, spp. 2 0 maple, sycamore 2 0	walnut, English	4	0.06%
butternut 4 0 alder, common 4 0 Tamarix spp. 3 0 spruce, spp. 3 0 magnolia, star 3 0 magnolia, saucer 3 0 goldenraintree 3 0 filbert, American 3 0 pear, common 2 0 oak, spp. 2 0 maple, sycamore 2 0	filbert, Turkish	4	0.06%
alder, common 4 0 Tamarix spp. 3 0 spruce, spp. 3 0 magnolia, star 3 0 magnolia, saucer 3 0 goldenraintree 3 0 filbert, American 3 0 pear, common 2 0 oak, spp. 2 0 maple, sycamore 2 0	dogwood, flowering	4	0.06%
Tamarix spp. 3 0 spruce, spp. 3 0 magnolia, star 3 0 magnolia, saucer 3 0 goldenraintree 3 0 filbert, American 3 0 pear, common 2 0 oak, spp. 2 0 maple, sycamore 2 0	butternut	4	0.06%
spruce, spp. 3 0 magnolia, star 3 0 magnolia, saucer 3 0 goldenraintree 3 0 filbert, American 3 0 pear, common 2 0 oak, spp. 2 0 maple, sycamore 2 0	alder, common	4	0.06%
magnolia, star 3 0 magnolia, saucer 3 0 goldenraintree 3 0 filbert, American 3 0 pear, common 2 0 oak, spp. 2 0 maple, sycamore 2 0	Tamarix spp.	3	0.05%
magnolia, saucer 3 0 goldenraintree 3 0 filbert, American 3 0 pear, common 2 0 oak, spp. 2 0 maple, sycamore 2 0	spruce, spp.	3	0.05%
goldenraintree 3 0 filbert, American 3 0 pear, common 2 0 oak, spp. 2 0 maple, sycamore 2 0	magnolia, star	3	0.05%
filbert, American pear, common 2 oak, spp. paple, sycamore 2 oak	magnolia, saucer	3	0.05%
pear, common 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	goldenraintree	3	0.05%
oak, spp. 2 00 maple, sycamore 2 00	filbert, American	3	0.05%
maple, sycamore 2	pear, common	2	0.03%
	oak, spp.	2	0.03%
chestrut Chinoco	maple, sycamore	2	0.03%
Circounut, Crimitose	chestnut, Chinese	2	0.03%
birch, gray 2	birch, gray	2	0.03%

Common	Total	Percentage of Entire Population
	101111	
willow, pussy	1	0.02%
Russian-olive	1	0.02%
pine, spp.	1	0.02%
pine, Ponderosa	1	0.02%
pawpaw, common	1	0.02%
linden, silver	1	0.02%
larch, American	1	0.02%
hophornbeam, American	1	0.02%
hemlock, eastern	1	0.02%
elm, slippery	1	0.02%
ash, green	1	0.02%
Grand Total	6631	100%



Quantity Report: Botanical (Non-Street Sites)

Botanical	Total	Percentage of Entire Population
Malus spp.	503	7.59%
Pinus nigra	482	7.27%
Acer rubrum	367	5.53%
Quercus rubra	310	4.68%
Picea pungens	297	4.48%
Acer saccharum	276	4.16%
Gleditsia triacanthos inermis	257	3.88%
Juglans nigra	224	3.38%
Acer platanoides	215	3.24%
Pinus strobus	182	2.74%
Tilia cordata	179	2.70%
Quercus bicolor	179	2.70%
Crataegus spp.	152	2.29%
Quercus alba	146	2.20%
Pinus sylvestris	136	2.05%
Celtis occidentalis	130	1.96%
Cercis canadensis	123	1.85%
Quercus macrocarpa	122	1.84%
Amelanchier spp.	120	1.81%
Prunus spp.	106	1.60%
Zelkova serrata	100	1.51%
Platanus x acerifolia	98	1.48%
Carya ovata	93	1.40%
Picea abies	88	1.33%
Ulmus americana	80	1.21%
Liriodendron tulipifera	73	1.10%
Pseudotsuga menziesii	66	1.00%
Prunus serotina	65	0.98%
Acer saccharinum	64	0.97%
Acer negundo	59	0.89%
Quercus palustris	57	0.86%
Abies concolor	57	0.86%
Picea glauca	55	0.83%
Thuja occidentalis	51	0.77%
Populus deltoides	48	0.72%

Botanical	Total	Percentage of Entire Population
Betula nigra	43	0.65%
Ulmus pumila	39	0.59%
Tilia americana	39	0.59%
Carpinus caroliniana	38	0.57%
Abies balsamea	36	0.54%
Morus alba	34	0.51%
Acer tataricum ginnala	32	0.48%
Liquidambar styraciflua	30	0.45%
Gymnocladus dioica	30	0.45%
Juniperus virginiana	29	0.44%
Salix babylonica	27	0.419
Fraxinus spp.	23	0.359
Acer pensylvanicum	23	0.35%
Ginkgo biloba	22	0.33%
Eucommia ulmoides	22	0.339
Crataegus phaenopyrum	22	0.339
Aesculus hippocastanum	22	0.339
stump	21	0.329
Nyssa sylvatica	21	0.329
Quercus imbricaria	20	0.309
Pyrus calleryana	20	0.309
Pinus banksiana	20	0.309
Cornus alternifolia	20	0.30
Cladrastis kentukea	19	0.299
Quercus acutissima	18	0.279
Juniperus spp.	18	0.279
Acer campestre	18	0.279
Salix nigra	17	0.269
Syringa reticulata	15	0.239
Malus pumila	15	0.239
Maackia amurensis	15	0.239
Metasequoia glyptostroboides	14	0.219
Cercidiphyllum japonicum	14	0.219
Ailanthus altissima	14	0.219
Carpinus betulus	13	0.20
Robinia pseudoacacia	12	0.189
Platanus occidentalis	12	0.189
unknown	11	0.179

Botanical	Total	Percentage of Entire Population
Fagus grandifolia	11	0.17%
Catalpa speciosa	10	0.15%
Carya glabra	10	0.15%
Styphnolobium japonicum	9	0.14%
Aesculus x carnea	9	0.14%
Carya cordiformis	8	0.12%
Acer x freemanii	8	0.12%
Ulmus x	7	0.11%
Quercus robur	7	0.11%
Fraxinus americana	7	0.11%
Acer griseum	7	0.11%
Taxodium distichum	6	0.09%
Populus alba	6	0.09%
Picea omorika	6	0.09%
Cornus kousa	6	0.09%
Acer tataricum	6	0.09%
Acer miyabei	6	0.09%
Quercus velutina	5	0.08%
Prunus avium	5	0.08%
Magnolia spp.	5	0.08%
Gleditsia triacanthos	5	0.08%
Acer palmatum	5	0.08%
Juglans regia	4	0.06%
Juglans cinerea	4	0.06%
Corylus colurna	4	0.06%
Cornus florida	4	0.06%
Alnus glutinosa	4	0.06%
Tamarix spp.	3	0.05%
Picea spp.	3	0.05%
Magnolia x soulangiana	3	0.05%
Magnolia stellata	3	0.05%
Koelreuteria paniculata	3	0.05%
Corylus americana	3	0.05%
Quercus spp.	2	0.03%
Pyrus communis	2	0.03%
Castanea mollissima	2	0.03%
Betula populifolia	2	0.03%
Acer pseudoplatanus	2	0.03%

Botanical	Total	Percentage of Entire Population
Ulmus rubra	1	0.02%
Tsuga candensis	1	0.02%
Tilia tomentosa	1	0.02%
Salix discolor	1	0.02%
Pinus spp.	1	0.02%
Pinus ponderosa	1	0.02%
Ostrya virginiana	1	0.02%
Larix laricina	1	0.02%
Fraxinus pennsylvanica	1	0.02%
Elaeagnus angustifolia	1	0.02%
Asimina triloba	1	0.02%
Grand Total	6631	100%



Quantity Report: Genus (Non-Street Sites)

Genus	Total	Percentage of Entire Population
Acer	1088	16.46%
Quercus	866	13.10%
Pinus	822	12.44%
Malus	518	7.84%
Picea	449	6.79%
Gleditsia	262	3.96%
Juglans	232	3.51%
Tilia	219	3.31%
Prunus	176	2.66%
Crataegus	174	2.63%
Celtis	130	1.97%
Ulmus	127	1.92%
Cercis	123	1.86%
Amelanchier	120	1.82%
Carya	111	1.68%
Platanus	110	1.66%
Zelkova	100	1.51%
Abies	93	1.41%
Liriodendron	73	1.10%
Pseudotsuga	66	1.00%
Populus	54	0.82%
Thuja	51	0.77%
Carpinus	51	0.77%
Juniperus	47	0.71%
Salix	45	0.68%
Betula	45	0.68%
Morus	34	0.51%
Fraxinus	31	0.47%
Aesculus	31	0.47%
Liquidambar	30	0.45%
Gymnocladus	30	0.45%
Cornus	30	0.45%
Pyrus	22	0.33%
Ginkgo	22	0.33%
Eucommia	22	0.33%

Genus	Total	Percentage of Entire Population
Nyssa	21	0.32%
Cladrastis	19	0.29%
Syringa	15	0.23%
Maackia	15	0.23%
Metasequoia	14	0.21%
Cercidiphyllum	14	0.21%
Ailanthus	14	0.21%
Robinia	12	0.18%
unknown	11	0.17%
Magnolia	11	0.17%
Fagus	11	0.17%
Catalpa	10	0.15%
Styphnolobium	9	0.14%
Corylus	7	0.11%
Taxodium	6	0.09%
Alnus	4	0.06%
Tamarix	3	0.05%
Koelreuteria	3	0.05%
Castanea	2	0.03%
Tsuga	1	0.02%
Ostrya	1	0.02%
Larix	1	0.02%
Elaeagnus	1	0.02%
Asimina	1	0.02%
Grand Total	6610	100%



Quantity Report: Condition (Non-Street Sites)

Condition	Total	Percentage of Entire Population
Fair	4266	64.33%
Good	1605	24.20%
Poor	558	8.42%
Dead	101	1.52%
Critical	55	0.83%
Very Good	25	0.38%
N/A	21	0.32%
Grand Total	6631	100%



Quantity Report: Maintenance (Non-Street Sites)

Maintenance	Total	Percentage of Entire Population
Large Tree Routine Prune	3519	53.07%
Training Prune	1895	28.58%
Small Tree Routine Prune	710	10.71%
Priority 2 Prune	186	2.81%
Priority 3 Removal	124	1.87%
Priority 2 Removal	89	1.34%
Priority 1 Prune	54	0.81%
Priority 1 Removal	33	0.50%
Stump Removal	21	0.32%
Grand Total	6631	100%



Quantity Report: Diameter Class (Non-Street Sites)

D' G	m . 1	Percentage of Entire Population
Diameter Class	Total	1 оришион
1 - 3	2158	32.54%
4 - 6	911	13.74%
7 - 12	1781	26.86%
13 - 18	1078	16.26%
19 - 24	384	5.79%
25 - 30	184	2.77%
31 - 36	79	1.19%
37 - 42	31	0.47%
43 +	25	0.38%
Grand Total	6631	100%



Quantity Report: Height (Non-Street Sites)

Height	Total	Percentage of Entire Population
0-10	577	8.73%
11-20	1737	26.28%
21-30	1159	17.53%
31-50	1394	21.09%
51-70	1558	23.57%
Greater than 70	185	2.80%
Grand Total	6610	100%



Quantity Report: Utilities (Non-Street Sites)

Utilities	Total	Percentage of Entire Population
No	6415	96.74%
Yes	216	3.26%
Grand Total	6631	100%



Quantity Report: Potential Sawlog (Non-Street Sites)

Potential Sawlog	Total	Percentage of Entire Population
No	5731	86.70%
Yes	732	11.07%
N/A	147	2.22%
Grand Total	6610	100%





Frequency Report: Maintenance by Common (Non-Street Sites)

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
Large Tree Routine Prune			
pine, Austrian	459	13.04%	6.92%
spruce, Colorado	295	8.38%	4.45%
walnut, black	191	5.43%	2.88%
maple, sugar	187	5.31%	2.82%
pine, eastern white	179	5.09%	2.70%
honeylocust, thornless	178	5.06%	2.68%
maple, Norway	172	4.89%	2.59%
maple, red	161	4.58%	2.439
linden, littleleaf	136	3.86%	2.05
oak, northern red	132	3.75%	1.999
pine, Scotch	129	3.67%	1.95
oak, white	109	3.10%	1.649
spruce, Norway	84	2.39%	1.279
hickory, shagbark	79	2.24%	1.199
oak, bur	75	2.13%	1.13
douglas-fir	64	1.82%	0.97
cherry, black	59	1.68%	0.89
maple, silver	58	1.65%	0.879
fir, white	57	1.62%	0.869
zelkova, Japanese	54	1.53%	0.819
spruce, white	53	1.51%	0.80
oak, pin	46	1.31%	0.699
elm, American	42	1.19%	0.63
cottonwood, eastern	42	1.19%	0.639
boxelder	39	1.11%	0.59
planetree, London	38	1.08%	0.57
fir, balsam	34	0.97%	0.519
linden, American	33	0.94%	0.50

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
redcedar, eastern	28	0.80%	0.42%
mulberry, white	27	0.77%	0.41%
elm, Siberian	25	0.71%	0.38%
pine, jack	20	0.57%	0.30%
hackberry, common	13	0.37%	0.20%
willow, black	12	0.34%	0.18%
tuliptree	12	0.34%	0.18%
sycamore, American	12	0.34%	0.18%
oak, swamp white	12	0.34%	0.18%
willow, weeping	10	0.28%	0.15%
tree-of-heaven	10	0.28%	0.15%
birch, river	10	0.28%	0.15%
horsechestnut	9	0.26%	0.14%
hickory, pignut	9	0.26%	0.14%
arborvitae, eastern	9	0.26%	0.14%
sweetgum, American	8	0.23%	0.12%
Kentucky coffeetree	8	0.23%	0.12%
maple, hedge	7	0.20%	0.11%
locust, black	7	0.20%	0.11%
spruce, Serbian	6	0.17%	0.09%
catalpa, northern	6	0.17%	0.09%
hornbeam, American	5	0.14%	0.08%
hickory, bitternut	5	0.14%	0.08%
blackgum	5	0.14%	0.08%
walnut, English	4	0.11%	0.06%
pear, callery	4	0.11%	0.06%
oak, English	4	0.11%	0.06%
cherry, sweet	4	0.11%	0.06%
oak, black	3	0.09%	0.05%
honeylocust	3	0.09%	0.05%
dawn redwood	3	0.09%	0.05%
butternut	3	0.09%	0.05%

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
yellowwood, American	2	0.06%	0.03%
poplar, white	2	0.06%	0.03%
oak, shingle	2	0.06%	0.03%
hawthorn, spp.	2	0.06%	0.03%
ginkgo	2	0.06%	0.03%
chestnut, Chinese	2	0.06%	0.03%
cherry/plum, spp.	2	0.06%	0.03%
birch, gray	2	0.06%	0.03%
beech, American	2	0.06%	0.03%
ash, white	2	0.06%	0.03%
pine, Ponderosa	1	0.03%	0.02%
oak, sawtooth	1	0.03%	0.02%
maple, sycamore	1	0.03%	0.02%
linden, silver	1	0.03%	0.02%
larch, American	1	0.03%	0.02%
Japanese pagodatree	1	0.03%	0.02%
hophornbeam, American	1	0.03%	0.02%
hemlock, eastern	1	0.03%	0.02%
filbert, Turkish	1	0.03%	0.02%
baldcypress, common	1	0.03%	0.02%
ash, green	1	0.03%	0.02%
Summary for Large Tree Routine Prune (81 items) Sum Priority 1 Prune	3519	100%	53.07%
oak, white	13	24.07%	0.20%
willow, weeping	7	12.96%	0.11%
oak, northern red	7	12.96%	0.11%
boxelder	5	9.26%	0.08%
maple, sugar	3	5.56%	0.05%
elm, American	3	5.56%	0.05%
walnut, black	2	3.70%	0.03%
oak, pin	2	3.70%	0.03%

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
cherry, black	2	3.70%	0.03%
poplar, white	1	1.85%	0.02%
oak, bur	1	1.85%	0.02%
oak, black	1	1.85%	0.02%
maple, silver	1	1.85%	0.02%
maple, Norway	1	1.85%	0.02%
linden, American	1	1.85%	0.02%
hickory, pignut	1	1.85%	0.02%
elm, Siberian	1	1.85%	0.02%
crabapple, flowering	1	1.85%	0.02%
cottonwood, eastern	1	1.85%	0.02%
Summary for Priority 1 Prune (19 items) Sum Priority 1 Removal	54	100%	0.81%
ash, spp.	12	36.36%	0.18%
pine, Scotch	4	12.12%	0.06%
walnut, black	2	6.06%	0.03%
spruce, spp.	2	6.06%	0.03%
pine, Austrian	2	6.06%	0.03%
oak, northern red	2	6.06%	0.03%
elm, American	2	6.06%	0.03%
willow, black	1	3.03%	0.02%
unknown	1	3.03%	0.02%
poplar, white	1	3.03%	0.02%
maple, sugar	1	3.03%	0.02%
locust, black	1	3.03%	0.02%
linden, American	1	3.03%	0.02%
crabapple, flowering	1	3.03%	0.02%
Summary for Priority 1 Removal (14 items) Sum	33	100%	0.50%
Priority 2 Prune walnut, black	22	11.83%	0.33%

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
oak, northern red	20	10.75%	0.30%
oak, white	19	10.22%	0.29%
zelkova, Japanese	13	6.99%	0.20%
maple, sugar	11	5.91%	0.17%
boxelder	11	5.91%	0.17%
oak, bur	8	4.30%	0.12%
honeylocust, thornless	8	4.30%	0.12%
elm, American	8	4.30%	0.12%
maple, Norway	6	3.23%	0.09%
elm, Siberian	6	3.23%	0.09%
hickory, shagbark	5	2.69%	0.08%
crabapple, flowering	5	2.69%	0.08%
willow, black	4	2.15%	0.06%
maple, silver	4	2.15%	0.06%
cottonwood, eastern	4	2.15%	0.06%
mulberry, white	3	1.61%	0.05%
linden, littleleaf	3	1.61%	0.05%
cherry, black	3	1.61%	0.05%
willow, weeping	2	1.08%	0.03%
tree-of-heaven	2	1.08%	0.03%
redbud, eastern	2	1.08%	0.03%
poplar, white	2	1.08%	0.03%
pear, common	2	1.08%	0.03%
maple, Amur	2	1.08%	0.03%
linden, American	2	1.08%	0.03%
honeylocust	2	1.08%	0.03%
yellowwood, American	1	0.54%	0.02%
spruce, Norway	1	0.54%	0.02%
pine, Austrian	1	0.54%	0.02%
oak, black	1	0.54%	0.02%
elm, slippery	1	0.54%	0.02%
douglas-fir	1	0.54%	0.02%

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
cherry/plum, spp.	1	0.54%	0.02%
Summary for Priority 2 Prune (34 items)			
Sum	186	100%	2.81%
Priority 2 Removal			
pine, Austrian	20	22.47%	0.30%
ash, spp.	7	7.87%	0.11%
willow, weeping	5	5.62%	0.08%
oak, northern red	5	5.62%	0.08%
oak, white	4	4.49%	0.06%
maple, sugar	4	4.49%	0.06%
linden, littleleaf	4	4.49%	0.06%
crabapple, flowering	4	4.49%	0.06%
pine, Scotch	3	3.37%	0.05%
boxelder	3	3.37%	0.05%
spruce, Norway	2	2.25%	0.03%
spruce, Colorado	2	2.25%	0.03%
maple, Norway	2	2.25%	0.03%
hickory, shagbark	2	2.25%	0.03%
elm, Siberian	2	2.25%	0.03%
elm, American	2	2.25%	0.03%
catalpa, northern	2	2.25%	0.03%
walnut, black	1	1.12%	0.02%
unknown	1	1.12%	0.02%
spruce, spp.	1	1.12%	0.02%
mulberry, white	1	1.12%	0.02%
maple, sycamore	1	1.12%	0.02%
maple, silver	1	1.12%	0.02%
maple, red	1	1.12%	0.02%
locust, black	1	1.12%	0.02%
linden, American	1	1.12%	0.02%
honeylocust, thornless	1	1.12%	0.02%
hickory, bitternut	1	1.12%	0.02%

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
hawthorn, spp.	1	1.12%	0.02%
cottonwood, eastern	1	1.12%	0.02%
cherry, sweet	1	1.12%	0.02%
cherry, black	1	1.12%	0.02%
apple, common	1	1.12%	0.02%
Summary for Priority 2 Removal (33 items)			
Sum	89	100%	1.34%
Priority 3 Removal			
maple, red	19	15.32%	0.29%
arborvitae, eastern	13	10.48%	0.20%
unknown	9	7.26%	0.14%
oak, northern red	9	7.26%	0.14%
dogwood, pagoda	8	6.45%	0.12%
maple, sugar	6	4.84%	0.09%
oak, swamp white	5	4.03%	0.08%
ash, white	5	4.03%	0.08%
ash, spp.	4	3.23%	0.06%
tuliptree	3	2.42%	0.05%
serviceberry, spp.	3	2.42%	0.05%
hornbeam, American	3	2.42%	0.05%
hawthorn, spp.	3	2.42%	0.05%
cherry/plum, spp.	3	2.42%	0.05%
zelkova, Japanese	2	1.61%	0.03%
sweetgum, American	2	1.61%	0.03%
redbud, eastern	2	1.61%	0.03%
pine, eastern white	2	1.61%	0.03%
oak, spp.	2	1.61%	0.03%
oak, bur	2	1.61%	0.03%
yellowwood, American	1	0.81%	0.02%
walnut, black	1	0.81%	0.02%
spruce, Norway	1	0.81%	0.02%
redcedar, eastern	1	0.81%	0.02%

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
pine, spp.	1	0.81%	0.02%
oak, sawtooth	1	0.81%	0.02%
oak, pin	1	0.81%	0.02%
mulberry, white	1	0.81%	0.02%
maple, Norway	1	0.81%	0.02%
maple, Amur	1	0.81%	0.02%
linden, littleleaf	1	0.81%	0.02%
honeylocust, thornless	1	0.81%	0.02%
hackberry, common	1	0.81%	0.02%
fir, balsam	1	0.81%	0.02%
elm, Siberian	1	0.81%	0.02%
dogwood, flowering	1	0.81%	0.02%
crabapple, flowering	1	0.81%	0.02%
birch, river	1	0.81%	0.02%
apple, common	1	0.81%	0.02%
Summary for Priority 3 Removal (39 items)			
Sum	124	100%	1.87%
Small Tree Routine Prune			
crabapple, flowering	389	54.79%	5.87%
redbud, eastern	53	7.46%	0.80%
hawthorn, spp.	50	7.04%	0.75%
serviceberry, spp.	47	6.62%	0.71%
arborvitae, eastern	29	4.08%	0.44%
cherry/plum, spp.	27	3.80%	0.41%
juniper, spp.	18	2.54%	0.27%
hawthorn, Washington	16	2.25%	0.24%
apple, common	13	1.83%	0.20%
dogwood, pagoda	12	1.69%	0.18%
maple, Amur	10	1.41%	0.15%
pear, callery	7	0.99%	0.11%
dogwood, Kousa	6	0.85%	0.09%
magnolia, spp.	5	0.70%	0.08%

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
Tamarix spp.	3	0.42%	0.05%
magnolia, saucer	3	0.42%	0.05%
lilac, Japanese tree	3	0.42%	0.05%
hornbeam, American	3	0.42%	0.05%
filbert, American	3	0.42%	0.05%
mulberry, white	2	0.28%	0.03%
maple, Tatarian	2	0.28%	0.03%
maple, hedge	2	0.28%	0.03%
hornbeam, European	2	0.28%	0.03%
yellowwood, American	1	0.14%	0.02%
willow, pussy	1	0.14%	0.02%
Russian-olive	1	0.14%	0.02%
pawpaw, common	1	0.14%	0.02%
magnolia, star	1	0.14%	0.02%
Summary for Small Tree Routine Prune (28 items)			
Sum	710	100%	10.71%
Stump Removal			
stump	21	100.00%	0.32%
Summary for Stump Removal (1 item)	04	1000	0.000/
Sum	21	100%	0.32%
Training Prune			
maple, red	186	9.82%	2.81%
oak, swamp white	162	8.55%	2.44%
oak, northern red	135	7.12%	2.04%
hackberry, common	116	6.12%	1.75%
crabapple, flowering	102	5.38%	1.54%
hawthorn, spp.	96	5.07%	1.45%
cherry/plum, spp.	73	3.85%	1.10%
serviceberry, spp.	70	3.69%	1.06%
honeylocust, thornless	69	3.64%	1.04%
redbud, eastern	66	3.48%	1.00%
maple, sugar	64	3.38%	0.97%

planetree, London tuliptree oak, bur linden, littleleaf	60 58 36 35	3.17% 3.06%	0.90%
oak, bur linden, littleleaf	36	3.06%	
linden, littleleaf			0.87%
	25	1.90%	0.54%
	33	1.85%	0.53%
maple, Norway	33	1.74%	0.50%
birch, river	32	1.69%	0.48%
zelkova, Japanese	31	1.64%	0.47%
hornbeam, American	27	1.42%	0.41%
maple, striped	23	1.21%	0.35%
elm, American	23	1.21%	0.35%
Kentucky coffeetree	22	1.16%	0.33%
hardy rubbertree	22	1.16%	0.33%
sweetgum, American	20	1.06%	0.30%
ginkgo	20	1.06%	0.30%
maple, Amur	19	1.00%	0.29%
oak, shingle	18	0.95%	0.27%
oak, sawtooth	16	0.84%	0.24%
blackgum	16	0.84%	0.24%
Amur maackia	15	0.79%	0.23%
yellowwood, American	14	0.74%	0.21%
katsuratree	14	0.74%	0.21%
horsechestnut	13	0.69%	0.20%
lilac, Japanese tree	12	0.63%	0.18%
hornbeam, European	11	0.58%	0.17%
dawn redwood	11	0.58%	0.17%
pear, callery	9	0.47%	0.14%
maple, hedge	9	0.47%	0.14%
horsechestnut, red	9	0.47%	0.14%
beech, American	9	0.47%	0.14%
oak, pin	8	0.42%	0.12%
maple, Freeman	8	0.42%	0.12%
Japanese pagodatree	8	0.42%	0.12%

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
maple, paperbark	7	0.37%	0.11%
hickory, shagbark	7	0.37%	0.11%
elm, hybrid	7	0.37%	0.11%
maple, Miyabei	6	0.32%	0.09%
hawthorn, Washington	6	0.32%	0.09%
walnut, black	5	0.26%	0.08%
maple, Japanese	5	0.26%	0.08%
baldcypress, common	5	0.26%	0.08%
maple, Tatarian	4	0.21%	0.06%
elm, Siberian	4	0.21%	0.06%
alder, common	4	0.21%	0.06%
willow, weeping	3	0.16%	0.05%
oak, English	3	0.16%	0.05%
locust, black	3	0.16%	0.05%
goldenraintree	3	0.16%	0.05%
filbert, Turkish	3	0.16%	0.05%
dogwood, flowering	3	0.16%	0.05%
tree-of-heaven	2	0.11%	0.03%
spruce, white	2	0.11%	0.03%
magnolia, star	2	0.11%	0.03%
hickory, bitternut	2	0.11%	0.03%
catalpa, northern	2	0.11%	0.03%
pine, eastern white	1	0.05%	0.02%
oak, white	1	0.05%	0.02%
linden, American	1	0.05%	0.02%
fir, balsam	1	0.05%	0.02%
douglas-fir	1	0.05%	0.02%
butternut	1	0.05%	0.02%
boxelder	1	0.05%	0.02%
Summary for Training Prune (72 items)	1895	100%	28.58%
Grand Total	6631		





Frequency Report: Condition by Common (Non-Street Sites)

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
Critical			
pine, Austrian	9	16.36%	0.14%
dogwood, pagoda	6	10.91%	0.09%
oak, northern red	5	9.09%	0.08%
oak, swamp white	4	7.27%	0.06%
redbud, eastern	3	5.45%	0.05%
oak, bur	3	5.45%	0.05%
maple, sugar	3	5.45%	0.05%
crabapple, flowering	3	5.45%	0.05%
arborvitae, eastern	3	5.45%	0.05%
pine, Scotch	2	3.64%	0.03%
hackberry, common	2	3.64%	0.03%
zelkova, Japanese	1	1.82%	0.02%
yellowwood, American	1	1.82%	0.02%
tuliptree	1	1.82%	0.02%
spruce, white	1	1.82%	0.029
spruce, Colorado	1	1.82%	0.02%
planetree, London	1	1.82%	0.02%
maple, red	1	1.82%	0.02%
linden, littleleaf	1	1.82%	0.02%
linden, American	1	1.82%	0.02%
hornbeam, European	1	1.82%	0.02%
honeylocust, thornless	1	1.82%	0.02%
cherry/plum, spp.	1	1.82%	0.02%
Gummary for Critical (23 items)			
Sum	55	100%	0.83%
Dead			
ash, spp.	23	22.77%	0.35%
unknown	11	10.89%	0.17%

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
pine, Austrian	11	10.89%	0.17%
arborvitae, eastern	10	9.90%	0.15%
pine, Scotch	6	5.94%	0.09%
dogwood, pagoda	6	5.94%	0.09%
oak, northern red	4	3.96%	0.06%
maple, red	4	3.96%	0.06%
spruce, spp.	3	2.97%	0.05%
spruce, Norway	2	1.98%	0.03%
oak, spp.	2	1.98%	0.03%
maple, sugar	2	1.98%	0.03%
hawthorn, spp.	2	1.98%	0.03%
crabapple, flowering	2	1.98%	0.03%
walnut, black	1	0.99%	0.02%
serviceberry, spp.	1	0.99%	0.02%
redcedar, eastern	1	0.99%	0.02%
pine, spp.	1	0.99%	0.02%
pine, eastern white	1	0.99%	0.02%
oak, pin	1	0.99%	0.02%
oak, bur	1	0.99%	0.02%
maple, Norway	1	0.99%	0.02%
hornbeam, American	1	0.99%	0.02%
elm, American	1	0.99%	0.02%
dogwood, flowering	1	0.99%	0.02%
cherry/plum, spp.	1	0.99%	0.02%
cherry, black	1	0.99%	0.02%
Summary for Dead (27 items)	404	1000	4.500/
Sum	101	100%	1.53%
Fair			
crabapple, flowering	362	8.49%	5.48%
pine, Austrian	327	7.67%	4.95%
maple, red	199	4.66%	3.01%
oak, northern red	184	4.31%	2.78%

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
maple, sugar	177	4.15%	2.68%
walnut, black	163	3.82%	2.47%
spruce, Colorado	157	3.68%	2.38%
honeylocust, thornless	142	3.33%	2.15%
linden, littleleaf	137	3.21%	2.07%
hawthorn, spp.	137	3.21%	2.07%
oak, swamp white	136	3.19%	2.06%
maple, Norway	136	3.19%	2.06%
hackberry, common	105	2.46%	1.59%
oak, white	100	2.34%	1.51%
zelkova, Japanese	91	2.13%	1.38%
pine, eastern white	89	2.09%	1.35%
redbud, eastern	87	2.04%	1.32%
serviceberry, spp.	86	2.02%	1.30%
cherry/plum, spp.	83	1.95%	1.26%
pine, Scotch	80	1.88%	1.21%
oak, bur	72	1.69%	1.09%
spruce, Norway	58	1.36%	0.88%
elm, American	57	1.34%	0.86%
planetree, London	51	1.20%	0.77%
tuliptree	43	1.01%	0.65%
hickory, shagbark	43	1.01%	0.65%
boxelder	43	1.01%	0.65%
maple, silver	40	0.94%	0.61%
cottonwood, eastern	34	0.80%	0.51%
cherry, black	33	0.77%	0.50%
linden, American	32	0.75%	0.48%
hornbeam, American	32	0.75%	0.48%
douglas-fir	30	0.70%	0.45%
spruce, white	29	0.68%	0.44%
elm, Siberian	29	0.68%	0.44%
fir, white	28	0.66%	0.42%

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
mulberry, white	27	0.63%	0.41%
arborvitae, eastern	26	0.61%	0.39%
pirch, river	23	0.54%	0.35%
maple, Amur	22	0.52%	0.33%
Kentucky coffeetree	21	0.49%	0.32%
nawthorn, Washington	21	0.49%	0.32%
oak, pin	19	0.45%	0.29%
maple, striped	19	0.45%	0.29%
oak, shingle	17	0.40%	0.26%
olackgum	17	0.40%	0.26%
redcedar, eastern	16	0.38%	0.24%
iir, balsam	16	0.38%	0.24%
yellowwood, American	15	0.35%	0.23%
pear, callery	15	0.35%	0.23%
uniper, spp.	15	0.35%	0.23%
oine, jack	14	0.33%	0.21%
nardy rubbertree	14	0.33%	0.21%
ginkgo	14	0.33%	0.21%
sweetgum, American	13	0.30%	0.20%
oak, sawtooth	13	0.30%	0.20%
maple, hedge	13	0.30%	0.20%
norsechestnut	13	0.30%	0.20%
willow, black	12	0.28%	0.18%
nornbeam, European	12	0.28%	0.18%
Amur maackia	12	0.28%	0.18%
tree-of-heaven	11	0.26%	0.17%
katsuratree	11	0.26%	0.17%
oeech, American	10	0.23%	0.15%
Japanese pagodatree	9	0.21%	0.14%
norsechestnut, red	9	0.21%	0.14%
willow, weeping	8	0.19%	0.12%
sycamore, American	8	0.19%	0.12%

Tuesday, May 19, 2009 Page 4 of 12

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
locust, black	7	0.16%	0.11%
lilac, Japanese tree	7	0.16%	0.11%
hickory, pignut	7	0.16%	0.11%
elm, hybrid	7	0.16%	0.11%
dawn redwood	7	0.16%	0.11%
oak, English	6	0.14%	0.09%
maple, paperbark	6	0.14%	0.09%
dogwood, Kousa	6	0.14%	0.09%
poplar, white	5	0.12%	0.08%
maple, Miyabei	5	0.12%	0.08%
maple, Freeman	5	0.12%	0.08%
hickory, bitternut	5	0.12%	0.08%
catalpa, northern	5	0.12%	0.08%
apple, common	5	0.12%	0.08%
maple, Japanese	4	0.09%	0.06%
honeylocust	4	0.09%	0.06%
filbert, Turkish	4	0.09%	0.06%
dogwood, pagoda	4	0.09%	0.06%
baldcypress, common	4	0.09%	0.06%
alder, common	4	0.09%	0.06%
Tamarix spp.	3	0.07%	0.05%
magnolia, spp.	3	0.07%	0.05%
dogwood, flowering	3	0.07%	0.05%
butternut	3	0.07%	0.05%
walnut, English	2	0.05%	0.03%
oak, black	2	0.05%	0.03%
magnolia, star	2	0.05%	0.03%
goldenraintree	2	0.05%	0.03%
filbert, American	2	0.05%	0.03%
cherry, sweet	2	0.05%	0.03%
birch, gray	2	0.05%	0.03%
ash, white	2	0.05%	0.03%

Tuesday, May 19, 2009 Page 5 of 12

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
willow, pussy	1	0.02%	0.02%
spruce, Serbian	1	0.02%	0.02%
Russian-olive	1	0.02%	0.02%
pine, Ponderosa	1	0.02%	0.02%
pear, common	1	0.02%	0.02%
maple, Tatarian	1	0.02%	0.02%
maple, sycamore	1	0.02%	0.02%
magnolia, saucer	1	0.02%	0.02%
linden, silver	1	0.02%	0.02%
larch, American	1	0.02%	0.02%
hophornbeam, American	1	0.02%	0.02%
hemlock, eastern	1	0.02%	0.02%
elm, slippery	1	0.02%	0.02%
chestnut, Chinese	1	0.02%	0.02%
Summary for Fair (114 items)			
Sum	4266	100%	64.54%
Good			
spruce, Colorado	126	7.85%	1.91%
maple, red	115	7.17%	1.74%
pine, Austrian	108	6.73%	1.63%
crabapple, flowering	99	6.17%	1.50%
honeylocust, thornless	97	6.04%	1.47%
pine, eastern white	85	5.30%	1.29%
oak, northern red	78	4.86%	1.18%
maple, sugar	64	3.99%	0.97%
maple, Norway	58	3.61%	0.88%
walnut, black	44	2.74%	0.67%
planetree, London	43	2.68%	0.65%
pine, Scotch	43	2.68%	0.65%
hickory, shagbark	42	2.62%	0.64%
oak, bur	39	2.43%	0.59%
oak, white	34	2.12%	0.51%

Tuesday, May 19, 2009 Page 6 of 12

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
inden, littleleaf	33	2.06%	0.50%
douglas-fir	33	2.06%	0.50%
serviceberry, spp.	28	1.74%	0.42%
oak, pin	28	1.74%	0.42%
cherry, black	28	1.74%	0.42%
spruce, white	24	1.50%	0.36%
fir, white	24	1.50%	0.36%
spruce, Norway	22	1.37%	0.33%
tuliptree	20	1.25%	0.30%
oak, swamp white	19	1.18%	0.29%
fir, balsam	19	1.18%	0.29%
birch, river	18	1.12%	0.27%
maple, silver	17	1.06%	0.26%
redbud, eastern	16	1.00%	0.24%
elm, American	14	0.87%	0.21%
sweetgum, American	12	0.75%	0.18%
cherry/plum, spp.	12	0.75%	0.18%
redcedar, eastern	11	0.69%	0.17%
cottonwood, eastern	11	0.69%	0.17%
arborvitae, eastern	10	0.62%	0.15%
Kentucky coffeetree	9	0.56%	0.14%
horsechestnut	9	0.56%	0.14%
ilac, Japanese tree	8	0.50%	0.12%
hackberry, common	8	0.50%	0.12%
zelkova, Japanese	6	0.37%	0.09%
pine, jack	6	0.37%	0.09%
apple, common	6	0.37%	0.09%
willow, weeping	5	0.31%	0.08%
spruce, Serbian	5	0.31%	0.08%
dawn redwood	5	0.31%	0.08%
sycamore, American	4	0.25%	0.06%
maple, hedge	4	0.25%	0.06%

Tuesday, May 19, 2009 Page 7 of 12

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
mulberry, white	3	0.19%	0.05%
maple, Freeman	3	0.19%	0.05%
locust, black	3	0.19%	0.05%
linden, American	3	0.19%	0.05%
juniper, spp.	3	0.19%	0.05%
hickory, pignut	3	0.19%	0.05%
boxelder	3	0.19%	0.05%
walnut, English	2	0.12%	0.03%
pear, callery	2	0.12%	0.03%
oak, sawtooth	2	0.12%	0.03%
oak, black	2	0.12%	0.03%
magnolia, spp.	2	0.12%	0.03%
hornbeam, American	2	0.12%	0.03%
hickory, bitternut	2	0.12%	0.03%
elm, Siberian	2	0.12%	0.03%
Amur maackia	2	0.12%	0.03%
yellowwood, American	1	0.06%	0.02%
willow, black	1	0.06%	0.02%
tree-of-heaven	1	0.06%	0.02%
oak, English	1	0.06%	0.02%
maple, paperbark	1	0.06%	0.02%
maple, Miyabei	1	0.06%	0.02%
magnolia, star	1	0.06%	0.02%
magnolia, saucer	1	0.06%	0.02%
honeylocust	1	0.06%	0.02%
hawthorn, Washington	1	0.06%	0.02%
ginkgo	1	0.06%	0.02%
chestnut, Chinese	1	0.06%	0.02%
cherry, sweet	1	0.06%	0.02%
catalpa, northern	1	0.06%	0.02%
blackgum	1	0.06%	0.02%
beech, American	1	0.06%	0.02%

Tuesday, May 19, 2009 Page 8 of 12

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
Common			-
baldcypress, common	1	0.06%	0.02%
Summary for Good (80 items)	1605	100%	24.28%
Sum	7,000	100 %	21.2070
Poor			a =a
maple, red	48	8.60%	0.73%
oak, northern red	39	6.99%	0.59%
crabapple, flowering	37	6.63%	0.56%
pine, Austrian	27	4.84%	0.41%
maple, sugar	27	4.84%	0.41%
maple, Norway	20	3.58%	0.30%
oak, swamp white	19	3.41%	0.29%
redbud, eastern	17	3.05%	0.26%
honeylocust, thornless	17	3.05%	0.26%
walnut, black	16	2.87%	0.24%
hackberry, common	15	2.69%	0.23%
willow, weeping	14	2.51%	0.21%
hawthorn, spp.	13	2.33%	0.20%
boxelder	13	2.33%	0.20%
oak, white	12	2.15%	0.18%
maple, Amur	10	1.79%	0.15%
tuliptree	9	1.61%	0.14%
spruce, Colorado	9	1.61%	0.14%
cherry/plum, spp.	9	1.61%	0.14%
linden, littleleaf	8	1.43%	0.12%
hardy rubbertree	8	1.43%	0.12%
elm, Siberian	8	1.43%	0.12%
elm, American	8	1.43%	0.12%
hickory, shagbark	7	1.25%	0.11%
ginkgo	7	1.25%	0.11%
maple, silver	6	1.08%	0.09%
sweetgum, American	5	0.90%	0.08%
spruce, Norway	5	0.90%	0.08%

Tuesday, May 19, 2009 Page 9 of 12

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
pine, eastern white	5	0.90%	0.08%
oak, bur	5	0.90%	0.08%
maple, Tatarian	5	0.90%	0.08%
ash, white	5	0.90%	0.08%
willow, black	4	0.72%	0.06%
serviceberry, spp.	4	0.72%	0.06%
pine, Scotch	4	0.72%	0.06%
mulberry, white	4	0.72%	0.06%
maple, striped	4	0.72%	0.06%
fir, white	4	0.72%	0.06%
dogwood, pagoda	4	0.72%	0.06%
catalpa, northern	4	0.72%	0.06%
apple, common	4	0.72%	0.06%
planetree, London	3	0.54%	0.05%
pear, callery	3	0.54%	0.05%
oak, shingle	3	0.54%	0.05%
oak, pin	3	0.54%	0.05%
linden, American	3	0.54%	0.05%
katsuratree	3	0.54%	0.05%
hornbeam, American	3	0.54%	0.05%
douglas-fir	3	0.54%	0.05%
cottonwood, eastern	3	0.54%	0.05%
cherry, black	3	0.54%	0.05%
blackgum	3	0.54%	0.05%
zelkova, Japanese	2	0.36%	0.03%
yellowwood, American	2	0.36%	0.03%
tree-of-heaven	2	0.36%	0.03%
oak, sawtooth	2	0.36%	0.03%
locust, black	2	0.36%	0.03%
dawn redwood	2	0.36%	0.03%
cherry, sweet	2	0.36%	0.03%
birch, river	2	0.36%	0.03%

Tuesday, May 19, 2009 Page 10 of 12

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
arborvitae, eastern	2	0.36%	0.03%
spruce, white	1	0.18%	0.02%
redcedar, eastern	1	0.18%	0.02%
poplar, white	1	0.18%	0.02%
pear, common	1	0.18%	0.02%
pawpaw, common	1	0.18%	0.02%
oak, black	1	0.18%	0.02%
maple, sycamore	1	0.18%	0.02%
maple, Japanese	1	0.18%	0.02%
maple, hedge	1	0.18%	0.02%
magnolia, saucer	1	0.18%	0.02%
hickory, bitternut	1	0.18%	0.02%
goldenraintree	1	0.18%	0.02%
fir, balsam	1	0.18%	0.02%
filbert, American	1	0.18%	0.02%
butternut	1	0.18%	0.02%
baldcypress, common	1	0.18%	0.02%
ash, green	1	0.18%	0.02%
Amur maackia	1	0.18%	0.02%
Summary for Poor (79 items)			
Sum	558	100%	8.44%
Very Good			
oak, pin	6	24.00%	0.09%
spruce, Colorado	4	16.00%	0.06%
maple, sugar	3	12.00%	0.05%
pine, eastern white	2	8.00%	0.03%
oak, bur	2	8.00%	0.03%
spruce, Norway	1	4.00%	0.02%
serviceberry, spp.	1	4.00%	0.02%
pine, Scotch	1	4.00%	0.02%
oak, swamp white	1	4.00%	0.02%
oak, sawtooth	1	4.00%	0.02%

Tuesday, May 19, 2009 Page 11 of 12

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
maple, silver	1	4.00%	0.02%
hickory, shagbark	1	4.00%	0.02%
fir, white	1	4.00%	0.02%
Summary for Very Good (13 items)			
Sum	25	100%	0.38%
Grand Total	6610		

Tuesday, May 19, 2009 Page 12 of 12





Frequency Report: Condition by Maintenance (Non-Street Sites)

Maintenance	Total	Percent of Sub- Category Pop.	Percent of Entire Population
Critical			
Priority 3 Removal	20	36.36%	0.30%
Priority 2 Removal	13	23.64%	0.20%
Training Prune	12	21.82%	0.18%
Small Tree Routine Prune	6	10.91%	0.09%
Priority 1 Removal	2	3.64%	0.03%
Large Tree Routine Prune	2	3.64%	0.03%
Summary for Critical (6 items) Sum	55	100%	0.83%
Dead Priority 3 Removal	52	51.49%	0.78%
Priority 2 Removal	27	26.73%	0.41%
Priority 1 Removal	22	21.78%	0.33%
Summary for Dead (3 items)			
Sum	101	100%	1.52%
Fair			
Large Tree Routine Prune	2119	49.67%	31.96%
Training Prune	1471	34.48%	22.18%
Small Tree Routine Prune	487	11.42%	7.34%
Priority 2 Prune	152	3.56%	2.29%
Priority 1 Prune	34	0.80%	0.51%
Priority 3 Removal	2	0.05%	0.03%
Priority 2 Removal	1	0.02%	0.02%
Summary for Fair (7 items) Sum	4266	100%	64.33%
Good			
Large Tree Routine Prune	1214	75.64%	18.31%
Training Prune	224	13.96%	3.38%
Small Tree Routine Prune	162	10.09%	2.44%
Priority 2 Prune	5	0.31%	0.08%

Tuesday, May 19, 2009 Page 1 of 2

Maintenance	Total	Percent of Sub- Category Pop.	Percent of Entire Population
Summary for Good (4 items)			
Sum	1605	100%	24.20%
N/A			
Stump Removal	21	100.00%	0.32%
Summary for N/A (1 item)			
Sum	21	100%	0.32%
Poor			
Training Prune	184	32.97%	2.77%
Large Tree Routine Prune	163	29.21%	2.46%
Small Tree Routine Prune	55	9.86%	0.83%
Priority 3 Removal	50	8.96%	0.75%
Priority 2 Removal	48	8.60%	0.72%
Priority 2 Prune	29	5.20%	0.44%
Priority 1 Prune	20	3.58%	0.30%
Priority 1 Removal	9	1.61%	0.14%
Summary for Poor (8 items)			
Sum	558	100%	8.42%
Very Good			
Large Tree Routine Prune	21	84.00%	0.32%
Training Prune	4	16.00%	0.06%
Summary for Very Good (2 items)			
Sum	25	100%	0.38%
Grand Total	6631		

Tuesday, May 19, 2009 Page 2 of 2





Frequency Report: Diameter Class by Common (Non-Street Sites)

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
1 - 3			
maple, red	162	7.51%	2.44%
oak, swamp white	155	7.18%	2.34%
oak, northern red	127	5.89%	1.92%
hackberry, common	114	5.28%	1.72%
serviceberry, spp.	108	5.00%	1.63%
crabapple, flowering	90	4.17%	1.36%
hawthorn, spp.	75	3.48%	1.13%
cherry/plum, spp.	74	3.43%	1.12%
redbud, eastern	71	3.29%	1.07%
maple, sugar	64	2.97%	0.97%
tuliptree	60	2.78%	0.90%
planetree, London	58	2.69%	0.87%
pine, eastern white	54	2.50%	0.81%
honeylocust, thornless	54	2.50%	0.81%
spruce, Colorado	45	2.09%	0.68%
fir, balsam	35	1.62%	0.53%
arborvitae, eastern	35	1.62%	0.53%
zelkova, Japanese	33	1.53%	0.50%
oak, bur	32	1.48%	0.48%
birch, river	31	1.44%	0.47%
hornbeam, American	30	1.39%	0.45%
linden, littleleaf	27	1.25%	0.41%
fir, white	27	1.25%	0.41%
maple, Norway	25	1.16%	0.38%
douglas-fir	25	1.16%	0.38%
maple, striped	23	1.07%	0.35%
elm, American	23	1.07%	0.35%
hardy rubbertree	22	1.02%	0.33%

Tuesday, May 19, 2009 Page 1 of 15

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
Kentucky coffeetree	20	0.93%	0.30%
ginkgo	20	0.93%	0.30%
dogwood, pagoda	20	0.93%	0.30%
sweetgum, American	19	0.88%	0.29%
oak, shingle	18	0.83%	0.27%
juniper, spp.	18	0.83%	0.27%
spruce, white	16	0.74%	0.24%
yellowwood, American	15	0.70%	0.23%
pine, Austrian	15	0.70%	0.23%
lilac, Japanese tree	15	0.70%	0.23%
Amur maackia	15	0.70%	0.23%
maple, Amur	14	0.65%	0.21%
katsuratree	14	0.65%	0.21%
oak, sawtooth	12	0.56%	0.18%
dawn redwood	12	0.56%	0.18%
horsechestnut	11	0.51%	0.17%
hornbeam, European	11	0.51%	0.17%
spruce, Norway	10	0.46%	0.15%
maple, hedge	10	0.46%	0.15%
blackgum	10	0.46%	0.15%
horsechestnut, red	9	0.42%	0.14%
beech, American	9	0.42%	0.14%
unknown	8	0.37%	0.12%
pear, callery	8	0.37%	0.12%
oak, pin	8	0.37%	0.12%
maple, Freeman	8	0.37%	0.12%
Japanese pagodatree	8	0.37%	0.12%
maple, paperbark	7	0.32%	0.11%
hickory, shagbark	7	0.32%	0.11%
elm, hybrid	7	0.32%	0.11%
spruce, Serbian	6	0.28%	0.09%
maple, Miyabei	6	0.28%	0.09%

Tuesday, May 19, 2009 Page 2 of 15

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
baldcypress, common	6	0.28%	0.09%
pine, jack	5	0.23%	0.08%
maple, Japanese	5	0.23%	0.08%
walnut, black	4	0.19%	0.06%
elm, Siberian	4	0.19%	0.06%
dogwood, Kousa	4	0.19%	0.06%
dogwood, flowering	4	0.19%	0.06%
ash, white	4	0.19%	0.06%
alder, common	4	0.19%	0.06%
redcedar, eastern	3	0.14%	0.05%
pine, Scotch	3	0.14%	0.05%
oak, English	3	0.14%	0.05%
maple, Tatarian	3	0.14%	0.05%
magnolia, star	3	0.14%	0.05%
locust, black	3	0.14%	0.05%
hawthorn, Washington	3	0.14%	0.05%
goldenraintree	3	0.14%	0.05%
filbert, Turkish	3	0.14%	0.05%
filbert, American	3	0.14%	0.05%
willow, weeping	2	0.09%	0.03%
tree-of-heaven	2	0.09%	0.03%
Tamarix spp.	2	0.09%	0.03%
oak, spp.	2	0.09%	0.03%
mulberry, white	2	0.09%	0.03%
magnolia, saucer	2	0.09%	0.03%
hickory, bitternut	2	0.09%	0.03%
catalpa, northern	2	0.09%	0.03%
stump	1	0.05%	0.02%
pine, spp.	1	0.05%	0.02%
pawpaw, common	1	0.05%	0.02%
butternut	1	0.05%	0.02%
boxelder	1	0.05%	0.02%

Tuesday, May 19, 2009 Page 3 of 15

ash, spp. 1 0.05% 0.02% apple, common 1 0.05% 0.02% Summary for 1 - 3 (94 items) 32.54% 4 - 6 32.54% 4 - 6 Crabapple, flowering 139 15.26% 2.10% maple, red 100 10.98% 1.51% 5.9% 1.01% 0.92% 1.01% 0.92% 1.01% 0.92% 1.01% 0.92% 1.01% 0.92% 1.01% 0.92% 1.01% 0.92% 1.01% 0.92% 1.01% 0.92% 1.01% 0.92% 0.92% 1.01% 0.92% 1.01% 0.92% 1.01% 0.92% 1.01% 0.92% 1.01% 0.02%<	Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
Sum variety for 1 - 3 (94 items) 2158 100% 32.54% 4 - 6 Tabapple, flowering 139 15.26% 2.10% maple, red 100 10.98% 1.51% spruce, Colorado 67 7.35% 1.01% pine, eastern white 61 6.70% 0.92% hawthorn, spp. 61 6.70% 0.92% pine, Austrian 44 4.83% 0.66% cak, northern red 42 4.61% 0.63% honeylocust, thornless 32 3.51% 0.48% maple, Norway 28 3.07% 0.42% maple, sugar 23 2.52% 0.33% oak, swamp white 19 2.09% 0.29% linden, littleleaf 18 1.98% 0.27% pine, Scotch 16 1.76% 0.24% oak, bur 13 1.43% 0.20% walnut, black 12 1.32% 0.18% cherry/plum, spp. 11 1.21% 0.17%	ash, spp.	1	0.05%	0.02%
Sum 2158 100% 32.54% 4 - 6 crabapple, flowering 139 15.26% 2.10% maple, red 100 10.98% 1.51% spruce, Colorado 67 7.35% 1.01% pine, eastern white 61 6.70% 0.92% hawthorn, spp. 61 6.70% 0.92% pine, Austrian 44 4.83% 0.66% oak, northern red 42 4.61% 0.63% honeylocust, thomless 32 3.51% 0.48% maple, Norway 28 3.07% 0.42% maple, sugar 23 2.52% 0.35% redbud, eastern 22 2.41% 0.33% oak, swamp white 19 2.09% 0.29% linden, litteleaf 18 1.98% 0.22% pine, Scotch 16 1.76% 0.24% oak, bur 13 1.43% 0.20% hawthorn, Washington 13 1.43% 0.20%	apple, common	1	0.05%	0.02%
4 - 6 4 - 6 2.10% crabapple, flowering 139 15.26% 2.10% maple, red 100 10.98% 1.51% spruce, Colorado 67 7.35% 1.01% pine, eastern white 61 6.70% 0.92% hawthorn, spp. 61 6.70% 0.92% pine, Austrian 44 4.83% 0.66% oak, northern red 42 4.61% 0.63% honeylocust, thornless 32 3.51% 0.48% maple, Norway 28 3.07% 0.42% maple, sugar 23 2.52% 0.35% redbud, eastern 22 2.41% 0.33% oak, swamp white 19 2.09% 0.29% linden, litteleaf 18 1.98% 0.27% pine, Scotch 16 1.76% 0.24% oak, bur 13 1.43% 0.20% walnut, black 12 1.32% 0.18% cherry/plum, spp. 11	Summary for 1 - 3 (94 items)			
crabapple, flowering 139 15.26% 2.10% maple, red 100 10.98% 1.51% spruce, Colorado 67 7.35% 1.01% pine, eastern white 61 6.70% 0.92% hawthorn, spp. 61 6.70% 0.92% pine, Austrian 44 4.83% 0.66% oak, northern red 42 4.61% 0.63% honeylocust, thoriless 32 3.51% 0.48% maple, Norway 28 3.07% 0.42% maple, sugar 23 2.52% 0.35% redbud, eastern 22 2.41% 0.33% oak, swamp white 19 2.09% 0.29% linden, littleleaf 18 1.98% 0.27% pine, Soctch 16 1.76% 0.24% oak, bur 13 1.43% 0.20% hawthorn, Washington 13 1.43% 0.20% walnut, black 12 1.32% 0.15% spruce, w	Sum	2158	100%	32.54%
maple, red 100 10.98% 1.51% spruce, Colorado 67 7.35% 1.01% pine, eastern white 61 6.70% 0.92% hawthorn, spp. 61 6.70% 0.92% pine, Austrian 44 4.83% 0.66% oak, northern red 42 4.61% 0.63% honeylocust, thornless 32 3.51% 0.48% maple, Norway 28 3.07% 0.42% maple, sugar 23 2.52% 0.35% redbud, eastern 22 2.41% 0.33% oak, swamp white 19 2.09% 0.29% linden, littleleaf 18 1.98% 0.27% pine, Scotch 16 1.76% 0.24% oak, bur 13 1.43% 0.20% hawthorn, Washington 13 1.43% 0.20% walnut, black 12 1.32% 0.18% cherry/plum, spp. 11 1.21% 0.15% serviceberry,	4 - 6			
spruce, Colorado 67 7.35% 1.01% pine, eastern white 61 6.70% 0.92% hawthorn, spp. 61 6.70% 0.92% pine, Austrian 44 4.83% 0.66% oak, northern red 42 4.61% 0.63% honeylocust, thomless 32 3.51% 0.48% maple, Norway 28 3.07% 0.42% maple, sugar 23 2.52% 0.35% redbud, eastern 22 2.41% 0.33% oak, swamp white 19 2.09% 0.29% linden, littleleaf 18 1.98% 0.27% pine, Scotch 16 1.76% 0.24% oak, bur 13 1.43% 0.20% hawthorn, Washington 13 1.43% 0.20% wall, black 12 1.32% 0.18% cherry/plum, spp. 11 1.21% 0.15% spruce, white 10 1.10% 0.15% serviceberry, sp	crabapple, flowering	139	15.26%	2.10%
pine, eastern white 61 6.70% 0.92% hawthorn, spp. 61 6.70% 0.92% pine, Austrian 44 4.83% 0.66% oak, northern red 42 4.61% 0.63% honeylocust, thornless 32 3.51% 0.48% maple, Norway 28 3.07% 0.42% maple, sugar 23 2.52% 0.35% redbud, eastern 22 2.41% 0.33% oak, swamp white 19 2.09% 0.29% linden, littleleaf 18 1.98% 0.27% pine, Scotch 16 1.76% 0.24% oak, bur 13 1.43% 0.20% hawthorn, Washington 13 1.43% 0.20% walnut, black 12 1.32% 0.18% cherry/plum, spp. 11 1.21% 0.17% spruce, white 10 1.10% 0.15% serviceberry, spp. 10 1.10% 0.15% spruce, Nor	maple, red	100	10.98%	1.51%
hawthorn, spp. 61 6.70% 0.92% pine, Austrian 44 4.83% 0.66% oak, northern red 42 4.61% 0.63% honeylocust, thornless 32 3.51% 0.48% maple, Norway 28 3.07% 0.42% maple, sugar 23 2.52% 0.35% redbud, eastern 22 2.41% 0.33% oak, swamp white 19 2.09% 0.29% linden, littleleaf 18 1.98% 0.27% pine, Scotch 16 1.76% 0.24% oak, bur 13 1.43% 0.20% hawthorn, Washington 13 1.43% 0.20% walnut, black 12 1.32% 0.18% cherry/plum, spp. 11 1.21% 0.17% spruce, white 10 1.10% 0.15% serviceberry, spp. 10 1.10% 0.15% boxelder 10 1.10% 0.15% spruce, Norway	spruce, Colorado	67	7.35%	1.01%
pine, Austrian 44 4.83% 0.66% oak, northern red 42 4.61% 0.63% honeylocust, thornless 32 3.51% 0.48% maple, Norway 28 3.07% 0.42% maple, sugar 23 2.52% 0.35% redbud, eastern 22 2.41% 0.33% oak, swamp white 19 2.09% 0.29% linden, littleleaf 18 1.96% 0.27% pine, Scotch 16 1.76% 0.24% oak, bur 13 1.43% 0.20% hawthorn, Washington 13 1.43% 0.20% walnut, black 12 1.32% 0.18% cherry/plum, spp. 11 1.21% 0.17% spruce, white 10 1.10% 0.15% serviceberry, spp. 10 1.10% 0.15% serviceberry, spp. 10 1.10% 0.15% maple, Amur 10 1.10% 0.15% spruce, Norway 9 0.99% 0.14% douglas-fir 9 0.99% 0.14% ash, spp. 8 0.88% 0.12% planetree, London 7 0.77% 0.11%	pine, eastern white	61	6.70%	0.92%
oak, northern red 42 4.61% 0.63% honeylocust, thornless 32 3.51% 0.48% maple, Norway 28 3.07% 0.42% maple, sugar 23 2.52% 0.35% redbud, eastern 22 2.41% 0.33% oak, swamp white 19 2.09% 0.29% linden, littleleaf 18 1.98% 0.27% pine, Scotch 16 1.76% 0.24% oak, bur 13 1.43% 0.20% hawthorn, Washington 13 1.43% 0.20% walnut, black 12 1.32% 0.18% cherry/plum, spp. 11 1.21% 0.17% spruce, white 10 1.10% 0.15% serviceberry, spp. 10 1.10% 0.15% serviceberry, spp. 10 1.10% 0.15% spruce, Norway 9 0.99% 0.14% douglas-fir 9 0.99% 0.14% ash, spp.	hawthorn, spp.	61	6.70%	0.92%
honeylocust, thornless 32 3.51% 0.48% maple, Norway 28 3.07% 0.42% maple, sugar 23 2.52% 0.35% redbud, eastern 22 2.41% 0.33% oak, swamp white 19 2.09% 0.29% linden, littleleaf 18 1.98% 0.27% pine, Scotch 16 1.76% 0.24% oak, bur 13 1.43% 0.20% hawthorn, Washington 13 1.43% 0.20% walnut, black 12 1.32% 0.18% cherry/plum, spp. 11 1.21% 0.17% spruce, white 10 1.10% 0.15% serviceberry, spp. 10 1.10% 0.15% boxelder 10 1.10% 0.15% spruce, Norway 9 0.99% 0.14% douglas-fir 9 0.99% 0.14% douglas-fir 9 0.99% 0.14% planetree, London <td< td=""><td>pine, Austrian</td><td>44</td><td>4.83%</td><td>0.66%</td></td<>	pine, Austrian	44	4.83%	0.66%
maple, Norway 28 3.07% 0.42% maple, sugar 23 2.52% 0.35% redbud, eastern 22 2.41% 0.33% oak, swamp white 19 2.09% 0.29% linden, littleleaf 18 1.98% 0.27% pine, Scotch 16 1.76% 0.24% oak, bur 13 1.43% 0.20% hawthorn, Washington 13 1.43% 0.20% walnut, black 12 1.32% 0.18% cherry/plum, spp. 11 1.21% 0.17% spruce, white 10 1.10% 0.15% serviceberry, spp. 10 1.10% 0.15% boxelder 10 1.10% 0.15% spruce, Norway 9 0.99% 0.14% douglas-fir 9 0.99% 0.14% ash, spp. 8 0.88% 0.12% planetree, London 7 0.77% 0.11%	oak, northern red	42	4.61%	0.63%
maple, sugar 23 2.52% 0.35% redbud, eastern 22 2.41% 0.33% oak, swamp white 19 2.09% 0.29% linden, littleleaf 18 1.98% 0.27% pine, Scotch 16 1.76% 0.24% oak, bur 13 1.43% 0.20% hawthorn, Washington 13 1.43% 0.20% walnut, black 12 1.32% 0.18% cherry/plum, spp. 11 1.21% 0.17% spruce, white 10 1.10% 0.15% serviceberry, spp. 10 1.10% 0.15% maple, Amur 10 1.10% 0.15% boxelder 10 1.10% 0.15% spruce, Norway 9 0.99% 0.14% douglas-fir 9 0.99% 0.14% ash, spp. 8 0.88% 0.12% planetree, London 7 0.77% 0.11%	honeylocust, thornless	32	3.51%	0.48%
redbud, eastern 22 2.41% 0.33% oak, swamp white 19 2.09% 0.29% linden, littleleaf 18 1.98% 0.27% pine, Scotch 16 1.76% 0.24% oak, bur 13 1.43% 0.20% hawthorn, Washington 13 1.43% 0.20% walnut, black 12 1.32% 0.18% cherry/plum, spp. 11 1.21% 0.17% spruce, white 10 1.10% 0.15% serviceberry, spp. 10 1.10% 0.15% maple, Amur 10 1.10% 0.15% boxelder 10 1.10% 0.15% spruce, Norway 9 0.99% 0.14% douglas-fir 9 0.99% 0.14% ash, spp. 8 0.88% 0.12% planetree, London 7 0.77% 0.11%	maple, Norway	28	3.07%	0.42%
oak, swamp white 19 2.09% 0.29% linden, littleleaf 18 1.98% 0.27% pine, Scotch 16 1.76% 0.24% oak, bur 13 1.43% 0.20% hawthorn, Washington 13 1.43% 0.20% walnut, black 12 1.32% 0.18% cherry/plum, spp. 11 1.21% 0.17% spruce, white 10 1.10% 0.15% serviceberry, spp. 10 1.10% 0.15% maple, Amur 10 1.10% 0.15% boxelder 10 1.10% 0.15% spruce, Norway 9 0.99% 0.14% douglas-fir 9 0.99% 0.14% ash, spp. 8 0.88% 0.12% planetree, London 7 0.77% 0.11%	maple, sugar	23	2.52%	0.35%
linden, littleleaf 18 1.98% 0.27% pine, Scotch 16 1.76% 0.24% oak, bur 13 1.43% 0.20% hawthorn, Washington 13 1.43% 0.20% walnut, black 12 1.32% 0.18% cherry/plum, spp. 11 1.21% 0.17% spruce, white 10 1.10% 0.15% serviceberry, spp. 10 1.10% 0.15% maple, Amur 10 1.10% 0.15% boxelder 10 1.10% 0.15% spruce, Norway 9 0.99% 0.14% douglas-fir 9 0.99% 0.14% ash, spp. 8 0.88% 0.12% planetree, London 7 0.77% 0.11%	redbud, eastern	22	2.41%	0.33%
pine, Scotch 16 1.76% 0.24% oak, bur 13 1.43% 0.20% hawthorn, Washington 13 1.43% 0.20% walnut, black 12 1.32% 0.18% cherry/plum, spp. 11 1.21% 0.17% spruce, white 10 1.10% 0.15% serviceberry, spp. 10 1.10% 0.15% maple, Amur 10 1.10% 0.15% boxelder 10 1.10% 0.15% spruce, Norway 9 0.99% 0.14% douglas-fir 9 0.99% 0.14% ash, spp. 8 0.88% 0.12% planetree, London 7 0.77% 0.11%	oak, swamp white	19	2.09%	0.29%
oak, bur 13 1.43% 0.20% hawthorn, Washington 13 1.43% 0.20% walnut, black 12 1.32% 0.18% cherry/plum, spp. 11 1.21% 0.17% spruce, white 10 1.10% 0.15% serviceberry, spp. 10 1.10% 0.15% maple, Amur 10 1.10% 0.15% boxelder 10 1.10% 0.15% spruce, Norway 9 0.99% 0.14% douglas-fir 9 0.99% 0.14% ash, spp. 8 0.88% 0.12% planetree, London 7 0.77% 0.11%	linden, littleleaf	18	1.98%	0.27%
hawthorn, Washington 13 1.43% 0.20% walnut, black 12 1.32% 0.18% cherry/plum, spp. 11 1.21% 0.17% spruce, white 10 1.10% 0.15% serviceberry, spp. 10 1.10% 0.15% maple, Amur 10 1.10% 0.15% boxelder 10 1.10% 0.15% spruce, Norway 9 0.99% 0.14% douglas-fir 9 0.99% 0.14% ash, spp. 8 0.88% 0.12% planetree, London 7 0.77% 0.11%	pine, Scotch	16	1.76%	0.24%
walnut, black 12 1.32% 0.18% cherry/plum, spp. 11 1.21% 0.17% spruce, white 10 1.10% 0.15% serviceberry, spp. 10 1.10% 0.15% maple, Amur 10 1.10% 0.15% boxelder 10 1.10% 0.15% spruce, Norway 9 0.99% 0.14% douglas-fir 9 0.99% 0.14% ash, spp. 8 0.88% 0.12% planetree, London 7 0.77% 0.11%	oak, bur	13	1.43%	0.20%
cherry/plum, spp. 11 1.21% 0.17% spruce, white 10 1.10% 0.15% serviceberry, spp. 10 1.10% 0.15% maple, Amur 10 1.10% 0.15% boxelder 10 1.10% 0.15% spruce, Norway 9 0.99% 0.14% douglas-fir 9 0.99% 0.14% ash, spp. 8 0.88% 0.12% planetree, London 7 0.77% 0.11%	hawthorn, Washington	13	1.43%	0.20%
spruce, white 10 1.10% 0.15% serviceberry, spp. 10 1.10% 0.15% maple, Amur 10 1.10% 0.15% boxelder 10 1.10% 0.15% spruce, Norway 9 0.99% 0.14% douglas-fir 9 0.99% 0.14% ash, spp. 8 0.88% 0.12% planetree, London 7 0.77% 0.11%	walnut, black	12	1.32%	0.18%
serviceberry, spp. 10 1.10% 0.15% maple, Amur 10 1.10% 0.15% boxelder 10 1.10% 0.15% spruce, Norway 9 0.99% 0.14% douglas-fir 9 0.99% 0.14% ash, spp. 8 0.88% 0.12% planetree, London 7 0.77% 0.11%	cherry/plum, spp.	11	1.21%	0.17%
maple, Amur 10 1.10% 0.15% boxelder 10 1.10% 0.15% spruce, Norway 9 0.99% 0.14% douglas-fir 9 0.99% 0.14% ash, spp. 8 0.88% 0.12% planetree, London 7 0.77% 0.11%	spruce, white	10	1.10%	0.15%
boxelder 10 1.10% 0.15% spruce, Norway 9 0.99% 0.14% douglas-fir 9 0.99% 0.14% ash, spp. 8 0.88% 0.12% planetree, London 7 0.77% 0.11%	serviceberry, spp.	10	1.10%	0.15%
spruce, Norway 9 0.99% 0.14% douglas-fir 9 0.99% 0.14% ash, spp. 8 0.88% 0.12% planetree, London 7 0.77% 0.11%	maple, Amur	10	1.10%	0.15%
douglas-fir 9 0.99% 0.14% ash, spp. 8 0.88% 0.12% planetree, London 7 0.77% 0.11%	boxelder	10	1.10%	0.15%
ash, spp. 8 0.88% 0.12% planetree, London 7 0.77% 0.11%	spruce, Norway	9	0.99%	0.14%
planetree, London 7 0.77% 0.11%	douglas-fir	9	0.99%	0.14%
	ash, spp.	8	0.88%	0.12%
elm, Siberian 7 0.77% 0.11%	planetree, London	7	0.77%	0.11%
	elm, Siberian	7	0.77%	0.11%

Tuesday, May 19, 2009 Page 4 of 15

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
arborvitae, eastern	7	0.77%	0.11%
tuliptree	6	0.66%	0.09%
cherry, black	6	0.66%	0.09%
blackgum	6	0.66%	0.09%
sweetgum, American	5	0.55%	0.08%
redcedar, eastern	5	0.55%	0.08%
pear, callery	5	0.55%	0.08%
oak, sawtooth	5	0.55%	0.08%
hackberry, common	5	0.55%	0.08%
maple, silver	4	0.44%	0.06%
Kentucky coffeetree	4	0.44%	0.06%
fir, white	4	0.44%	0.06%
cottonwood, eastern	4	0.44%	0.06%
birch, river	4	0.44%	0.06%
tree-of-heaven	3	0.33%	0.05%
sycamore, American	2	0.22%	0.03%
oak, white	2	0.22%	0.03%
oak, shingle	2	0.22%	0.03%
mulberry, white	2	0.22%	0.03%
magnolia, spp.	2	0.22%	0.03%
horsechestnut	2	0.22%	0.03%
hornbeam, European	2	0.22%	0.03%
hornbeam, American	2	0.22%	0.03%
elm, American	2	0.22%	0.03%
dogwood, Kousa	2	0.22%	0.03%
apple, common	2	0.22%	0.03%
yellowwood, American	1	0.11%	0.02%
willow, weeping	1	0.11%	0.02%
unknown	1	0.11%	0.02%
stump	1	0.11%	0.02%
oak, pin	1	0.11%	0.02%
oak, English	1	0.11%	0.02%

Tuesday, May 19, 2009 Page 5 of 15

Maple, hedge	Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
locust, black	maple, Tatarian	1	0.11%	0.02%
Iniden, American	maple, hedge	1	0.11%	0.02%
hemlock, eastern 1 0.11% 0.02% ginkgo 1 0.11% 0.02% dawn redwood 1 0.11% 0.02% butternut 1 0.11% 0.02% ash, white 1 0.11% 0.02% Summary for 4 - 6 (68 items) 3 1 100% 13.74% 7 - 12 3 3 5 1 1.32% 3.85% pine, Austrian 226 12.69% 3.41% 3.85% 1.84% spruce, Colorado 122 6.85% 1.84% 1.33% maple, Norway 90 5.05% 1.36% 1.36% honeylocust, thornless 88 4.94% 1.33% 1.36% 1.16% maple, red 85 4.77% 1.28% 1.16% 1.28% maple, sugar 77 4.32% 1.16% 0.90% pine, Scotch 67 3.76% 1.01% linden, littleleaf 60 3.37% 0.90%	locust, black	1	0.11%	0.02%
ginkgo 1 0.11% 0.02% dawn redwood 1 0.11% 0.02% butternut 1 0.11% 0.02% ash, white 1 0.11% 0.02% sh, white 1 0.11% 0.02% summary for 4 - 6 (68 items) 3 3.74% Sum 911 100% 13.74% 7 - 12 2 14.32% 3.85% pine, Austrian 226 12.69% 3.41% spruce, Colorado 122 6.85% 1.84% maple, Norway 90 5.05% 1.36% honeylocust, thornless 88 4.94% 1.33% maple, red 85 4.77% 1.28% maple, sugar 77 4.32% 1.16% pine, Scotch 67 3.76% 1.01% linden, littleleaf 60 3.37% 0.90% pine, eastern white 53 2.98% 0.80% walnut, black 51 2.86% 0.63	linden, American	1	0.11%	0.02%
dawn redwood 1 0.11% 0.02% butternut 1 0.11% 0.02% ash, white 1 0.11% 0.02% summary for 4 - 6 (68 items) 3 3 1.00% 13.74% Sum 911 100% 13.74% 7 - 12 2 14.32% 3.85% pine, Austrian 226 12.69% 3.41% spruce, Colorado 122 6.85% 1.84% maple, Norway 90 5.05% 1.36% honeylocust, thornless 88 4.94% 1.33% maple, red 85 4.77% 1.28% maple, sugar 77 4.32% 1.16% pine, Scotch 67 3.76% 1.01% linden, littleleaf 60 3.37% 0.90% pine, eastern white 53 2.98% 0.80% walnut, black 51 2.86% 0.63% hickory, shagbark 35 1.97% 0.53% spruce, Norway <td>hemlock, eastern</td> <td>1</td> <td>0.11%</td> <td>0.02%</td>	hemlock, eastern	1	0.11%	0.02%
buttermut 1 0.11% 0.02% ash, white 1 0.11% 0.02% ash, white 1 0.11% 0.02% Summary for 4 - 6 (68 items) Sum 911 100% 13.74% 7 - 12	ginkgo	1	0.11%	0.02%
ash, white 1 0.11% 0.02% Summary for 4 - 6 (68 items) 911 100% 13.74% 7 - 12 crabapple, flowering 255 14.32% 3.85% pine, Austrian 226 12.69% 3.41% spruce, Colorado 122 6.85% 1.84% maple, Norway 90 5.05% 1.36% honeylocust, thornless 88 4.94% 1.33% maple, red 85 4.77% 1.28% maple, sugar 77 4.32% 1.16% pine, Scotch 67 3.76% 1.01% linden, littleleaf 60 3.37% 0.90% pine, eastern white 53 2.98% 0.80% walnut, black 51 2.86% 0.77% oak, northern red 42 2.36% 0.63% hickory, shagbark 35 1.97% 0.53% spruce, Norway 32 1.80% 0.44% cherry, black 29 1.63% 0.44%	dawn redwood	1	0.11%	0.02%
Summary for 4 - 6 (68 items) 911 100% 13.74% 7 - 12 crabapple, flowering 255 14.32% 3.85% pine, Austrian 226 12.69% 3.41% spruce, Colorado 122 6.85% 1.84% maple, Norway 90 5.05% 1.36% honeylocust, thornless 88 4.94% 1.33% maple, red 85 4.77% 1.28% maple, sugar 77 4.32% 1.16% pine, Scotch 67 3.76% 1.01% linden, littleleaf 60 3.37% 0.90% pine, eastern white 53 2.98% 0.80% walnut, black 51 2.86% 0.63% hickory, shagbark 35 1.97% 0.53% spruce, Norway 32 1.80% 0.48% redbud, eastern 29 1.63% 0.44% cherry, black 29 1.63% 0.44% oak, pin 22 1.24% 0.33% <td>butternut</td> <td>1</td> <td>0.11%</td> <td>0.02%</td>	butternut	1	0.11%	0.02%
Sum 911 100% 13.74% 7 - 12 crabapple, flowering 255 14.32% 3.85% pine, Austrian 226 12.69% 3.41% spruce, Colorado 122 6.85% 1.84% maple, Norway 90 5.05% 1.36% honeylocust, thornless 88 4.94% 1.33% maple, red 85 4.77% 1.28% maple, sugar 77 4.32% 1.16% pine, Scotch 67 3.76% 1.01% linden, littleleaf 60 3.37% 0.90% pine, eastern white 53 2.98% 0.80% walnut, black 51 2.86% 0.77% oak, northern red 42 2.36% 0.63% hickory, shagbark 35 1.97% 0.53% spruce, Norway 32 1.80% 0.44% cherry, black 29 1.63% 0.44% oak, pin 25 1.40% 0.38% o	ash, white	1	0.11%	0.02%
pine, Austrian 226 12.69% 3.41% spruce, Colorado 122 6.85% 1.84% maple, Norway 90 5.05% 1.36% honeylocust, thornless 88 4.94% 1.33% maple, red 85 4.77% 1.28% maple, sugar 77 4.32% 1.16% pine, Scotch 67 3.76% 1.01% linden, littleleaf 60 3.37% 0.90% pine, eastern white 53 2.98% 0.80% walnut, black 51 2.86% 0.77% oak, northern red 42 2.36% 0.63% hickory, shagbark 35 1.97% 0.53% spruce, Norway 32 1.80% 0.48% redbud, eastern 29 1.63% 0.44% oak, bur 25 1.40% 0.33% oak, pin 22 1.24% 0.33%	Sum	911	100%	13.74%
spruce, Colorado 122 6.85% 1.84% maple, Norway 90 5.05% 1.36% honeylocust, thornless 88 4.94% 1.33% maple, red 85 4.77% 1.26% maple, sugar 77 4.32% 1.16% pine, Scotch 67 3.76% 1.01% linden, littleleaf 60 3.37% 0.90% pine, eastern white 53 2.98% 0.80% walnut, black 51 2.86% 0.77% oak, northern red 42 2.36% 0.63% hickory, shagbark 35 1.97% 0.53% spruce, Norway 32 1.80% 0.44% cherry, black 29 1.63% 0.44% oak, bur 25 1.40% 0.38% oak, pin 22 1.24% 0.33% boxelder 21 1.18% 0.32%		255	14.32%	3.85%
maple, Norway 90 5.05% 1.36% honeylocust, thornless 88 4.94% 1.33% maple, red 85 4.77% 1.28% maple, sugar 77 4.32% 1.16% pine, Scotch 67 3.76% 1.01% liinden, liittleleaf 60 3.37% 0.90% pine, eastern white 53 2.98% 0.80% walnut, black 51 2.86% 0.63% hickory, shagbark 35 1.97% 0.53% spruce, Norway 32 1.80% 0.44% redbud, eastern 29 1.63% 0.44% cherry, black 29 1.63% 0.44% oak, bur 25 1.40% 0.38% oak, pin 22 1.24% 0.33% boxelder 21 1.18% 0.32%	pine, Austrian	226	12.69%	3.41%
honeylocust, thornless 88 4.94% 1.33% maple, red 85 4.77% 1.28% maple, sugar 77 4.32% 1.16% pine, Scotch 67 3.76% 1.01% linden, littleleaf 60 3.37% 0.90% pine, eastern white 53 2.98% 0.80% walnut, black 51 2.86% 0.77% oak, northern red 42 2.36% 0.63% hickory, shagbark 35 1.97% 0.53% spruce, Norway 32 1.80% 0.44% cherry, black 29 1.63% 0.44% cherry, black 29 1.63% 0.44% oak, pin 22 1.24% 0.33% boxelder 21 1.18% 0.33% oak, pin 22 1.24%	spruce, Colorado	122	6.85%	1.84%
maple, red 85 4.77% 1.28% maple, sugar 77 4.32% 1.16% pine, Scotch 67 3.76% 1.01% linden, littleleaf 60 3.37% 0.90% pine, eastern white 53 2.98% 0.80% walnut, black 51 2.86% 0.77% oak, northern red 42 2.36% 0.63% hickory, shagbark 35 1.97% 0.53% spruce, Norway 32 1.80% 0.44% cherry, black 29 1.63% 0.44% oak, bur 25 1.40% 0.38% oak, pin 22 1.24% 0.33% boxelder 21 1.18% 0.32%	maple, Norway	90	5.05%	1.36%
maple, sugar 77 4.32% 1.16% pine, Scotch 67 3.76% 1.01% linden, littleleaf 60 3.37% 0.90% pine, eastern white 53 2.98% 0.80% walnut, black 51 2.86% 0.77% oak, northern red 42 2.36% 0.63% hickory, shagbark 35 1.97% 0.53% spruce, Norway 32 1.80% 0.44% cherry, black 29 1.63% 0.44% oak, bur 25 1.40% 0.38% oak, pin 22 1.24% 0.33% boxelder 21 1.18% 0.32%	honeylocust, thornless	88	4.94%	1.33%
pine, Scotch 67 3.76% 1.01% linden, littleleaf 60 3.37% 0.90% pine, eastern white 53 2.98% 0.80% walnut, black 51 2.86% 0.77% oak, northern red 42 2.36% 0.63% hickory, shagbark 35 1.97% 0.53% spruce, Norway 32 1.80% 0.48% redbud, eastern 29 1.63% 0.44% cherry, black 29 1.63% 0.44% oak, bur 25 1.40% 0.38% oak, pin 22 1.24% 0.33% boxelder 21 1.18% 0.32%	maple, red	85	4.77%	1.28%
linden, littleleaf 60 3.37% 0.90% pine, eastern white 53 2.98% 0.80% walnut, black 51 2.86% 0.77% oak, northern red 42 2.36% 0.63% hickory, shagbark 35 1.97% 0.53% spruce, Norway 32 1.80% 0.48% redbud, eastern 29 1.63% 0.44% oak, bur 25 1.40% 0.38% oak, pin 22 1.24% 0.33% boxelder 21 1.18% 0.32%	maple, sugar	77	4.32%	1.16%
pine, eastern white 53 2.98% 0.80% walnut, black 51 2.86% 0.77% oak, northern red 42 2.36% 0.63% hickory, shagbark 35 1.97% 0.53% spruce, Norway 32 1.80% 0.48% redbud, eastern 29 1.63% 0.44% cherry, black 29 1.63% 0.44% oak, bur 25 1.40% 0.38% oak, pin 22 1.24% 0.33% boxelder 21 1.18% 0.32%	pine, Scotch	67	3.76%	1.01%
walnut, black 51 2.86% 0.77% oak, northern red 42 2.36% 0.63% hickory, shagbark 35 1.97% 0.53% spruce, Norway 32 1.80% 0.48% redbud, eastern 29 1.63% 0.44% cherry, black 29 1.63% 0.44% oak, bur 25 1.40% 0.38% oak, pin 22 1.24% 0.33% boxelder 21 1.18% 0.32%	linden, littleleaf	60	3.37%	0.90%
oak, northern red 42 2.36% 0.63% hickory, shagbark 35 1.97% 0.53% spruce, Norway 32 1.80% 0.48% redbud, eastern 29 1.63% 0.44% cherry, black 29 1.63% 0.44% oak, bur 25 1.40% 0.38% oak, pin 22 1.24% 0.33% boxelder 21 1.18% 0.32%	pine, eastern white	53	2.98%	0.80%
hickory, shagbark 35 1.97% 0.53% spruce, Norway 32 1.80% 0.48% redbud, eastern 29 1.63% 0.44% oak, bur 25 1.40% 0.38% oak, pin 22 1.24% 0.33% boxelder 21 1.18% 0.32%	walnut, black	51	2.86%	0.77%
spruce, Norway 32 1.80% 0.48% redbud, eastern 29 1.63% 0.44% cherry, black 29 1.63% 0.44% oak, bur 25 1.40% 0.38% oak, pin 22 1.24% 0.33% boxelder 21 1.18% 0.32%	oak, northern red	42	2.36%	0.63%
redbud, eastern 29 1.63% 0.44% cherry, black 29 1.63% 0.44% oak, bur 25 1.40% 0.38% oak, pin 22 1.24% 0.33% boxelder 21 1.18% 0.32%	hickory, shagbark	35	1.97%	0.53%
cherry, black 29 1.63% 0.44% oak, bur 25 1.40% 0.38% oak, pin 22 1.24% 0.33% boxelder 21 1.18% 0.32%	spruce, Norway	32	1.80%	0.48%
oak, bur 25 1.40% 0.38% oak, pin 22 1.24% 0.33% boxelder 21 1.18% 0.32%	redbud, eastern	29	1.63%	0.44%
oak, pin 22 1.24% 0.33% boxelder 21 1.18% 0.32%	cherry, black	29	1.63%	0.44%
boxelder 21 1.18% 0.32%	oak, bur	25	1.40%	0.38%
	oak, pin	22	1.24%	0.33%
spruce, white 20 1.12% 0.30%	boxelder	21	1.18%	0.32%
	spruce, white	20	1.12%	0.30%

Tuesday, May 19, 2009 Page 6 of 15

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
cherry/plum, spp.	20	1.12%	0.30%
maple, silver	19	1.07%	0.29%
hawthorn, spp.	16	0.90%	0.24%
elm, American	16	0.90%	0.24%
cottonwood, eastern	16	0.90%	0.24%
mulberry, white	15	0.84%	0.23%
redcedar, eastern	14	0.79%	0.21%
linden, American	14	0.79%	0.21%
pine, jack	13	0.73%	0.20%
fir, white	13	0.73%	0.20%
zelkova, Japanese	11	0.62%	0.17%
stump	10	0.56%	0.15%
douglas-fir	10	0.56%	0.15%
hackberry, common	9	0.51%	0.14%
maple, Amur	8	0.45%	0.12%
apple, common	8	0.45%	0.12%
planetree, London	7	0.39%	0.11%
horsechestnut	7	0.39%	0.11%
elm, Siberian	7	0.39%	0.11%
ash, spp.	7	0.39%	0.11%
sweetgum, American	6	0.34%	0.09%
oak, white	6	0.34%	0.09%
hornbeam, American	6	0.34%	0.09%
hawthorn, Washington	6	0.34%	0.09%
birch, river	6	0.34%	0.09%
pear, callery	5	0.28%	0.08%
Kentucky coffeetree	5	0.28%	0.08%
blackgum	5	0.28%	0.08%
arborvitae, eastern	5	0.28%	0.08%
walnut, English	4	0.22%	0.06%
maple, hedge	4	0.22%	0.06%
tuliptree	3	0.17%	0.05%

Tuesday, May 19, 2009 Page 7 of 15

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
spruce, spp.	3	0.17%	0.05%
oak, swamp white	3	0.17%	0.05%
magnolia, spp.	3	0.17%	0.05%
locust, black	3	0.17%	0.05%
cherry, sweet	3	0.17%	0.05%
yellowwood, American	2	0.11%	0.03%
willow, black	2	0.11%	0.03%
tree-of-heaven	2	0.11%	0.03%
serviceberry, spp.	2	0.11%	0.03%
oak, English	2	0.11%	0.03%
maple, Tatarian	2	0.11%	0.03%
catalpa, northern	2	0.11%	0.03%
butternut	2	0.11%	0.03%
ash, white	2	0.11%	0.03%
willow, weeping	1	0.06%	0.02%
willow, pussy	1	0.06%	0.02%
unknown	1	0.06%	0.02%
sycamore, American	1	0.06%	0.02%
Russian-olive	1	0.06%	0.02%
pear, common	1	0.06%	0.02%
oak, sawtooth	1	0.06%	0.02%
oak, black	1	0.06%	0.02%
larch, American	1	0.06%	0.02%
hophornbeam, American	1	0.06%	0.02%
honeylocust	1	0.06%	0.02%
hickory, bitternut	1	0.06%	0.02%
ginkgo	1	0.06%	0.02%
filbert, Turkish	1	0.06%	0.02%
dawn redwood	1	0.06%	0.02%
chestnut, Chinese	1	0.06%	0.02%
birch, gray	1	0.06%	0.02%
beech, American	1	0.06%	0.02%

Tuesday, May 19, 2009 Page 8 of 15

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
Summary for 7 - 12 (84 items)			
Sum	1781	100%	26.86%
13 - 18			
pine, Austrian	183	16.98%	2.76%
maple, sugar	80	7.42%	1.21%
spruce, Colorado	60	5.57%	0.90%
linden, littleleaf	60	5.57%	0.90%
walnut, black	58	5.38%	0.87%
honeylocust, thornless	58	5.38%	0.87%
pine, Scotch	45	4.17%	0.68%
zelkova, Japanese	44	4.08%	0.66%
oak, white	44	4.08%	0.66%
maple, Norway	42	3.90%	0.63%
hickory, shagbark	35	3.25%	0.53%
oak, northern red	30	2.78%	0.45%
spruce, Norway	25	2.32%	0.38%
maple, silver	21	1.95%	0.32%
cherry, black	20	1.86%	0.30%
douglas-fir	18	1.67%	0.27%
crabapple, flowering	18	1.67%	0.27%
elm, American	17	1.58%	0.26%
oak, pin	16	1.48%	0.24%
maple, red	16	1.48%	0.24%
boxelder	16	1.48%	0.24%
linden, American	15	1.39%	0.23%
cottonwood, eastern	13	1.21%	0.20%
planetree, London	12	1.11%	0.18%
pine, eastern white	11	1.02%	0.17%
mulberry, white	10	0.93%	0.15%
fir, white	10	0.93%	0.15%
elm, Siberian	10	0.93%	0.15%
spruce, white	9	0.83%	0.14%

Tuesday, May 19, 2009 Page 9 of 15

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
oak, bur	9	0.83%	0.14%
redcedar, eastern	6	0.56%	0.09%
ash, spp.	6	0.56%	0.09%
willow, black	4	0.37%	0.06%
stump	4	0.37%	0.06%
hickory, pignut	4	0.37%	0.06%
arborvitae, eastern	4	0.37%	0.06%
tree-of-heaven	3	0.28%	0.05%
maple, hedge	3	0.28%	0.05%
apple, common	3	0.28%	0.05%
willow, weeping	2	0.19%	0.03%
pine, jack	2	0.19%	0.03%
oak, swamp white	2	0.19%	0.03%
oak, black	2	0.19%	0.03%
horsechestnut	2	0.19%	0.03%
hackberry, common	2	0.19%	0.03%
cherry, sweet	2	0.19%	0.03%
birch, river	2	0.19%	0.03%
yellowwood, American	1	0.09%	0.02%
unknown	1	0.09%	0.02%
tuliptree	1	0.09%	0.02%
Tamarix spp.	1	0.09%	0.02%
sycamore, American	1	0.09%	0.02%
redbud, eastern	1	0.09%	0.02%
pear, common	1	0.09%	0.02%
pear, callery	1	0.09%	0.02%
oak, English	1	0.09%	0.02%
maple, sycamore	1	0.09%	0.02%
magnolia, saucer	1	0.09%	0.02%
locust, black	1	0.09%	0.02%
linden, silver	1	0.09%	0.02%
Kentucky coffeetree	1	0.09%	0.02%

Tuesday, May 19, 2009 Page 10 of 15

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
honeylocust	1	0.09%	0.02%
fir, balsam	1	0.09%	0.02%
chestnut, Chinese	1	0.09%	0.02%
cherry/plum, spp.	1	0.09%	0.02%
birch, gray	1	0.09%	0.02%
ash, green	1	0.09%	0.02%
Summary for 13 - 18 (67 items)			
Sum	1078	100%	16.26%
19 - 24			
oak, white	51	13.28%	0.77%
walnut, black	47	12.24%	0.71%
oak, northern red	32	8.33%	0.48%
maple, sugar	23	5.99%	0.35%
honeylocust, thornless	21	5.47%	0.32%
oak, bur	15	3.91%	0.23%
pine, Austrian	14	3.65%	0.21%
linden, littleleaf	13	3.39%	0.20%
hickory, shagbark	13	3.39%	0.20%
zelkova, Japanese	11	2.86%	0.17%
elm, American	11	2.86%	0.17%
maple, silver	10	2.60%	0.15%
maple, Norway	10	2.60%	0.15%
oak, pin	8	2.08%	0.12%
boxelder	8	2.08%	0.12%
spruce, Norway	7	1.82%	0.11%
poplar, white	6	1.56%	0.09%
cherry, black	6	1.56%	0.09%
willow, black	5	1.30%	0.08%
planetree, London	5	1.30%	0.08%
pine, Scotch	5	1.30%	0.08%
linden, American	5	1.30%	0.08%
tree-of-heaven	4	1.04%	0.06%

Tuesday, May 19, 2009 Page 11 of 15

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
elm, Siberian	4	1.04%	0.06%
douglas-fir	4	1.04%	0.06%
cottonwood, eastern	4	1.04%	0.06%
willow, weeping	3	0.78%	0.05%
tuliptree	3	0.78%	0.05%
stump	3	0.78%	0.05%
maple, red	3	0.78%	0.05%
honeylocust	3	0.78%	0.05%
hickory, pignut	3	0.78%	0.05%
fir, white	3	0.78%	0.05%
sycamore, American	2	0.52%	0.03%
spruce, Colorado	2	0.52%	0.03%
pine, eastern white	2	0.52%	0.03%
mulberry, white	2	0.52%	0.03%
locust, black	2	0.52%	0.03%
hickory, bitternut	2	0.52%	0.03%
redcedar, eastern	1	0.26%	0.02%
pine, Ponderosa	1	0.26%	0.02%
pear, callery	1	0.26%	0.02%
maple, sycamore	1	0.26%	0.02%
Japanese pagodatree	1	0.26%	0.02%
elm, slippery	1	0.26%	0.02%
crabapple, flowering	1	0.26%	0.02%
ash, spp.	1	0.26%	0.02%
apple, common	1	0.26%	0.02%
Summary for 19 - 24 (48 items)			
Sum	384	100%	5.79%
25 - 30			
oak, white	32	17.39%	0.48%
walnut, black	31	16.85%	0.47%
oak, northern red	22	11.96%	0.33%
maple, Norway	15	8.15%	0.23%

Tuesday, May 19, 2009 Page 12 of 15

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
maple, silver	8	4.35%	0.12%
planetree, London	7	3.80%	0.11%
oak, bur	7	3.80%	0.11%
maple, sugar	7	3.80%	0.11%
cottonwood, eastern	6	3.26%	0.09%
sycamore, American	5	2.72%	0.08%
elm, Siberian	4	2.17%	0.06%
cherry, black	4	2.17%	0.06%
catalpa, northern	4	2.17%	0.06%
spruce, Norway	3	1.63%	0.05%
linden, American	3	1.63%	0.05%
honeylocust, thornless	3	1.63%	0.05%
hickory, bitternut	3	1.63%	0.05%
willow, weeping	2	1.09%	0.03%
willow, black	2	1.09%	0.03%
locust, black	2	1.09%	0.03%
hickory, pignut	2	1.09%	0.03%
boxelder	2	1.09%	0.03%
zelkova, Japanese	1	0.54%	0.02%
stump	1	0.54%	0.02%
spruce, Colorado	1	0.54%	0.02%
pine, eastern white	1	0.54%	0.02%
oak, pin	1	0.54%	0.02%
mulberry, white	1	0.54%	0.02%
maple, red	1	0.54%	0.02%
linden, littleleaf	1	0.54%	0.02%
hickory, shagbark	1	0.54%	0.02%
elm, American	1	0.54%	0.02%
Summary for 25 - 30 (32 items)			
Sum	184	100%	2.77%
31 - 36			
walnut, black	13	16.46%	0.20%

Tuesday, May 19, 2009 Page 13 of 15

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
oak, northern red	11	13.92%	0.17%
elm, American	8	10.13%	0.12%
oak, white	7	8.86%	0.11%
oak, bur	7	8.86%	0.11%
willow, weeping	6	7.59%	0.09%
maple, Norway	3	3.80%	0.05%
elm, Siberian	3	3.80%	0.05%
planetree, London	2	2.53%	0.03%
oak, black	2	2.53%	0.03%
mulberry, white	2	2.53%	0.03%
maple, sugar	2	2.53%	0.03%
maple, silver	2	2.53%	0.03%
hickory, shagbark	2	2.53%	0.03%
willow, black	1	1.27%	0.02%
sycamore, American	1	1.27%	0.02%
spruce, Norway	1	1.27%	0.02%
linden, American	1	1.27%	0.02%
honeylocust, thornless	1	1.27%	0.02%
hickory, pignut	1	1.27%	0.02%
catalpa, northern	1	1.27%	0.02%
boxelder	1	1.27%	0.02%
beech, American	1	1.27%	0.02%
Summary for 31 - 36 (23 items)			
Sum	79	100%	1.19%
37 - 42			
oak, bur	7	22.58%	0.11%
willow, weeping	6	19.35%	0.09%
walnut, black	5	16.13%	0.08%
oak, northern red	3	9.68%	0.05%
willow, black	2	6.45%	0.03%
elm, American	2	6.45%	0.03%
cottonwood, eastern	2	6.45%	0.03%

Tuesday, May 19, 2009 Page 14 of 15

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
spruce, Norway	1	3.23%	0.02%
oak, white	1	3.23%	0.02%
maple, Norway	1	3.23%	0.02%
catalpa, northern	1	3.23%	0.02%
Summary for 37 - 42 (11 items) Sum	31	100%	0.47%
43 +			
oak, bur	7	28.00%	0.11%
willow, weeping	4	16.00%	0.06%
walnut, black	3	12.00%	0.05%
oak, white	3	12.00%	0.05%
cottonwood, eastern	3	12.00%	0.05%
willow, black	1	4.00%	0.02%
stump	1	4.00%	0.02%
oak, pin	1	4.00%	0.02%
oak, northern red	1	4.00%	0.02%
maple, Norway	1	4.00%	0.02%
Summary for 43 + (10 items)			
Sum	25	100%	0.38%
Grand Total	6631		

Tuesday, May 19, 2009 Page 15 of 15





Frequency Report: Maintenance by Diameter Class (Non-Street Sites)

Diameter Class	Total	Percent of Sub- Category Pop.	Percent of Entire Population
Large Tree Routine Prune			
1 - 3	241	6.85%	3.63%
4 - 6	459	13.04%	6.92%
7 - 12	1348	38.31%	20.33%
13 - 18	965	27.42%	14.55%
19 - 24	306	8.70%	4.61%
25 - 30	125	3.55%	1.89%
31 - 36	46	1.31%	0.69%
37 - 42	17	0.48%	0.26%
43 +	12	0.34%	0.18%
Summary for Large Tree Routine Prune (9 items)			
Sum	3519	100%	53.07%
Priority 1 Prune			
7 - 12	3	5.56%	0.05%
13 - 18	5	9.26%	0.08%
19 - 24	10	18.52%	0.15%
25 - 30	14	25.93%	0.21%
31 - 36	10	18.52%	0.15%
37 - 42	5	9.26%	0.08%
43 +	7	12.96%	0.11%
Summary for Priority 1 Prune (7 items)			
Sum	54	100%	0.81%
Priority 1 Removal			
4 - 6	1	3.03%	0.02%
7 - 12	14	42.42%	0.21%
13 - 18	9	27.27%	0.14%
19 - 24	6	18.18%	0.09%
25 - 30	1	3.03%	0.02%
31 - 36	2	6.06%	0.03%
Summary for Priority 1 Removal (6 items)			
Sum	33	100%	0.50%
Priority 2 Prune			
4 - 6	4	2.15%	0.06%
7 - 12	22	11.83%	0.33%
		11.0070	0.0076

Tuesday, May 19, 2009 Page 1 of 3

Diameter Class	Total	Percent of Sub- Category Pop.	Percent of Entire Population
13 - 18	49	26.34%	0.74%
19 - 24	46	24.73%	0.69%
25 - 30	35	18.82%	0.53%
31 - 36	20	10.75%	0.30%
37 - 42	6	3.23%	0.09%
43 +	4	2.15%	0.06%
Summary for Priority 2 Prune (8 items)			
Sum	186	100%	2.81%
Priority 2 Removal			
4 - 6	8	8.99%	0.12%
7 - 12	33	37.08%	0.50%
13 - 18	23	25.84%	0.35%
19 - 24	12	13.48%	0.18%
25 - 30	8	8.99%	0.12%
31 - 36	1	1.12%	0.02%
37 - 42	3	3.37%	0.05%
43 +	1	1.12%	0.02%
Summary for Priority 2 Removal (8 items)			
Sum	89	100%	1.34%
Priority 3 Removal			
1 - 3	98	79.03%	1.48%
4 - 6	21	16.94%	0.32%
7 - 12	5	4.03%	0.08%
Summary for Priority 3 Removal (3 items)			
Sum	124	100%	1.87%
Small Tree Routine Prune			
1 - 3	127	17.89%	1.92%
4 - 6	221	31.13%	3.33%
7 - 12	338	47.61%	5.10%
13 - 18	23	3.24%	0.35%
19 - 24	1	0.14%	0.02%
Summary for Small Tree Routine Prune (5 items)			
Sum	710	100%	10.71%
Stump Removal			
1 - 3	1	4.76%	0.02%
4 - 6	1	4.76%	0.02%
7 - 12	10	47.62%	0.15%

Tuesday, May 19, 2009 Page 2 of 3

Diameter Class	Total	Percent of Sub- Category Pop.	Percent of Entire Population
13 - 18	4	19.05%	0.06%
19 - 24	3	14.29%	0.05%
25 - 30	1	4.76%	0.02%
43 +	1	4.76%	0.02%
Summary for Stump Removal (7 items) Sum	21	100%	0.32%
Training Prune			
1 - 3	1691	89.23%	25.50%
4 - 6	196	10.34%	2.96%
7 - 12	8	0.42%	0.12%
Summary for Training Prune (3 items)			
Sum	1895	100%	28.58%
Grand Total	6631		

Tuesday, May 19, 2009 Page 3 of 3





Frequency Report: Diameter Class by Genus (Non-Street Sites)

Acer 328 15.21% 4.96% Celtis 114 5.29% 1.72% Amelanchier 108 5.01% 1.63% Malus 91 4.22% 1.38% Pinus 78 3.62% 1.18% Crataegus 78 3.62% 1.18% Picea 77 3.57% 1.16% Prunus 74 3.43% 1.12% Cercis 71 3.29% 1.07% Abies 62 2.87% 0.94% Liriodendron 60 2.78% 0.91% Platanus 58 2.69% 0.88% Gieditsia 54 2.50% 0.82% Carpinus 41 1.90% 0.62% Thuja 35 1.62% 0.53% Ulmus 34 1.58% 0.51% Zelkova 33 1.53% 0.50% Betula 31 1.44% 0.47% Cornus 28 <td< th=""><th>Genus</th><th>Total</th><th>Percent of Sub- Category Pop.</th><th>Percent of Entire Population</th></td<>	Genus	Total	Percent of Sub- Category Pop.	Percent of Entire Population
Acer 328 15.21% 4.96% Celtis 114 5.29% 1.72% Amelanchier 108 5.01% 1.63% Malus 91 4.22% 1.38% Pinus 78 3.62% 1.18% Crataegus 78 3.62% 1.18% Picea 77 3.57% 1.16% Prunus 74 3.43% 1.12% Cercis 71 3.29% 1.07% Abies 62 2.87% 0.94% Liriodendron 60 2.78% 0.91% Platanus 58 2.69% 0.88% Gleditsia 54 2.50% 0.82% Carpinus 41 1.90% 0.62% Thuja 35 1.62% 0.53% Ulmus 34 1.58% 0.51% Zelkova 33 1.53% 0.50% Betula 31 1.44% 0.47% Cornus 28 <td< td=""><td>1 - 3</td><td></td><td></td><td></td></td<>	1 - 3			
Celtis 114 5.29% 1.72% Amelanchier 108 5.01% 1.63% Malus 91 4.22% 1.38% Pinus 78 3.62% 1.18% Crataegus 78 3.62% 1.18% Picea 77 3.57% 1.16% Prunus 74 3.43% 1.12% Cercis 71 3.29% 1.07% Abies 62 2.87% 0.94% Liriodendron 60 2.78% 0.91% Platanus 58 2.69% 0.88% Gleditsia 54 2.50% 0.82% Carpinus 41 1.90% 0.62% Thuja 35 1.62% 0.53% Ulmus 34 1.58% 0.51% Zelkova 33 1.53% 0.50% Betula 31 1.44% 0.47% Cornus 28 1.30% 0.42% Pseudotsuga 25	Quercus	357	16.55%	5.40%
Amelanchier 108 5.01% 1.63% Malus 91 4.22% 1.38% Pinus 78 3.62% 1.18% Crataegus 78 3.62% 1.18% Picea 77 3.57% 1.16% Prunus 74 3.43% 1.12% Cercis 71 3.29% 1.07% Abies 62 2.87% 0.94% Liriodendron 60 2.78% 0.91% Platanus 58 2.69% 0.88% Gleditsia 54 2.50% 0.82% Carpinus 41 1.90% 0.62% Thuja 35 1.62% 0.53% Ulmus 34 1.58% 0.51% Zelkova 33 1.58% 0.50% Betula 31 1.44% 0.47% Cornus 28 1.30% 0.42% Cornus 28 1.30% 0.42% Tilia 27 1	Acer	328	15.21%	4.96%
Malus 91 4.22% 1.38% Pinus 78 3.62% 1.18% Crataegus 78 3.62% 1.18% Picea 77 3.57% 1.16% Prunus 74 3.43% 1.12% Cercis 71 3.29% 1.07% Abies 62 2.87% 0.94% Liriodendron 60 2.78% 0.91% Platanus 58 2.69% 0.88% Gleditsia 54 2.50% 0.82% Carpinus 41 1.90% 0.62% Thuja 35 1.62% 0.53% Ulmus 34 1.58% 0.51% Zelkova 33 1.53% 0.50% Betula 31 1.44% 0.47% Corrus 28 1.30% 0.42% Cormus 28 1.30% 0.42% Eucommia 22 1.02% 0.33% Juniperus 21 0	Celtis	114	5.29%	1.72%
Pinus 78 3.62% 1.18% Crataegus 78 3.62% 1.18% Picea 77 3.57% 1.16% Prunus 74 3.43% 1.12% Cercis 71 3.29% 1.07% Abies 62 2.87% 0.94% Liriodendron 60 2.78% 0.91% Platanus 58 2.69% 0.88% Gleditsia 54 2.50% 0.82% Carpinus 41 1.90% 0.62% Thuja 35 1.62% 0.53% Ulmus 34 1.58% 0.51% Zelkova 33 1.53% 0.50% Betula 31 1.44% 0.47% Cornus 28 1.30% 0.42% Tilia 27 1.25% 0.41% Pseudotsuga 25 1.16% 0.38% Eucommia 22 1.02% 0.33% Juniperus 21	Amelanchier	108	5.01%	1.63%
Crataegus 78 3.62% 1.18% Picea 77 3.57% 1.16% Prunus 74 3.43% 1.12% Cercis 71 3.29% 1.07% Abies 62 2.87% 0.94% Liriodendron 60 2.78% 0.91% Platanus 58 2.69% 0.88% Gleditsia 54 2.50% 0.82% Carpinus 41 1.90% 0.62% Thuja 35 1.62% 0.53% Ulmus 34 1.58% 0.51% Zelkova 33 1.53% 0.50% Betula 31 1.44% 0.47% Cornus 28 1.30% 0.42% Tilia 27 1.25% 0.41% Pseudotsuga 25 1.16% 0.38% Eucommia 22 1.02% 0.33% Juniperus 21 0.97% 0.32% Gymnocladus 20	Malus	91	4.22%	1.38%
Picea 77 3.57% 1.16% Prunus 74 3.43% 1.12% Cercis 71 3.29% 1.07% Abies 62 2.87% 0.94% Liriodendron 60 2.78% 0.91% Platanus 58 2.69% 0.88% Gleditsia 54 2.50% 0.82% Carpinus 41 1.90% 0.62% Thuja 35 1.62% 0.53% Ulmus 34 1.58% 0.51% Zelkova 33 1.53% 0.50% Betula 31 1.44% 0.47% Cornus 28 1.30% 0.42% Tilia 27 1.25% 0.41% Pseudotsuga 25 1.16% 0.38% Eucommia 22 1.02% 0.33% Juniperus 21 0.97% 0.32% Gymnocladus 20 0.93% 0.30% Ginkgo 20 0.93% 0.30% Ginkgo 20 0.93% 0.30%	Pinus	78	3.62%	1.18%
Prunus 74 3.43% 1.12% Cercis 71 3.29% 1.07% Abies 62 2.87% 0.94% Liriodendron 60 2.78% 0.91% Platanus 58 2.69% 0.88% Gleditsia 54 2.50% 0.82% Carpinus 41 1.90% 0.62% Thuja 35 1.62% 0.53% Ulmus 34 1.58% 0.51% Zelkova 33 1.53% 0.50% Betula 31 1.44% 0.47% Cornus 28 1.30% 0.42% Tilia 27 1.25% 0.41% Pseudotsuga 25 1.16% 0.33% Eucommia 22 1.02% 0.33% Juniperus 21 0.97% 0.32% Gymnocladus 20 0.93% 0.30% Ginkgo 20 0.93% 0.30% Aesculus 20 0.93% 0.30%	Crataegus	78	3.62%	1.18%
Cercis 71 3.29% 1.07% Abies 62 2.87% 0.94% Liriodendron 60 2.78% 0.91% Platanus 58 2.69% 0.88% Gleditsia 54 2.50% 0.82% Carpinus 41 1.90% 0.62% Thuja 35 1.62% 0.53% Ulmus 34 1.58% 0.51% Zelkova 33 1.53% 0.50% Betula 31 1.44% 0.47% Cornus 28 1.30% 0.42% Tilia 27 1.25% 0.41% Pseudotsuga 25 1.16% 0.38% Eucommia 22 1.02% 0.33% Juniperus 21 0.97% 0.32% Gymnocladus 20 0.93% 0.30% Ginkgo 20 0.93% 0.30% Aesculus 20 0.93% 0.30%	Picea	77	3.57%	1.16%
Abies 62 2.87% 0.94% 1.57% 0.94% 1.57% 0.94% 1.57% 0.94% 1.57% 0.94% 1.57% 0.95% 1.62% 0.88% 1.62% 0.82% 1.62% 0.53% 0.53% 1.62% 0.53% 1.6	Prunus	74	3.43%	1.12%
Liriodendron 60 2.78% 0.91% Platanus 58 2.69% 0.88% Gleditsia 54 2.50% 0.82% Carpinus 41 1.90% 0.62% Thuja 35 1.62% 0.53% Ulmus 34 1.58% 0.51% Zelkova 33 1.53% 0.50% Betula 31 1.44% 0.47% Cornus 28 1.30% 0.42% Tilia 27 1.25% 0.41% Pseudotsuga 25 1.16% 0.38% Eucommia 22 1.02% 0.33% Juniperus 21 0.97% 0.32% Gymnocladus 20 0.93% 0.30% Ginkgo 20 0.93% 0.30% Aesculus 20 0.93% 0.30%	Cercis	71	3.29%	1.07%
Platanus 58 2.69% 0.88% Gleditsia 54 2.50% 0.82% Carpinus 41 1.90% 0.62% Thuja 35 1.62% 0.53% Ulmus 34 1.58% 0.51% Zelkova 33 1.53% 0.50% Betula 31 1.44% 0.47% Cornus 28 1.30% 0.42% Tilia 27 1.25% 0.41% Pseudotsuga 25 1.16% 0.38% Eucommia 22 1.02% 0.33% Juniperus 21 0.97% 0.32% Gymnocladus 20 0.93% 0.30% Ginkgo 20 0.93% 0.30% Aescullus 20 0.93% 0.30%	Abies	62	2.87%	0.94%
Gleditsia 54 2.50% 0.82% Carpinus 41 1.90% 0.62% Thuja 35 1.62% 0.53% Ulmus 34 1.58% 0.51% Zelkova 33 1.53% 0.50% Betula 31 1.44% 0.47% Cornus 28 1.30% 0.42% Tilia 27 1.25% 0.41% Pseudotsuga 25 1.16% 0.38% Eucommia 22 1.02% 0.33% Juniperus 21 0.97% 0.32% Gymnocladus 20 0.93% 0.30% Ginkgo 20 0.93% 0.30% Aesculus 20 0.93% 0.30%	Liriodendron	60	2.78%	0.91%
Carpinus 41 1.90% 0.62% Thuja 35 1.62% 0.53% Ulmus 34 1.58% 0.51% Zelkova 33 1.53% 0.50% Betula 31 1.44% 0.47% Cornus 28 1.30% 0.42% Tilia 27 1.25% 0.41% Pseudotsuga 25 1.16% 0.38% Eucommia 22 1.02% 0.33% Juniperus 21 0.97% 0.32% Gymnocladus 20 0.93% 0.30% Ginkgo 20 0.93% 0.30% Aesculus 20 0.93% 0.30%	Platanus	58	2.69%	0.88%
Thuja 35 1.62% 0.53% 0.51% 0.5	Gleditsia	54	2.50%	0.82%
Ulmus 34 1.58% 0.51% Zelkova 33 1.53% 0.50% Betula 31 1.44% 0.47% Cornus 28 1.30% 0.42% Tilia 27 1.25% 0.41% Pseudotsuga 25 1.16% 0.38% Eucommia 22 1.02% 0.33% Juniperus 21 0.97% 0.32% Gymnocladus 20 0.93% 0.30% Ginkgo 20 0.93% 0.30% Aesculus 20 0.93% 0.30%	Carpinus	41	1.90%	0.62%
Zelkova 33 1.53% 0.50% Betula 31 1.44% 0.47% Cornus 28 1.30% 0.42% Tilia 27 1.25% 0.41% Pseudotsuga 25 1.16% 0.38% Eucommia 22 1.02% 0.33% Juniperus 21 0.97% 0.32% Gymnocladus 20 0.93% 0.30% Ginkgo 20 0.93% 0.30% Aesculus 20 0.93% 0.30%	Thuja	35	1.62%	0.53%
Betula 31 1.44% 0.47% Cornus 28 1.30% 0.42% Tilia 27 1.25% 0.41% Pseudotsuga 25 1.16% 0.38% Eucommia 22 1.02% 0.33% Juniperus 21 0.97% 0.32% Gymnocladus 20 0.93% 0.30% Ginkgo 20 0.93% 0.30% Aesculus 20 0.93% 0.30%	Ulmus	34	1.58%	0.51%
Cornus 28 1.30% 0.42% Tilia 27 1.25% 0.41% Pseudotsuga 25 1.16% 0.38% Eucommia 22 1.02% 0.33% Juniperus 21 0.97% 0.32% Gymnocladus 20 0.93% 0.30% Ginkgo 20 0.93% 0.30% Aesculus 20 0.93% 0.30%	Zelkova	33	1.53%	0.50%
Tilia 27 1.25% 0.41% Pseudotsuga 25 1.16% 0.38% Eucommia 22 1.02% 0.33% Juniperus 21 0.97% 0.32% Gymnocladus 20 0.93% 0.30% Ginkgo 20 0.93% 0.30% Aesculus 20 0.93% 0.30%	Betula	31	1.44%	0.47%
Pseudotsuga 25 1.16% 0.38% Eucommia 22 1.02% 0.33% Juniperus 21 0.97% 0.32% Gymnocladus 20 0.93% 0.30% Ginkgo 20 0.93% 0.30% Aesculus 20 0.93% 0.30%	Cornus	28	1.30%	0.42%
Eucommia 22 1.02% 0.33% Juniperus 21 0.97% 0.32% Gymnocladus 20 0.93% 0.30% Ginkgo 20 0.93% 0.30% Aesculus 20 0.93% 0.30%	Tilia	27	1.25%	0.41%
Juniperus 21 0.97% 0.32% Gymnocladus 20 0.93% 0.30% Ginkgo 20 0.93% 0.30% Aesculus 20 0.93% 0.30%	Pseudotsuga	25	1.16%	0.38%
Gymnocladus 20 0.93% 0.30% Ginkgo 20 0.93% 0.30% Aesculus 20 0.93% 0.30%	Eucommia	22	1.02%	0.33%
Ginkgo 20 0.93% 0.30% Aesculus 20 0.93% 0.30%	Juniperus	21	0.97%	0.32%
Aesculus 20 0.93% 0.30%	Gymnocladus	20	0.93%	0.30%
	Ginkgo	20	0.93%	0.30%
Liquidambar 19 0.88% 0.29%	Aesculus	20	0.93%	0.30%
	Liquidambar	19	0.88%	0.29%

Tuesday, May 19, 2009 Page 1 of 9

Genus	Total	Percent of Sub- Category Pop.	Percent of Entire Population
Syringa	15	0.70%	0.23%
Maackia	15	0.70%	0.23%
Cladrastis	15	0.70%	0.23%
Cercidiphyllum	14	0.65%	0.21%
Metasequoia	12	0.56%	0.18%
Nyssa	10	0.46%	0.15%
Fagus	9	0.42%	0.14%
Carya	9	0.42%	0.14%
unknown	8	0.37%	0.12%
Styphnolobium	8	0.37%	0.12%
Pyrus	8	0.37%	0.12%
Taxodium	6	0.28%	0.09%
Corylus	6	0.28%	0.09%
Magnolia	5	0.23%	0.08%
Juglans	5	0.23%	0.08%
Fraxinus	5	0.23%	0.08%
Alnus	4	0.19%	0.06%
Robinia	3	0.14%	0.05%
Koelreuteria	3	0.14%	0.05%
Tamarix	2	0.09%	0.03%
Salix	2	0.09%	0.03%
Morus	2	0.09%	0.03%
Catalpa	2	0.09%	0.03%
Ailanthus	2	0.09%	0.03%
Asimina	1	0.05%	0.02%
Summary for 1 - 3 (53 items)			
um	2157	100%	32.63%
4 - 6			
Acer	177	19.45%	2.68%
Malus	141	15.49%	2.13%
Pinus	121	13.30%	1.83%
Picea	86	9.45%	1.30%

Tuesday, May 19, 2009 Page 2 of 9

Genus	Total	Percent of Sub- Category Pop.	Percent of Entire Population
Quercus	85	9.34%	1.29%
Crataegus	74	8.13%	1.12%
Gleditsia	32	3.52%	0.48%
Cercis	22	2.42%	0.33%
Tilia	19	2.09%	0.29%
Prunus	17	1.87%	0.26%
Juglans	13	1.43%	0.20%
Amelanchier	10	1.10%	0.15%
Ulmus	9	0.99%	0.14%
Pseudotsuga	9	0.99%	0.14%
Platanus	9	0.99%	0.14%
Fraxinus	9	0.99%	0.14%
Thuja	7	0.77%	0.11%
Nyssa	6	0.66%	0.09%
Liriodendron	6	0.66%	0.09%
Pyrus	5	0.55%	0.08%
Liquidambar	5	0.55%	0.08%
Juniperus	5	0.55%	0.08%
Celtis	5	0.55%	0.08%
Populus	4	0.44%	0.06%
Gymnocladus	4	0.44%	0.06%
Carpinus	4	0.44%	0.06%
Betula	4	0.44%	0.06%
Abies	4	0.44%	0.06%
Ailanthus	3	0.33%	0.05%
Morus	2	0.22%	0.03%
Magnolia	2	0.22%	0.03%
Cornus	2	0.22%	0.03%
Aesculus	2	0.22%	0.03%
unknown	1	0.11%	0.02%
Tsuga	1	0.11%	0.02%
Salix	1	0.11%	0.02%

Tuesday, May 19, 2009 Page 3 of 9

Genus	Total	Percent of Sub- Category Pop.	Percent of Entire Population
Robinia	1	0.11%	0.02%
Metasequoia	1	0.11%	0.02%
Ginkgo	1	0.11%	0.02%
Cladrastis	1	0.11%	0.02%
Summary for 4 - 6 (40 items)			
Sum	910	100%	13.77%
7 - 12			
Pinus	359	20.27%	5.43%
Acer	306	17.28%	4.63%
Malus	263	14.85%	3.98%
Picea	177	9.99%	2.68%
Quercus	102	5.76%	1.54%
Gleditsia	89	5.03%	1.35%
Tilia	74	4.18%	1.12%
Juglans	57	3.22%	0.86%
Prunus	52	2.94%	0.79%
Carya	36	2.03%	0.54%
Cercis	29	1.64%	0.44%
Ulmus	23	1.30%	0.35%
Crataegus	22	1.24%	0.33%
Populus	16	0.90%	0.24%
Morus	15	0.85%	0.23%
Juniperus	14	0.79%	0.21%
Abies	13	0.73%	0.20%
Zelkova	11	0.62%	0.17%
Pseudotsuga	10	0.56%	0.15%
Fraxinus	9	0.51%	0.14%
Celtis	9	0.51%	0.14%
Platanus	8	0.45%	0.12%
Betula	7	0.40%	0.11%
Aesculus	7	0.40%	0.11%
Pyrus	6	0.34%	0.09%

Tuesday, May 19, 2009 Page 4 of 9

Genus	Total	Percent of Sub- Category Pop.	Percent of Entire Population
Liquidambar	6	0.34%	0.09%
Carpinus	6	0.34%	0.09%
Thuja	5	0.28%	0.08%
Nyssa	5	0.28%	0.08%
Gymnocladus	5	0.28%	0.08%
Salix	4	0.23%	0.06%
Robinia	3	0.17%	0.05%
Magnolia	3	0.17%	0.05%
Liriodendron	3	0.17%	0.05%
Cladrastis	2	0.11%	0.03%
Catalpa	2	0.11%	0.03%
Amelanchier	2	0.11%	0.03%
Ailanthus	2	0.11%	0.03%
unknown	1	0.06%	0.02%
Ostrya	1	0.06%	0.02%
Metasequoia	1	0.06%	0.02%
Larix	1	0.06%	0.02%
Ginkgo	1	0.06%	0.02%
Fagus	1	0.06%	0.02%
Elaeagnus	1	0.06%	0.02%
Corylus	1	0.06%	0.02%
Castanea	1	0.06%	0.02%
Summary for 7 - 12 (47 items) Sum 3 - 18	1771	100%	26.79%
Pinus	241	22.44%	3.65%
Acer	179	16.67%	2.71%
Quercus	104	9.68%	1.57%
Picea	94	8.75%	1.42%
Tilia	76	7.08%	1.15%
Gleditsia	59	5.49%	0.89%
	58	5.40%	0.88%

Tuesday, May 19, 2009 Page 5 of 9

Genus	Total	Percent of Sub- Category Pop.	Percent of Entire Population
Zelkova	44	4.10%	0.67%
Carya	39	3.63%	0.59%
Ulmus	27	2.51%	0.41%
Prunus	23	2.14%	0.35%
Malus	21	1.96%	0.32%
Pseudotsuga	18	1.68%	0.27%
Populus	13	1.21%	0.20%
Platanus	13	1.21%	0.20%
Abies	11	1.02%	0.17%
Morus	10	0.93%	0.15%
Fraxinus	7	0.65%	0.11%
Salix	6	0.56%	0.09%
Juniperus	6	0.56%	0.09%
Thuja	4	0.37%	0.06%
Betula	3	0.28%	0.05%
Ailanthus	3	0.28%	0.05%
Pyrus	2	0.19%	0.03%
Celtis	2	0.19%	0.03%
Aesculus	2	0.19%	0.03%
unknown	1	0.09%	0.02%
Tamarix	1	0.09%	0.02%
Robinia	1	0.09%	0.02%
Magnolia	1	0.09%	0.02%
Liriodendron	1	0.09%	0.02%
Gymnocladus	1	0.09%	0.02%
Cladrastis	1	0.09%	0.02%
Cercis	1	0.09%	0.02%
Castanea	1	0.09%	0.02%
dummary for 13 - 18 (35 items)			
Sum	1074	100%	16.25%
9 - 24			
Quercus	106	27.82%	1.60%

Tuesday, May 19, 2009 Page 6 of 9

Genus	Total	Percent of Sub- Category Pop.	Percent of Entire Population
Acer	55	14.44%	0.83%
Juglans	47	12.34%	0.71%
Gleditsia	24	6.30%	0.36%
Pinus	22	5.77%	0.33%
Tilia	18	4.72%	0.27%
Carya	18	4.72%	0.27%
Ulmus	16	4.20%	0.24%
Zelkova	11	2.89%	0.17%
Populus	10	2.62%	0.15%
Picea	9	2.36%	0.14%
Salix	8	2.10%	0.12%
Platanus	7	1.84%	0.11%
Prunus	6	1.57%	0.09%
Pseudotsuga	4	1.05%	0.06%
Ailanthus	4	1.05%	0.06%
Liriodendron	3	0.79%	0.05%
Abies	3	0.79%	0.05%
Robinia	2	0.52%	0.03%
Morus	2	0.52%	0.03%
Malus	2	0.52%	0.03%
Styphnolobium	1	0.26%	0.02%
Pyrus	1	0.26%	0.02%
Juniperus	1	0.26%	0.02%
Fraxinus	1	0.26%	0.02%
Summary for 19 - 24 (25 items)			
Sum	381	100%	5.76%
25 - 30			
Quercus	62	33.88%	0.94%
Acer	33	18.03%	0.50%
Juglans	31	16.94%	0.47%
Platanus	12	6.56%	0.18%
Populus	6	3.28%	0.09%

Tuesday, May 19, 2009 Page 7 of 9

Genus	Total	Percent of Sub- Category Pop.	Percent of Entire Population
Carya	6	3.28%	0.09%
Ulmus	5	2.73%	0.08%
Tilia	4	2.19%	0.06%
Salix	4	2.19%	0.06%
Prunus	4	2.19%	0.06%
Picea	4	2.19%	0.06%
Catalpa	4	2.19%	0.06%
Gleditsia	3	1.64%	0.05%
Robinia	2	1.09%	0.03%
Zelkova	1	0.55%	0.02%
Pinus	1	0.55%	0.02%
Morus	1	0.55%	0.02%
Summary for 25 - 30 (17 items) Sum	183	100%	2.77%
31 - 36			
Quercus	27	34.18%	0.41%
Juglans	13	16.46%	0.20%
Ulmus	11	13.92%	0.17%
Acer	8	10.13%	0.12%
Salix	7	8.86%	0.11%
Platanus	3	3.80%	0.05%
Carya	3	3.80%	0.05%
Morus	2	2.53%	0.03%
Tilia	1	1.27%	0.02%
Picea	1	1.27%	0.02%
Gleditsia	1	1.27%	0.02%
Fagus	1	1.27%	0.02%
Catalpa	1	1.27%	0.02%
Summary for 31 - 36 (13 items)		****	
Sum	79	100%	1.20%
37 - 42			
Quercus	11	35.48%	0.17%

Tuesday, May 19, 2009 Page 8 of 9

Genus	Total	Percent of Sub- Category Pop.	Percent of Entire Population
Salix	8	25.81%	0.12%
Juglans	5	16.13%	0.08%
Ulmus	2	6.45%	0.03%
Populus	2	6.45%	0.03%
Picea	1	3.23%	0.02%
Catalpa	1	3.23%	0.02%
Acer	1	3.23%	0.02%
Summary for 37 - 42 (8 items)			
Sum	31	100%	0.47%
43 +			
Quercus	12	50.00%	0.18%
Salix	5	20.83%	0.08%
Populus	3	12.50%	0.05%
Juglans	3	12.50%	0.05%
Acer	1	4.17%	0.02%
Summary for 43 + (5 items)			
Sum	24	100%	0.36%
Grand Total	6610		

Tuesday, May 19, 2009 Page 9 of 9





Frequency Report: Height by Common (Non-Street Sites)

O-10 Cherry/plum, spp. 55 9.53% 0.83% serviceberry, spp. 54 9.36% 0.82% crabapple, flowering 42 7.28% 0.64% redbud, eastern 37 6.41% 0.56% pine, eastern white 30 5.20% 0.45% fir, balsam 28 4.85% 0.42% spruce, Colorado 26 4.51% 0.39% hackberry, common 22 3.81% 0.33% dogwood, pagoda 20 3.47% 0.30% arborvitae, eastern 20 3.47% 0.30% oak, swamp white 18 3.12% 0.27% juniper, spp. 16 2.77% 0.24% douglas-fir 16 2.77% 0.24% maple, striped 14 2.43% 0.21% hornbeam, American 14 2.43% 0.21% girkgo 12 2.08% 0.18% spruce, white 10 1.73% 0.15%	Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
serviceberry, spp. 54 9.36% 0.82% crabapple, flowering 42 7.28% 0.64% redbud, eastern 37 6.41% 0.56% pine, eastern white 30 5.20% 0.45% fir, balsam 28 4.85% 0.42% spruce, Colorado 26 4.51% 0.39% hackberry, common 22 3.81% 0.33% dogwood, pagoda 20 3.47% 0.30% arborvitae, eastern 20 3.47% 0.30% oak, swamp white 18 3.12% 0.27% juniper, spp. 16 2.77% 0.24% douglas-fir 16 2.77% 0.24% maple, striped 14 2.43% 0.21% hornbeam, American 14 2.43% 0.21% ginkgo 12 2.08% 0.18% yellowwood, American 10 1.73% 0.15% pine, Austrian 10 1.73% 0.15% pine, Aust	0-10			
reabapple, flowering	cherry/plum, spp.	55	9.53%	0.83%
redbud, eastern 37 6.41% 0.56% pine, eastern white 30 5.20% 0.45% fir, balsam 28 4.85% 0.42% spruce, Colorado 26 4.51% 0.39% hackberry, common 22 3.81% 0.33% dogwood, pagoda 20 3.47% 0.30% arborvitae, eastern 20 3.47% 0.30% oak, swamp white 18 3.12% 0.27% juniper, spp. 16 2.77% 0.24% douglas-fir 16 2.77% 0.24% maple, striped 14 2.43% 0.21% ginkgo 12 2.08% 0.18% yellowwood, American 10 1.73% 0.15% spruce, white 10 1.73% 0.15% pine, Austrian 10 1.73% 0.15% pine, Austrian 10 1.73% 0.15% lilac, Japanese tree 8 1.39% 0.12% linden, litteleaf <td>serviceberry, spp.</td> <td>54</td> <td>9.36%</td> <td>0.82%</td>	serviceberry, spp.	54	9.36%	0.82%
pine, eastern white 30 5.20% 0.45% fir, balsam 28 4.85% 0.42% spruce, Colorado 26 4.51% 0.39% hackberry, common 22 3.81% 0.33% dogwood, pagoda 20 3.47% 0.30% arborvitae, eastern 20 3.47% 0.20% oak, swamp white 18 3.12% 0.27% juriper, spp. 16 2.77% 0.24% douglas-fir 16 2.77% 0.24% maple, striped 14 2.43% 0.21% morbeam, American 14 2.43% 0.21% ginkgo 12 2.08% 0.18% yellowwood, American 10 1.73% 0.15% spruce, white 10 1.73% 0.15% pine, Austrian 10 1.73% 0.15% pine, Austrian 10 1.73% 0.15% katsuratree 8 1.39% 0.12% katsuratree <t< td=""><td>crabapple, flowering</td><td>42</td><td>7.28%</td><td>0.64%</td></t<>	crabapple, flowering	42	7.28%	0.64%
fir, balsam 28 4.85% 0.42% spruce, Colorado 26 4.51% 0.39% hackberry, common 22 3.81% 0.33% dogwood, pagoda 20 3.47% 0.30% arborvitae, eastern 20 3.47% 0.20% oak, swamp white 18 3.12% 0.27% juniper, spp. 16 2.77% 0.24% douglas-fir 16 2.77% 0.24% maple, striped 14 2.43% 0.21% hornbeam, American 14 2.43% 0.21% ginkgo 12 2.08% 0.18% yellowwood, American 10 1.73% 0.15% spruce, white 10 1.73% 0.15% pine, Austrian 10 1.73% 0.15% lilac, Japanese tree 8 1.39% 0.12% linden, littleleaf 7 1.21% 0.11% katsuratree 7 1.21% 0.11% hawthorn, spp.	redbud, eastern	37	6.41%	0.56%
spruce, Colorado 26 4.51% 0.39% hackberry, common 22 3.81% 0.33% dogwood, pagoda 20 3.47% 0.30% arborvitae, eastern 20 3.47% 0.30% oak, swamp white 18 3.12% 0.27% juniper, spp. 16 2.77% 0.24% douglas-fir 16 2.77% 0.24% maple, striped 14 2.43% 0.21% bornbeam, American 14 2.43% 0.21% ginkgo 12 2.08% 0.18% yellowwood, American 10 1.73% 0.15% spruce, white 10 1.73% 0.15% pine, Austrian 10 1.73% 0.15% lilac, Japanese tree 8 1.39% 0.12% limber, ittleleaf 7 1.21% 0.11% katsuratree 7 1.21% 0.11% hawthorn, spp. 7 1.21% 0.11% pruce, Serbian	pine, eastern white	30	5.20%	0.45%
hackberry, common 22 3.81% 0.33% dogwood, pagoda 20 3.47% 0.30% arborvitae, eastern 20 3.47% 0.30% oak, swamp white 18 3.12% 0.27% juniper, spp. 16 2.77% 0.24% douglas-fir 16 2.77% 0.24% maple, striped 14 2.43% 0.21% hornbeam, American 14 2.43% 0.21% ginkgo 12 2.08% 0.18% yellowwood, American 10 1.73% 0.15% spruce, white 10 1.73% 0.15% pine, Austrian 10 1.73% 0.15% lilac, Japanese tree 8 1.39% 0.12% lilden, littleleaf 7 1.21% 0.11% katsuratree 7 1.21% 0.11% spruce, Serbian 6 1.04% 0.09% maple, paperbark 6 1.04% 0.09% blackgum	fir, balsam	28	4.85%	0.42%
dogwood, pagoda 20 3.47% 0.30% arborvitae, eastern 20 3.47% 0.30% oak, swamp white 18 3.12% 0.27% juniper, spp. 16 2.77% 0.24% douglas-fir 16 2.77% 0.24% maple, striped 14 2.43% 0.21% hornbeam, American 14 2.43% 0.21% ginkgo 12 2.08% 0.18% yellowwood, American 10 1.73% 0.15% spruce, white 10 1.73% 0.15% pine, Austrian 10 1.73% 0.15% lilac, Japanese tree 8 1.39% 0.12% linden, littleleaf 7 1.21% 0.11% katsuratree 7 1.21% 0.11% spruce, Serbian 6 1.04% 0.09% maple, paperbark 6 1.04% 0.09% blackgum 6 1.04% 0.09% unknown 5	spruce, Colorado	26	4.51%	0.39%
arborvitae, eastern 20 3.47% 0.30% oak, swamp white 18 3.12% 0.27% juniper, spp. 16 2.77% 0.24% douglas-fir 16 2.77% 0.24% maple, striped 14 2.43% 0.21% hornbeam, American 14 2.43% 0.21% ginkgo 12 2.08% 0.18% yellowwood, American 10 1.73% 0.15% spruce, white 10 1.73% 0.15% pine, Austrian 10 1.73% 0.15% lilac, Japanese tree 8 1.39% 0.12% linden, littleleaf 7 1.21% 0.11% katsuratree 7 1.21% 0.11% hawthorn, spp. 7 1.21% 0.11% spruce, Serbian 6 1.04% 0.09% maple, paperbark 6 1.04% 0.09% blackgum 6 1.04% 0.09% unknown 5 0.87% 0.08%	hackberry, common	22	3.81%	0.33%
oak, swamp white 18 3.12% 0.27% juniper, spp. 16 2.77% 0.24% douglas-fir 16 2.77% 0.24% maple, striped 14 2.43% 0.21% hornbeam, American 14 2.43% 0.21% ginkgo 12 2.08% 0.18% yellowwood, American 10 1.73% 0.15% spruce, white 10 1.73% 0.15% pine, Austrian 10 1.73% 0.15% lilac, Japanese tree 8 1.39% 0.12% linden, littleleaf 7 1.21% 0.11% katsuratree 7 1.21% 0.11% hawthorn, spp. 7 1.21% 0.11% spruce, Serbian 6 1.04% 0.09% maple, paperbark 6 1.04% 0.09% blackgum 6 1.04% 0.09% unknown 5 0.87% 0.08%	dogwood, pagoda	20	3.47%	0.30%
juniper, spp. 16 2.77% 0.24% douglas-fir 16 2.77% 0.24% maple, striped 14 2.43% 0.21% hornbeam, American 14 2.43% 0.21% ginkgo 12 2.08% 0.18% yellowwood, American 10 1.73% 0.15% spruce, white 10 1.73% 0.15% pine, Austrian 10 1.73% 0.15% lildac, Japanese tree 8 1.39% 0.12% linden, littleleaf 7 1.21% 0.11% katsuratree 7 1.21% 0.11% hawthorn, spp. 7 1.21% 0.11% spruce, Serbian 6 1.04% 0.09% maple, paperbark 6 1.04% 0.09% blackgum 6 1.04% 0.09% unknown 5 0.87% 0.08%	arborvitae, eastern	20	3.47%	0.30%
douglas-fir 16 2.77% 0.24% maple, striped 14 2.43% 0.21% hornbeam, American 14 2.43% 0.21% ginkgo 12 2.08% 0.18% yellowwood, American 10 1.73% 0.15% spruce, white 10 1.73% 0.15% pine, Austrian 10 1.73% 0.15% lilac, Japanese tree 8 1.39% 0.12% linden, littleleaf 7 1.21% 0.11% katsuratree 7 1.21% 0.11% hawthorn, spp. 7 1.21% 0.01% spruce, Serbian 6 1.04% 0.09% maple, paperbark 6 1.04% 0.09% blackgum 6 1.04% 0.09% unknown 5 0.87% 0.08%	oak, swamp white	18	3.12%	0.27%
maple, striped 14 2.43% 0.21% hornbeam, American 14 2.43% 0.21% ginkgo 12 2.08% 0.18% yellowwood, American 10 1.73% 0.15% spruce, white 10 1.73% 0.15% pine, Austrian 10 1.73% 0.15% lilac, Japanese tree 8 1.39% 0.12% linden, littleleaf 7 1.21% 0.11% katsuratree 7 1.21% 0.11% hawthorn, spp. 7 1.21% 0.11% spruce, Serbian 6 1.04% 0.09% maple, paperbark 6 1.04% 0.09% blackgum 6 1.04% 0.09% unknown 5 0.87% 0.08%	juniper, spp.	16	2.77%	0.24%
hornbeam, American 14 2.43% 0.21% ginkgo 12 2.08% 0.18% yellowwood, American 10 1.73% 0.15% spruce, white 10 1.73% 0.15% pine, Austrian 10 1.73% 0.15% lilac, Japanese tree 8 1.39% 0.12% linden, littleleaf 7 1.21% 0.11% katsuratree 7 1.21% 0.11% hawthorn, spp. 7 1.21% 0.11% spruce, Serbian 6 1.04% 0.09% maple, paperbark 6 1.04% 0.09% blackgum 6 1.04% 0.09% unknown 5 0.87% 0.08%	douglas-fir	16	2.77%	0.24%
ginkgo 12 2.08% 0.18% yellowwood, American 10 1.73% 0.15% spruce, white 10 1.73% 0.15% pine, Austrian 10 1.73% 0.15% lilac, Japanese tree 8 1.39% 0.12% linden, littleleaf 7 1.21% 0.11% katsuratree 7 1.21% 0.11% hawthorn, spp. 7 1.21% 0.11% spruce, Serbian 6 1.04% 0.09% maple, paperbark 6 1.04% 0.09% blackgum 6 1.04% 0.09% unknown 5 0.87% 0.08%	maple, striped	14	2.43%	0.21%
yellowwood, American 10 1.73% 0.15% spruce, white 10 1.73% 0.15% pine, Austrian 10 1.73% 0.15% lilac, Japanese tree 8 1.39% 0.12% linden, littleleaf 7 1.21% 0.11% katsuratree 7 1.21% 0.11% hawthorn, spp. 7 1.21% 0.11% spruce, Serbian 6 1.04% 0.09% maple, paperbark 6 1.04% 0.09% blackgum 6 1.04% 0.09% unknown 5 0.87% 0.08%	hornbeam, American	14	2.43%	0.21%
spruce, white 10 1.73% 0.15% pine, Austrian 10 1.73% 0.15% lilac, Japanese tree 8 1.39% 0.12% linden, littleleaf 7 1.21% 0.11% katsuratree 7 1.21% 0.11% hawthorn, spp. 7 1.21% 0.11% spruce, Serbian 6 1.04% 0.09% maple, paperbark 6 1.04% 0.09% blackgum 6 1.04% 0.09% unknown 5 0.87% 0.08%	ginkgo	12	2.08%	0.18%
pine, Austrian 10 1.73% 0.15% lilac, Japanese tree 8 1.39% 0.12% linden, littleleaf 7 1.21% 0.11% katsuratree 7 1.21% 0.11% hawthorn, spp. 7 1.21% 0.11% spruce, Serbian 6 1.04% 0.09% maple, paperbark 6 1.04% 0.09% blackgum 6 1.04% 0.09% unknown 5 0.87% 0.08%	yellowwood, American	10	1.73%	0.15%
lilac, Japanese tree 8 1.39% 0.12% linden, littleleaf 7 1.21% 0.11% katsuratree 7 1.21% 0.11% hawthorn, spp. 7 1.21% 0.11% spruce, Serbian 6 1.04% 0.09% maple, paperbark 6 1.04% 0.09% blackgum 6 1.04% 0.09% unknown 5 0.87% 0.08%	spruce, white	10	1.73%	0.15%
linden, littleleaf 7 1.21% 0.11% katsuratree 7 1.21% 0.11% hawthorn, spp. 7 1.21% 0.11% spruce, Serbian 6 1.04% 0.09% maple, paperbark 6 1.04% 0.09% blackgum 6 1.04% 0.09% unknown 5 0.87% 0.08%	pine, Austrian	10	1.73%	0.15%
katsuratree 7 1.21% 0.11% hawthorn, spp. 7 1.21% 0.11% spruce, Serbian 6 1.04% 0.09% maple, paperbark 6 1.04% 0.09% blackgum 6 1.04% 0.09% unknown 5 0.87% 0.08%	lilac, Japanese tree	8	1.39%	0.12%
hawthorn, spp. 7 1.21% 0.11% spruce, Serbian 6 1.04% 0.09% maple, paperbark 6 1.04% 0.09% blackgum 6 1.04% 0.09% unknown 5 0.87% 0.08%	linden, littleleaf	7	1.21%	0.11%
spruce, Serbian 6 1.04% 0.09% maple, paperbark 6 1.04% 0.09% blackgum 6 1.04% 0.09% unknown 5 0.87% 0.08%	katsuratree	7	1.21%	0.11%
maple, paperbark 6 1.04% 0.09% blackgum 6 1.04% 0.09% unknown 5 0.87% 0.08%	hawthorn, spp.	7	1.21%	0.11%
blackgum 6 1.04% 0.09% unknown 5 0.87% 0.08%	spruce, Serbian	6	1.04%	0.09%
unknown 5 0.87% 0.08%	maple, paperbark	6	1.04%	0.09%
	blackgum	6	1.04%	0.09%
baldcypress, common 5 0.87% 0.08%	unknown	5	0.87%	0.08%
	baldcypress, common	5	0.87%	0.08%

Tuesday, May 19, 2009 Page 1 of 13

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
pine, jack	4	0.69%	0.06%
maple, Japanese	4	0.69%	0.06%
Kentucky coffeetree	4	0.69%	0.06%
fir, white	4	0.69%	0.06%
beech, American	4	0.69%	0.06%
redcedar, eastern	3	0.52%	0.05%
hornbeam, European	3	0.52%	0.05%
hardy rubbertree	3	0.52%	0.05%
birch, river	3	0.52%	0.05%
sweetgum, American	2	0.35%	0.03%
oak, pin	2	0.35%	0.03%
oak, northern red	2	0.35%	0.03%
oak, English	2	0.35%	0.03%
oak, bur	2	0.35%	0.03%
mulberry, white	2	0.35%	0.03%
maple, sugar	2	0.35%	0.03%
elm, American	2	0.35%	0.03%
Amur maackia	2	0.35%	0.03%
zelkova, Japanese	1	0.17%	0.02%
willow, weeping	1	0.17%	0.02%
tree-of-heaven	1	0.17%	0.02%
maple, Tatarian	1	0.17%	0.02%
maple, red	1	0.17%	0.02%
maple, Norway	1	0.17%	0.02%
maple, hedge	1	0.17%	0.02%
maple, Freeman	1	0.17%	0.02%
magnolia, star	1	0.17%	0.02%
honeylocust, thornless	1	0.17%	0.02%
hickory, shagbark	1	0.17%	0.02%
hickory, bitternut	1	0.17%	0.02%
filbert, Turkish	1	0.17%	0.02%
catalpa, northern	1	0.17%	0.02%

Tuesday, May 19, 2009 Page 2 of 13

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
butternut	1	0.17%	0.02%
ash, white	1	0.17%	0.02%
Summary for 0-10 (62 items)			
Sum	577	100%	8.73%
11-20			
crabapple, flowering	214	12.32%	3.24%
oak, swamp white	141	8.12%	2.13%
maple, red	128	7.37%	1.94%
oak, northern red	118	6.79%	1.79%
hawthorn, spp.	102	5.87%	1.54%
hackberry, common	92	5.30%	1.39%
tuliptree	58	3.34%	0.88%
maple, sugar	55	3.17%	0.83%
serviceberry, spp.	50	2.88%	0.76%
redbud, eastern	47	2.71%	0.71%
honeylocust, thornless	41	2.36%	0.62%
planetree, London	39	2.25%	0.59%
cherry/plum, spp.	37	2.13%	0.56%
zelkova, Japanese	32	1.84%	0.48%
oak, bur	28	1.61%	0.42%
linden, littleleaf	26	1.50%	0.39%
maple, Norway	24	1.38%	0.36%
fir, white	23	1.32%	0.35%
birch, river	22	1.27%	0.33%
pine, eastern white	21	1.21%	0.32%
elm, American	21	1.21%	0.32%
hardy rubbertree	19	1.09%	0.29%
sweetgum, American	17	0.98%	0.26%
hornbeam, American	17	0.98%	0.26%
pine, Austrian	16	0.92%	0.24%
oak, shingle	16	0.92%	0.24%
maple, Amur	16	0.92%	0.24%

Tuesday, May 19, 2009 Page 3 of 13

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
oak, sawtooth	15	0.86%	0.23%
Kentucky coffeetree	15	0.86%	0.23%
horsechestnut	13	0.75%	0.20%
arborvitae, eastern	13	0.75%	0.20%
Amur maackia	13	0.75%	0.20%
spruce, Colorado	12	0.69%	0.18%
dawn redwood	12	0.69%	0.18%
hawthorn, Washington	11	0.63%	0.17%
maple, striped	9	0.52%	0.14%
horsechestnut, red	9	0.52%	0.14%
douglas-fir	9	0.52%	0.14%
pear, callery	8	0.46%	0.12%
maple, hedge	8	0.46%	0.12%
Japanese pagodatree	8	0.46%	0.12%
hornbeam, European	8	0.46%	0.12%
ginkgo	8	0.46%	0.12%
blackgum	8	0.46%	0.12%
lilac, Japanese tree	7	0.40%	0.11%
katsuratree	7	0.40%	0.11%
fir, balsam	7	0.40%	0.11%
elm, hybrid	7	0.40%	0.11%
yellowwood, American	6	0.35%	0.09%
oak, pin	6	0.35%	0.09%
maple, Miyabei	6	0.35%	0.09%
hickory, shagbark	6	0.35%	0.09%
dogwood, Kousa	6	0.35%	0.09%
apple, common	6	0.35%	0.09%
spruce, Norway	5	0.29%	0.08%
pine, Scotch	5	0.29%	0.08%
beech, American	5	0.29%	0.08%
maple, Freeman	4	0.23%	0.06%
elm, Siberian	4	0.23%	0.06%

Tuesday, May 19, 2009 Page 4 of 13

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
dogwood, flowering	4	0.23%	0.06%
alder, common	4	0.23%	0.06%
walnut, black	3	0.17%	0.05%
unknown	3	0.17%	0.05%
Tamarix spp.	3	0.17%	0.05%
spruce, white	3	0.17%	0.05%
maple, Tatarian	3	0.17%	0.05%
goldenraintree	3	0.17%	0.05%
ash, white	3	0.17%	0.05%
oak, spp.	2	0.12%	0.03%
locust, black	2	0.12%	0.03%
juniper, spp.	2	0.12%	0.03%
filbert, Turkish	2	0.12%	0.03%
willow, pussy	1	0.06%	0.02%
spruce, spp.	1	0.06%	0.02%
pine, spp.	1	0.06%	0.02%
pawpaw, common	1	0.06%	0.02%
oak, English	1	0.06%	0.02%
maple, paperbark	1	0.06%	0.02%
maple, Japanese	1	0.06%	0.02%
magnolia, star	1	0.06%	0.02%
magnolia, saucer	1	0.06%	0.02%
hickory, bitternut	1	0.06%	0.02%
filbert, American	1	0.06%	0.02%
catalpa, northern	1	0.06%	0.02%
baldcypress, common	1	0.06%	0.02%
ash, spp.	1	0.06%	0.02%
Summary for 11-20 (86 items)			
Sum	1737	100%	26.28%
21-30			
crabapple, flowering	236	20.36%	3.57%
maple, red	150	12.94%	2.27%

Tuesday, May 19, 2009 Page 5 of 13

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
pine, Austrian	94	8.11%	1.42%
maple, Norway	58	5.00%	0.88%
honeylocust, thornless	43	3.71%	0.65%
oak, northern red	42	3.62%	0.64%
pine, eastern white	41	3.54%	0.62%
pine, Scotch	40	3.45%	0.61%
hawthorn, spp.	40	3.45%	0.61%
redbud, eastern	39	3.36%	0.59%
spruce, Colorado	35	3.02%	0.53%
linden, littleleaf	30	2.59%	0.45%
planetree, London	21	1.81%	0.32%
maple, sugar	19	1.64%	0.29%
serviceberry, spp.	16	1.38%	0.24%
maple, Amur	16	1.38%	0.24%
oak, bur	15	1.29%	0.23%
oak, swamp white	14	1.21%	0.21%
hackberry, common	13	1.12%	0.20%
cherry/plum, spp.	12	1.04%	0.18%
hawthorn, Washington	11	0.95%	0.17%
birch, river	9	0.78%	0.14%
arborvitae, eastern	9	0.78%	0.14%
walnut, black	8	0.69%	0.12%
pear, callery	8	0.69%	0.12%
boxelder	8	0.69%	0.12%
spruce, white	7	0.60%	0.11%
blackgum	7	0.60%	0.11%
spruce, Norway	6	0.52%	0.09%
fir, white	6	0.52%	0.09%
zelkova, Japanese	5	0.43%	0.08%
oak, white	5	0.43%	0.08%
mulberry, white	5	0.43%	0.08%
magnolia, spp.	5	0.43%	0.08%

Tuesday, May 19, 2009 Page 6 of 13

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
ash, spp.	5	0.43%	0.08%
tuliptree	4	0.35%	0.06%
sweetgum, American	4	0.35%	0.06%
redcedar, eastern	4	0.35%	0.06%
oak, shingle	4	0.35%	0.06%
horsechestnut	4	0.35%	0.06%
cherry, black	4	0.35%	0.06%
apple, common	4	0.35%	0.06%
unknown	3	0.26%	0.05%
tree-of-heaven	3	0.26%	0.05%
oak, sawtooth	3	0.26%	0.05%
oak, pin	3	0.26%	0.05%
maple, Freeman	3	0.26%	0.05%
Kentucky coffeetree	3	0.26%	0.05%
elm, Siberian	3	0.26%	0.05%
willow, weeping	2	0.17%	0.03%
oak, English	2	0.17%	0.03%
maple, Tatarian	2	0.17%	0.03%
maple, hedge	2	0.17%	0.03%
magnolia, saucer	2	0.17%	0.03%
locust, black	2	0.17%	0.03%
hornbeam, European	2	0.17%	0.03%
hornbeam, American	2	0.17%	0.03%
hickory, shagbark	2	0.17%	0.03%
filbert, American	2	0.17%	0.03%
butternut	2	0.17%	0.03%
yellowwood, American	1	0.09%	0.02%
Russian-olive	1	0.09%	0.02%
pine, jack	1	0.09%	0.02%
magnolia, star	1	0.09%	0.02%
linden, American	1	0.09%	0.02%
elm, American	1	0.09%	0.02%

Tuesday, May 19, 2009 Page 7 of 13

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
douglas-fir	1	0.09%	0.02%
dawn redwood	1	0.09%	0.02%
ash, white	1	0.09%	0.02%
ash, green	1	0.09%	0.02%
Summary for 21-30 (70 items)			
Sum	1159	100%	17.53%
31-50			
pine, Austrian	215	15.42%	3.25%
spruce, Colorado	158	11.33%	2.39%
honeylocust, thornless	94	6.74%	1.42%
maple, Norway	83	5.95%	1.26%
maple, sugar	66	4.73%	1.00%
pine, Scotch	63	4.52%	0.95%
maple, red	63	4.52%	0.95%
zelkova, Japanese	59	4.23%	0.89%
oak, northern red	56	4.02%	0.85%
pine, eastern white	53	3.80%	0.80%
walnut, black	51	3.66%	0.77%
linden, littleleaf	48	3.44%	0.73%
boxelder	25	1.79%	0.38%
cherry, black	22	1.58%	0.33%
spruce, Norway	18	1.29%	0.27%
oak, pin	18	1.29%	0.27%
hickory, shagbark	18	1.29%	0.27%
fir, white	18	1.29%	0.27%
maple, silver	17	1.22%	0.26%
spruce, white	16	1.15%	0.24%
redcedar, eastern	16	1.15%	0.24%
pine, jack	12	0.86%	0.18%
mulberry, white	12	0.86%	0.18%
linden, American	11	0.79%	0.17%
crabapple, flowering	11	0.79%	0.17%

Tuesday, May 19, 2009 Page 8 of 13

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
oak, bur	10	0.72%	0.15%
planetree, London	9	0.65%	0.14%
elm, Siberian	9	0.65%	0.14%
arborvitae, eastern	9	0.65%	0.14%
birch, river	8	0.57%	0.12%
willow, weeping	7	0.50%	0.11%
maple, hedge	7	0.50%	0.11%
douglas-fir	7	0.50%	0.11%
sweetgum, American	6	0.43%	0.09%
oak, white	6	0.43%	0.09%
Kentucky coffeetree	6	0.43%	0.09%
ash, spp.	6	0.43%	0.09%
oak, swamp white	5	0.36%	0.08%
horsechestnut	5	0.36%	0.08%
hornbeam, American	5	0.36%	0.08%
elm, American	5	0.36%	0.08%
cherry, sweet	5	0.36%	0.08%
apple, common	5	0.36%	0.08%
cottonwood, eastern	4	0.29%	0.06%
catalpa, northern	4	0.29%	0.06%
tuliptree	3	0.22%	0.05%
pear, callery	3	0.22%	0.05%
hawthorn, spp.	3	0.22%	0.05%
yellowwood, American	2	0.14%	0.03%
walnut, English	2	0.14%	0.03%
tree-of-heaven	2	0.14%	0.03%
spruce, spp.	2	0.14%	0.03%
poplar, white	2	0.14%	0.03%
oak, English	2	0.14%	0.03%
locust, black	2	0.14%	0.03%
ginkgo	2	0.14%	0.03%
chestnut, Chinese	2	0.14%	0.03%

Tuesday, May 19, 2009 Page 9 of 13

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
cherry/plum, spp.	2	0.14%	0.03%
ash, white	2	0.14%	0.03%
willow, black	1	0.07%	0.02%
sycamore, American	1	0.07%	0.02%
pear, common	1	0.07%	0.02%
maple, sycamore	1	0.07%	0.02%
linden, silver	1	0.07%	0.02%
larch, American	1	0.07%	0.02%
honeylocust	1	0.07%	0.02%
hemlock, eastern	1	0.07%	0.02%
hackberry, common	1	0.07%	0.02%
filbert, Turkish	1	0.07%	0.02%
butternut	1	0.07%	0.02%
beech, American	1	0.07%	0.02%
Summary for 31-50 (71 items)			
Sum	1394	100%	21.09%
51-70			
pine, Austrian	147	9.44%	2.22%
walnut, black	136	8.73%	2.06%
maple, sugar	131	8.41%	1.98%
oak, white	83	5.33%	1.26%
honeylocust, thornless	78	5.01%	1.18%
oak, northern red	76	4.88%	1.15%
linden, littleleaf	68	4.36%	1.03%
spruce, Colorado	66	4.24%	1.00%
spruce, Norway	57	3.66%	0.86%
hickory, shagbark	52	3.34%	0.79%
maple, Norway	48	3.08%	0.73%
maple, silver	44	2.82%	0.67%
oak, bur	42	2.70%	0.64%
elm, American	39	2.50%	0.59%
cherry, black	39	2.50%	0.59%

Tuesday, May 19, 2009 Page 10 of 13

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
pine, eastern white	37	2.37%	0.56%
cottonwood, eastern	34	2.18%	0.51%
douglas-fir	33	2.12%	0.50%
planetree, London	29	1.86%	0.44%
pine, Scotch	28	1.80%	0.42%
oak, pin	27	1.73%	0.41%
linden, American	27	1.73%	0.41%
boxelder	26	1.67%	0.39%
maple, red	25	1.60%	0.38%
spruce, white	19	1.22%	0.29%
elm, Siberian	19	1.22%	0.29%
willow, weeping	17	1.09%	0.26%
willow, black	15	0.96%	0.23%
mulberry, white	15	0.96%	0.23%
ash, spp.	11	0.71%	0.17%
sycamore, American	8	0.51%	0.12%
tuliptree	7	0.45%	0.11%
tree-of-heaven	7	0.45%	0.11%
redcedar, eastern	6	0.39%	0.09%
ocust, black	6	0.39%	0.09%
fir, white	6	0.39%	0.09%
hickory, pignut	5	0.32%	0.08%
poplar, white	4	0.26%	0.06%
oak, black	4	0.26%	0.06%
honeylocust	4	0.26%	0.06%
catalpa, northern	4	0.26%	0.06%
zelkova, Japanese	3	0.19%	0.05%
pine, jack	3	0.19%	0.05%
walnut, English	2	0.13%	0.03%
Kentucky coffeetree	2	0.13%	0.03%
hickory, bitternut	2	0.13%	0.03%
hackberry, common	2	0.13%	0.03%

Tuesday, May 19, 2009 Page 11 of 13

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
birch, gray	2	0.13%	0.03%
sweetgum, American	1	0.06%	0.02%
pine, Ponderosa	1	0.06%	0.02%
pear, common	1	0.06%	0.02%
pear, callery	1	0.06%	0.02%
oak, swamp white	1	0.06%	0.02%
maple, sycamore	1	0.06%	0.02%
Japanese pagodatree	1	0.06%	0.02%
hophornbeam, American	1	0.06%	0.02%
fir, balsam	1	0.06%	0.02%
elm, slippery	1	0.06%	0.02%
dawn redwood	1	0.06%	0.02%
birch, river	1	0.06%	0.02%
beech, American	1	0.06%	0.02%
Summary for 51-70 (61 items)			
Sum	1558	100%	23.57%
Greater than 70			
oak, white	52	28.11%	0.79%
walnut, black	26	14.05%	0.39%
oak, bur	25	13.51%	0.38%
oak, northern red	16	8.65%	0.24%
hickory, shagbark	14	7.57%	0.21%
elm, American	12	6.49%	0.18%
cottonwood, eastern	10	5.41%	0.15%
hickory, pignut	5	2.70%	0.08%
hickory, bitternut	4	2.16%	0.06%
elm, Siberian	4	2.16%	0.06%
sycamore, American	3	1.62%	0.05%
maple, sugar	3	1.62%	0.05%
maple, silver	3	1.62%	0.05%
spruce, Norway	2	1.08%	0.03%
willow, black	1	0.54%	0.02%

Tuesday, May 19, 2009 Page 12 of 13

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
tuliptree	1	0.54%	0.02%
tree-of-heaven	1	0.54%	0.02%
oak, pin	1	0.54%	0.02%
oak, black	1	0.54%	0.02%
maple, Norway	1	0.54%	0.02%
Summary for Greater than 70 (20 items)			
Sum	185	100%	2.80%
Grand Total	6610		

Tuesday, May 19, 2009 Page 13 of 13





Frequency Report: Potential Sawlog by Common (Non-Street Sites)

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
N/A			
oak, white	36	24.49%	0.54%
hickory, shagbark	27	18.37%	0.41%
pine, Scotch	22	14.97%	0.33%
oak, northern red	22	14.97%	0.33%
pine, Austrian	5	3.40%	0.08%
oak, swamp white	5	3.40%	0.08%
oak, bur	4	2.72%	0.06%
crabapple, flowering	4	2.72%	0.06%
serviceberry, spp.	3	2.04%	0.05%
elm, Siberian	3	2.04%	0.05%
elm, American	3	2.04%	0.05%
maple, sugar	2	1.36%	0.03%
honeylocust, thornless	2	1.36%	0.03%
zelkova, Japanese	1	0.68%	0.02%
pear, callery	1	0.68%	0.029
oak, pin	1	0.68%	0.029
maple, silver	1	0.68%	0.029
maple, Norway	1	0.68%	0.029
linden, littleleaf	1	0.68%	0.029
linden, American	1	0.68%	0.029
hickory, pignut	1	0.68%	0.029
cherry/plum, spp.	1	0.68%	0.02%
Summary for N/A (22 items) Sum	147	100%	2.229
No .			
crabapple, flowering	498	8.69%	7.53%
pine, Austrian	403	7.03%	6.10%
maple, red	361	6.30%	5.46%

Tuesday, May 19, 2009 Page 1 of 7

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
spruce, Colorado	267	4.66%	4.04%
maple, sugar	254	4.43%	3.84%
honeylocust, thornless	246	4.29%	3.72%
oak, northern red	238	4.15%	3.60%
maple, Norway	211	3.68%	3.19%
linden, littleleaf	178	3.11%	2.69%
oak, swamp white	174	3.04%	2.63%
pine, eastern white	169	2.95%	2.56%
hawthorn, spp.	152	2.65%	2.30%
hackberry, common	130	2.27%	1.97%
redbud, eastern	123	2.15%	1.86%
serviceberry, spp.	117	2.04%	1.77%
cherry/plum, spp.	105	1.83%	1.59%
pine, Scotch	102	1.78%	1.54%
zelkova, Japanese	99	1.73%	1.50%
planetree, London	98	1.71%	1.48%
walnut, black	93	1.62%	1.41%
oak, bur	80	1.40%	1.21%
tuliptree	72	1.26%	1.09%
elm, American	56	0.98%	0.85%
boxelder	56	0.98%	0.85%
spruce, white	52	0.91%	0.79%
spruce, Norway	52	0.91%	0.79%
arborvitae, eastern	51	0.89%	0.77%
fir, white	49	0.85%	0.74%
cherry, black	48	0.84%	0.73%
douglas-fir	46	0.80%	0.70%
maple, silver	45	0.79%	0.68%
birch, river	43	0.75%	0.65%
oak, pin	38	0.66%	0.57%
hornbeam, American	38	0.66%	0.57%
fir, balsam	35	0.61%	0.53%

Tuesday, May 19, 2009 Page 2 of 7

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
linden, American	34	0.59%	0.51%
mulberry, white	33	0.58%	0.50%
maple, Amur	32	0.56%	0.48%
elm, Siberian	32	0.56%	0.48%
sweetgum, American	30	0.52%	0.45%
Kentucky coffeetree	30	0.52%	0.45%
redcedar, eastern	29	0.51%	0.44%
willow, weeping	27	0.47%	0.41%
cottonwood, eastern	26	0.45%	0.39%
hickory, shagbark	24	0.42%	0.36%
maple, striped	23	0.40%	0.35%
horsechestnut	22	0.38%	0.33%
hawthorn, Washington	22	0.38%	0.33%
hardy rubbertree	22	0.38%	0.33%
ginkgo	22	0.38%	0.33%
ash, spp.	22	0.38%	0.33%
blackgum	21	0.37%	0.32%
pine, jack	20	0.35%	0.30%
oak, shingle	20	0.35%	0.30%
dogwood, pagoda	20	0.35%	0.30%
yellowwood, American	19	0.33%	0.29%
pear, callery	19	0.33%	0.29%
oak, sawtooth	18	0.31%	0.27%
maple, hedge	18	0.31%	0.27%
juniper, spp.	18	0.31%	0.27%
willow, black	17	0.30%	0.26%
lilac, Japanese tree	15	0.26%	0.23%
apple, common	15	0.26%	0.23%
Amur maackia	15	0.26%	0.23%
katsuratree	14	0.24%	0.21%
dawn redwood	14	0.24%	0.21%
hornbeam, European	13	0.23%	0.20%

Tuesday, May 19, 2009 Page 3 of 7

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
oak, white	12	0.21%	0.18%
unknown	11	0.19%	0.17%
tree-of-heaven	11	0.19%	0.17%
peech, American	11	0.19%	0.17%
ocust, black	10	0.17%	0.15%
Japanese pagodatree	9	0.16%	0.14%
norsechestnut, red	9	0.16%	0.14%
catalpa, northern	9	0.16%	0.14%
sycamore, American	8	0.14%	0.12%
maple, Freeman	8	0.14%	0.12%
oak, English	7	0.12%	0.11%
maple, paperbark	7	0.12%	0.11%
elm, hybrid	7	0.12%	0.11%
ash, white	7	0.12%	0.11%
spruce, Serbian	6	0.10%	0.09%
poplar, white	6	0.10%	0.09%
maple, Tatarian	6	0.10%	0.09%
maple, Miyabei	6	0.10%	0.09%
dogwood, Kousa	6	0.10%	0.09%
oaldcypress, common	6	0.10%	0.09%
maple, Japanese	5	0.09%	0.08%
magnolia, spp.	5	0.09%	0.08%
noneylocust	5	0.09%	0.08%
cherry, sweet	5	0.09%	0.08%
walnut, English	4	0.07%	0.06%
nickory, bitternut	4	0.07%	0.06%
filbert, Turkish	4	0.07%	0.06%
dogwood, flowering	4	0.07%	0.06%
putternut	4	0.07%	0.06%
alder, common	4	0.07%	0.06%
Tamarix spp.	3	0.05%	0.05%
spruce, spp.	3	0.05%	0.05%

Tuesday, May 19, 2009 Page 4 of 7

magnolia, star 3 0.05% 0.05% magnolia, saucer 3 0.05% 0.05% goldenraintree 3 0.05% 0.05% filbert, American 3 0.05% 0.05% pear, common 2 0.03% 0.03% oak, spp. 2 0.03% 0.03% maple, sycamore 2 0.03% 0.03% chestnut, Chinese 2 0.03% 0.03% birch, gray 2 0.03% 0.03% willow, pussy 1 0.02% 0.02% Russian-olive 1 0.02% 0.02% pine, spp. 1 0.02% 0.02% pawpaw, common 1 0.02% 0.02% pawpaw, common 1 0.02% 0.02% larch, American 1 0.02% 0.02% larch, American 1 0.02% 0.02% hickory, pignut 1 0.02% 0.02% hemlock, eastern 1 0.	Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
Soliderraintree 3	magnolia, star	3	0.05%	0.05%
filbert, American 3 0.05% 0.05% pear, common 2 0.03% 0.03% oak, spp. 2 0.03% 0.03% maple, sycamore 2 0.03% 0.03% chestnut, Chinese 2 0.03% 0.03% birch, gray 2 0.03% 0.03% willow, pussy 1 0.02% 0.02% Russian-olive 1 0.02% 0.02% pine, spp. 1 0.02% 0.02% pawpaw, common 1 0.02% 0.02% oak, black 1 0.02% 0.02% larch, American 1 0.02% 0.02% larch, American 1 0.02% 0.02% hophornbeam, American 1 0.02% 0.02% hemiock, eastern 1 0.02% 0.02% elm, slippery 1 0.02% 0.02% stum 5731 100% 86.70% Yes 3 100% <th< td=""><td>magnolia, saucer</td><td>3</td><td>0.05%</td><td>0.05%</td></th<>	magnolia, saucer	3	0.05%	0.05%
pear, common 2 0.03% 0.03% oak, spp. 2 0.03% 0.03% maple, sycamore 2 0.03% 0.03% chestnut, Chinese 2 0.03% 0.03% birch, gray 2 0.03% 0.03% willow, pussy 1 0.02% 0.02% Russian-olive 1 0.02% 0.02% pine, spp. 1 0.02% 0.02% pawpaw, common 1 0.02% 0.02% oak, black 1 0.02% 0.02% linden, silver 1 0.02% 0.02% larch, American 1 0.02% 0.02% hophornbeam, American 1 0.02% 0.02% hickory, pignut 1 0.02% 0.02% elm, slippory 1 0.02% 0.02% summary for No (120 items) 5731 100% 8.70% Yes 3 10 1.98% 1.98% 1.98% 1.98% 1.98% <td>goldenraintree</td> <td>3</td> <td>0.05%</td> <td>0.05%</td>	goldenraintree	3	0.05%	0.05%
oak, spp. 2 0.03% 0.03% maple, sycamore 2 0.03% 0.03% chestnut, Chinese 2 0.03% 0.03% birch, gray 2 0.03% 0.03% willow, pussy 1 0.02% 0.02% Russian-olive 1 0.02% 0.02% pine, spp. 1 0.02% 0.02% pawpaw, common 1 0.02% 0.02% oak, black 1 0.02% 0.02% linden, silver 1 0.02% 0.02% larch, American 1 0.02% 0.02% hophornbeam, American 1 0.02% 0.02% hickory, pignut 1 0.02% 0.02% hemlock, eastern 1 0.02% 0.02% summary for No (120 items) 5731 100% 86.70% Yes walnut, black 131 17.90% 1.98% oak, white 98 13.39% 1.48% 1.12%	filbert, American	3	0.05%	0.05%
maple, sycamore 2 0.03% 0.03% chestnut, Chinese 2 0.03% 0.03% birch, gray 2 0.03% 0.03% willow, pussy 1 0.02% 0.02% Russian-olive 1 0.02% 0.02% pine, spp. 1 0.02% 0.02% pawpaw, common 1 0.02% 0.02% oak, black 1 0.02% 0.02% linden, silver 1 0.02% 0.02% larch, American 1 0.02% 0.02% hophornbeam, American 1 0.02% 0.02% hickory, pignut 1 0.02% 0.02% hemlock, eastern 1 0.02% 0.02% elm, slippery 1 0.02% 0.02% summary for No (120 items) 5731 100% 86.70% Yes walnut, black 131 17.90% 1.98% oak, northern red 50 6.83% 0.76% hickory,	pear, common	2	0.03%	0.03%
chestnut, Chinese 2 0.03% 0.03% birch, gray 2 0.03% 0.03% willow, pussy 1 0.02% 0.02% Russian-olive 1 0.02% 0.02% pine, spp. 1 0.02% 0.02% pawpaw, common 1 0.02% 0.02% oak, black 1 0.02% 0.02% linden, silver 1 0.02% 0.02% larch, American 1 0.02% 0.02% hophornbeam, American 1 0.02% 0.02% hickory, pignut 1 0.02% 0.02% hemlock, eastern 1 0.02% 0.02% elm, slippery 1 0.02% 0.02% summary for No (120 items) 5731 100% 86.70% Yes value, black 131 17.90% 1.98% oak, white 98 13.39% 1.48% pine, Austrian 74 10.11% 1.12% oak, northern	oak, spp.	2	0.03%	0.03%
birch, gray 2 0.03% 0.03% willow, pussy 1 0.02% 0.02% Russian-olive 1 0.02% 0.02% pine, spp. 1 0.02% 0.02% pawpaw, common 1 0.02% 0.02% oak, black 1 0.02% 0.02% linden, silver 1 0.02% 0.02% larch, American 1 0.02% 0.02% hophornbeam, American 1 0.02% 0.02% hemlock, eastern 1 0.02% 0.02% elm, slippery 1 0.02% 0.02% summary for No (120 items) 5 100% 86.70% Yes 5731 100% 86.70% Yes 5731 100% 86.70% yes 5731 100% 86.70% yes 5731 100% 86.70% yes 50 6.83% 0.76% oak, white 98 13.39% 1.48%	maple, sycamore	2	0.03%	0.03%
willow, pussy 1 0.02% 0.02% Russian-olive 1 0.02% 0.02% pine, spp. 1 0.02% 0.02% pawpaw, common 1 0.02% 0.02% oak, black 1 0.02% 0.02% linden, silver 1 0.02% 0.02% larch, American 1 0.02% 0.02% hophornbeam, American 1 0.02% 0.02% hickory, pignut 1 0.02% 0.02% hemlock, eastern 1 0.02% 0.02% elm, slippery 1 0.02% 0.02% ash, green 1 0.02% 0.02% Summary for No (120 items) 5731 100% 86.70% Yes walnut, black 131 17.90% 1.98% oak, white 98 13.39% 1.48% pine, Austrian 74 10.11% 1.12% oak, northern red 50 6.83% 0.76% hickory, shag	chestnut, Chinese	2	0.03%	0.03%
Russian-olive 1 0.02% 0.02% pine, spp. 1 0.02% 0.02% pawpaw, common 1 0.02% 0.02% oak, black 1 0.02% 0.02% linden, silver 1 0.02% 0.02% larch, American 1 0.02% 0.02% hophornbeam, American 1 0.02% 0.02% hickory, pignut 1 0.02% 0.02% hemlock, eastern 1 0.02% 0.02% elm, slippery 1 0.02% 0.02% ash, green 1 0.02% 0.02% Summary for No (120 items) 5731 100% 86.70% Yes walnut, black 131 17.90% 1.98% oak, white 98 13.39% 1.48% pine, Austrian 74 10.11% 1.12% oak, northern red 50 6.83% 0.76% hickory, shagbark 42 5.74% 0.64% oak, bur	birch, gray	2	0.03%	0.03%
pine, spp. 1 0.02%	willow, pussy	1	0.02%	0.02%
pawpaw, common 1 0.02% 0.02% oak, black 1 0.02% 0.02% linden, silver 1 0.02% 0.02% larch, American 1 0.02% 0.02% hophornbeam, American 1 0.02% 0.02% hickory, pignut 1 0.02% 0.02% hemlock, eastern 1 0.02% 0.02% elm, slippery 1 0.02% 0.02% sah, green 1 0.02% 0.02% Summary for No (120 items) 5731 100% 86.70% Yes 5731 100% 86.70% Yes 5731 100% 1.98% oak, white 131 17.90% 1.98% oak, white 98 13.39% 1.48% pine, Austrian 74 10.11% 1.12% oak, northern red 50 6.83% 0.76% hickory, shagbark 42 5.74% 0.64% oak, bur 38 <t< td=""><td>Russian-olive</td><td>1</td><td>0.02%</td><td>0.02%</td></t<>	Russian-olive	1	0.02%	0.02%
oak, black 1 0.02% 0.02% linden, silver 1 0.02% 0.02% larch, American 1 0.02% 0.02% hophornbeam, American 1 0.02% 0.02% hickory, pignut 1 0.02% 0.02% hemlock, eastern 1 0.02% 0.02% elm, slippery 1 0.02% 0.02% ash, green 1 0.02% 0.02% Summary for No (120 items) 5731 100% 86.70% Yes walnut, black 131 17.90% 1.98% oak, white 98 13.39% 1.48% pine, Austrian 74 10.11% 1.12% oak, northern red 50 6.83% 0.76% hickory, shagbark 42 5.74% 0.64% oak, bur 38 5.19% 0.57% spruce, Norway 36 4.92% 0.54%	pine, spp.	1	0.02%	0.02%
linden, silver 1 0.02% 0.02% larch, American 1 0.02% 0.02% hophornbeam, American 1 0.02% 0.02% hickory, pignut 1 0.02% 0.02% hemlock, eastern 1 0.02% 0.02% elm, slippery 1 0.02% 0.02% ash, green 1 0.02% 0.02% Summary for No (120 items) 5731 100% 86.70% Yes walnut, black 131 17.90% 1.98% oak, white 98 13.39% 1.48% pine, Austrian 74 10.11% 1.12% oak, northern red 50 6.83% 0.76% hickory, shagbark 42 5.74% 0.64% oak, bur 38 5.19% 0.57% spruce, Norway 36 4.92% 0.54%	pawpaw, common	1	0.02%	0.02%
larch, American 1 0.02% 0.02% hophornbeam, American 1 0.02% 0.02% hickory, pignut 1 0.02% 0.02% hemlock, eastern 1 0.02% 0.02% elm, slippery 1 0.02% 0.02% ash, green 1 0.02% 0.02% Summary for No (120 items) 5731 100% 86.70% Yes walnut, black 131 17.90% 1.98% oak, white 98 13.39% 1.48% pine, Austrian 74 10.11% 1.12% oak, northern red 50 6.83% 0.76% hickory, shagbark 42 5.74% 0.64% oak, bur 38 5.19% 0.57% spruce, Norway 36 4.92% 0.55%	oak, black	1	0.02%	0.02%
hophornbeam, American 1 0.02% 0.02% hickory, pignut 1 0.02% 0.02% hemlock, eastern 1 0.02% 0.02% elm, slippery 1 0.02% 0.02% ash, green 1 0.02% 0.02% Summary for No (120 items) 5731 100% 86.70% Yes walnut, black 131 17.90% 1.98% oak, white 98 13.39% 1.48% pine, Austrian 74 10.11% 1.12% oak, northern red 50 6.83% 0.76% hickory, shagbark 42 5.74% 0.64% oak, bur 38 5.19% 0.57% spruce, Norway 36 4.92% 0.54%	linden, silver	1	0.02%	0.02%
hickory, pignut 1 0.02% 0.02% hemlock, eastern 1 0.02% 0.02% elm, slippery 1 0.02% 0.02% ash, green 1 0.02%	larch, American	1	0.02%	0.02%
hemlock, eastern 1 0.02% 0.02% elm, slippery 1 0.02% 0.02% ash, green 1 0.02% 0.02% Summary for No (120 items) 5731 100% 86.70% Yes walnut, black 131 17.90% 1.98% oak, white 98 13.39% 1.48% pine, Austrian 74 10.11% 1.12% oak, northern red 50 6.83% 0.76% hickory, shagbark 42 5.74% 0.64% oak, bur 38 5.19% 0.57% spruce, Norway 36 4.92% 0.54%	hophornbeam, American	1	0.02%	0.02%
elm, slippery 1 0.02% 0.02% ash, green 1 0.02% 0.02% Summary for No (120 items) Sum 5731 100% 86.70% 86.70% Yes walnut, black 131 17.90% 1.98% oak, white 98 13.39% 1.48% pine, Austrian 74 10.11% 1.12% oak, northern red 50 6.83% 0.76% hickory, shagbark 42 5.74% 0.64% oak, bur 38 5.19% 0.57% spruce, Norway 36 4.92% 0.54%	hickory, pignut	1	0.02%	0.02%
ash, green 1 0.02% 0.02% Summary for No (120 items) Sum 5731 100% 86.70% Yes walnut, black 131 17.90% 1.98% oak, white 98 13.39% 1.48% pine, Austrian 74 10.11% 1.12% oak, northern red 50 6.83% 0.76% hickory, shagbark 42 5.74% 0.64% oak, bur 38 5.19% 0.55% spruce, Norway 36 4.92% 0.54%	hemlock, eastern	1	0.02%	0.02%
Summary for No (120 items) Sum 5731 100% 86.70% Yes walnut, black 131 17.90% 1.98% oak, white 98 13.39% 1.48% pine, Austrian 74 10.11% 1.12% oak, northern red 50 6.83% 0.76% hickory, shagbark 42 5.74% 0.64% oak, bur 38 5.19% 0.57% spruce, Norway 36 4.92% 0.54%	elm, slippery	1	0.02%	0.02%
Sum 5731 100% 86.70% Yes Walnut, black 131 17.90% 1.98% oak, white 98 13.39% 1.48% pine, Austrian 74 10.11% 1.12% oak, northern red 50 6.83% 0.76% hickory, shagbark 42 5.74% 0.64% oak, bur 38 5.19% 0.57% spruce, Norway 36 4.92% 0.54%	ash, green	1	0.02%	0.02%
Yes walnut, black 131 17.90% 1.98% oak, white 98 13.39% 1.48% pine, Austrian 74 10.11% 1.12% oak, northern red 50 6.83% 0.76% hickory, shagbark 42 5.74% 0.64% oak, bur 38 5.19% 0.57% spruce, Norway 36 4.92% 0.54%		5731	100%	86.70%
walnut, black 131 17.90% 1.98% oak, white 98 13.39% 1.48% pine, Austrian 74 10.11% 1.12% oak, northern red 50 6.83% 0.76% hickory, shagbark 42 5.74% 0.64% oak, bur 38 5.19% 0.57% spruce, Norway 36 4.92% 0.54%				
oak, white 98 13.39% 1.48% pine, Austrian 74 10.11% 1.12% oak, northern red 50 6.83% 0.76% hickory, shagbark 42 5.74% 0.64% oak, bur 38 5.19% 0.57% spruce, Norway 36 4.92% 0.54%		131	17.90%	1.98%
pine, Austrian 74 10.11% 1.12% oak, northern red 50 6.83% 0.76% hickory, shagbark 42 5.74% 0.64% oak, bur 38 5.19% 0.57% spruce, Norway 36 4.92% 0.54%				
oak, northern red 50 6.83% 0.76% hickory, shagbark 42 5.74% 0.64% oak, bur 38 5.19% 0.57% spruce, Norway 36 4.92% 0.54%				
hickory, shagbark 42 5.74% 0.64% oak, bur 38 5.19% 0.57% spruce, Norway 36 4.92% 0.54%				
oak, bur 38 5.19% 0.57% spruce, Norway 36 4.92% 0.54%				
spruce, Norway 36 4.92% 0.54%				
	spruce, Colorado	30	4.10%	0.45%

Tuesday, May 19, 2009 Page 5 of 7

Common	Total	Percent of Sub- Category Pop.	Percent of Entire Population
cottonwood, eastern	22	3.01%	0.33%
elm, American	21	2.87%	0.32%
maple, sugar	20	2.73%	0.30%
douglas-fir	20	2.73%	0.30%
oak, pin	18	2.46%	0.27%
maple, silver	18	2.46%	0.27%
cherry, black	17	2.32%	0.26%
pine, eastern white	13	1.78%	0.20%
pine, Scotch	12	1.64%	0.18%
honeylocust, thornless	9	1.23%	0.14%
hickory, pignut	8	1.09%	0.12%
fir, white	8	1.09%	0.12%
maple, red	6	0.82%	0.09%
sycamore, American	4	0.55%	0.06%
oak, black	4	0.55%	0.06%
linden, American	4	0.55%	0.06%
hickory, bitternut	4	0.55%	0.06%
elm, Siberian	4	0.55%	0.06%
tree-of-heaven	3	0.41%	0.05%
spruce, white	3	0.41%	0.05%
maple, Norway	3	0.41%	0.05%
boxelder	3	0.41%	0.05%
locust, black	2	0.27%	0.03%
tuliptree	1	0.14%	0.02%
pine, Ponderosa	1	0.14%	0.02%
mulberry, white	1	0.14%	0.02%
fir, balsam	1	0.14%	0.02%
crabapple, flowering	1	0.14%	0.02%
catalpa, northern	1	0.14%	0.02%
ash, spp.	1	0.14%	0.02%
Summary for Yes (38 items)			
um	732	100%	11.07%

Tuesday, May 19, 2009 Page 6 of 7

Common		Percent of Sub- Category Pop.	Percent of Entire Population
Grand Total	6610		

Tuesday, May 19, 2009 Page 7 of 7



Ann Arbor, MI

Frequency Report: Diameter Class by Potential Sawlog (Non-Street Sites)

Potential Sawlog	Total	Percent of Sub- Category Pop.	Percent of Entire Population
1 - 3			
No	2149	99.63%	32.51%
N/A	8	0.37%	0.12%
Summary for 1 - 3 (2 items)			
Sum	2157	100%	32.63%
4 - 6			
No	905	99.45%	13.69%
N/A	5	0.55%	0.08%
Summary for 4 - 6 (2 items)			
Sum	910	100%	13.77%
7 - 12			
No	1661	93.79%	25.13%
Yes	63	3.56%	0.95%
N/A	47	2.65%	0.71%
Summary for 7 - 12 (3 items)			
Sum	1771	100%	26.79%
13 - 18			
No	721	67.13%	10.91%
Yes	309	28.77%	4.67%
N/A	44	4.10%	0.67%
Summary for 13 - 18 (3 items)			
Sum	1074	100%	16.25%
19 - 24			
Yes	194	50.92%	2.93%
No	159	41.73%	2.41%
N/A	28	7.35%	0.42%
Summary for 19 - 24 (3 items)			
Sum	381	100%	5.76%
25 - 30			
Yes	103	56.28%	1.56%

Tuesday, May 19, 2009 Page 1 of 2

Potential Sawlog	Total	Percent of Sub- Category Pop.	Percent of Entire Population
No	71	38.80%	1.07%
N/A	9	4.92%	0.14%
Summary for 25 - 30 (3 items) Sum	183	100%	2.77%
31 - 36			
Yes	40	50.63%	0.61%
No	35	44.30%	0.53%
N/A	4	5.06%	0.06%
Summary for 31 - 36 (3 items) Sum	79	100%	1.20%
37 - 42			
No	15	48.39%	0.23%
Yes	14	45.16%	0.21%
N/A	2	6.45%	0.03%
Summary for 37 - 42 (3 items) Sum	31	100%	0.47%
43 +			
No	15	62.50%	0.23%
Yes	9	37.50%	0.14%
Summary for 43 + (2 items) Sum	24	100%	0.36%
Grand Total	6610		

Tuesday, May 19, 2009 Page 2 of 2